LIMF
Torino Caselle


-

LICA
Lamezia Terme

2024/03/29 0522Z

LIMF KAFEE **A1** MEDAL **UM729** LUNAK **A1** ELVIN **UM729** PNZ **A1** AGNIS LICA

541.79 nm / 1003.40 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIMF APT	–	45.20076 7.64963	0 ft 0 m	–	Torino Caselle
KAFEE FIX	–	43.80000 9.19194	35,000 ft 10,668 m	106	–
KONER FIX	A1 AWY-LO	43.50472 9.53000	35,000 ft 10,668 m	23	–
MAURO FIX	A1 AWY-LO	43.18806 9.88750	35,000 ft 10,668 m	24	–
ELB VOR	A1 AWY-LO	42.73069 10.39572	35,000 ft 10,668 m	35	ELBA VORTAC
GILIO FIX	A1 AWY-LO	42.36667 10.92611	35,000 ft 10,668 m	32	–
MEDAL FIX	A1 AWY-LO	42.05278 11.37639	35,000 ft 10,668 m	27	–
LUNAK FIX	UM729 AWY-HI	41.70333 11.87056	35,000 ft 10,668 m	30	–
TORLI FIX	A1 AWY-LO	41.59667 12.01833	35,000 ft 10,668 m	9	–
ELVIN FIX	A1 AWY-LO	41.49389 12.16139	35,000 ft 10,668 m	8	–
PNZ VOR	UM729 AWY-HI	40.91194 12.95750	35,000 ft 10,668 m	50	PONZA VORTAC
VEXUV FIX	A1 AWY-LO	40.70611 13.29972	35,000 ft 10,668 m	19	–
MALOG FIX	A1 AWY-LO	40.53306 13.58500	33,600 ft 10,241 m	16	–
EDOPA FIX	A1 AWY-LO	40.42250 13.76528	31,300 ft 9,540 m	10	–
PEVIR FIX	A1 AWY-LO	40.28167 13.99417	28,400 ft 8,656 m	13	–
DELER FIX	A1 AWY-LO	40.18500 14.14917	26,500 ft 8,077 m	9	–
AGNIS FIX	A1 AWY-LO	39.80750 14.75083	18,800 ft 5,730 m	35	–
LICA APT	–	38.90539 16.24227	0 ft 0 m	87	Lamezia Terme

LIMF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 987 ft / 301 m
Location: 45.200800 7.649640
Magnetic Var: 2.852 E

METAR

LIMF 290450Z 29005KT 6000 SCT030 09/06 Q1010

TAF

TAF LIMF 282300Z 2900/2924 VRB05KT 8000 SCT020 TEMPO 2900/2905 4000 BR TEMPO 2905/2924 4000 -RA OVC012

Frequencies

REC - 120.47 MHz - ATIS
TWR - 118.50 MHz - TORINO TOWER
APP - 129.27 MHz - TORINO APPROACH

GND - 121.70 MHz - TORINO GROUND
APP - 121.10 MHz - TORINO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft 60 m	10,837 ft 3,303 m	182.56 179.71	ASPHALT	2,372 ft 723 m	1,647 ft 502 m
36	197 ft 60 m	10,837 ft 3,303 m	2.56 359.71	ASPHALT	1,135 ft 346 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ITOC	108.70 MHz	25 nm 46 km	- -	-	989 ft 989 m
36	GS	ITOC	108.70 MHz	10 nm 19 km	2.56 359.71	3.00	988 ft 988 m

LICA

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 39 ft / 12 m
Location: 38.905000 16.245800
Magnetic Var: 4.113 E

METAR

LICA 290450Z AUTO 09004KT 9999 NCD 09/07 Q1018

TAF

TAF LICA 282300Z 2900/2924 VRB05KT CAVOK BECMG 2903/2905 08010KT BECMG 2916/2918 08015G25KT

Frequencies

TWR - 125.90 MHz - LAMEZIA TOWER
APP - 122.10 MHz - LAMEZIA APPROACH
TWR - 122.10 MHz - LAMEZIA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	154 ft 47 m	9,908 ft 3,020 m	98.51 94.40	ASPHALT	328 ft 100 m	0 ft 0 m
28	154 ft 47 m	9,908 ft 3,020 m	278.53 274.42	ASPHALT	1,224 ft 373 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	LAM	110.30 MHz	25 nm 46 km	- -	-	21 ft 21 m
28	LOC-ILS	LAM	110.30 MHz	18 nm 33 km	278.56 274.45	-	39 ft 39 m
28	GS	LAM	110.30 MHz	10 nm 19 km	278.56 274.45	3.00	39 ft 39 m