


2024/05/01 0410Z

LFQQ KUTEX LFQT

20.43 nm / 37.83 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFQQ	-	50.56630	0 ft	-	Lille Lesquin
APT	-	3.09539	0 m		
KUTEX	-	50.59780	700 ft	2	-
FIX	-	3.11972	213 m		
LFQT	-	50.61670	0 ft	18	Merville Calonne
APT	-	2.64000	0 m		

LFQQ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 154 ft / 47 m
Location: 50.566300 3.095390
Magnetic Var: 1.584 E

METAR

LFQQ 010400Z AUTO VRB03KT CAVOK 13/12 Q1009 TEMPO BKN007

TAF

TAF AMD LFQQ 010158Z 0101/0206 17005KT 9999 BKN030 TEMPO 0101/0103 BKN030CB PROB40 TEMPO 0104/0107 BKN007 TEMPO 0

Frequencies

REC - 119.32 MHz - LILLE ATIS
TWR - 118.55 MHz - LILLE TWR
COM - 123.50 MHz - LILLE UNICOM

GND - 121.85 MHz - LILLE GND
APP - 126.47 MHz - LILLE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	146 ft	9,250 ft	77.36	ASPHALT	0 ft	0 ft
	45 m	2,819 m	75.77		0 m	0 m
26	146 ft	9,250 ft	257.39	ASPHALT	919 ft	0 ft
	45 m	2,819 m	255.80		280 m	0 m
02	98 ft	5,172 ft	14.83	ASPHALT	0 ft	0 ft
	30 m	1,576 m	13.25		0 m	0 m
20	98 ft	5,172 ft	194.84	ASPHALT	0 ft	0 ft
	30 m	1,576 m	193.25		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	LL	110.10 MHz	18 nm	77.13	-	135 ft
				33 km	75.55		135 m
26	LOC-ILS	LIL	110.75 MHz	18 nm	257.13	-	157 ft
				33 km	255.55		157 m
26	GS	LIL	110.75 MHz	10 nm	257.00	3.00	129 ft
				19 km	255.42		129 m

LFQT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 60 ft / 18 m
Location: 50.616700 2.640000
Magnetic Var: 1.440 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 119.07 MHz - MERVILLE GROUND
REC - 127.90 MHz - MERVILLE ATIS
APP - 126.47 MHz - LILLE APPROACH

GND - 121.65 MHz - MERVILLE TOWER
APP - 120.27 MHz - LILLE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	98 ft	6,026 ft	37.39	ASPHALT	197 ft	0 ft
	30 m	1,837 m	35.95		60 m	0 m
22	98 ft	6,026 ft	217.40	ASPHALT	0 ft	0 ft
	30 m	1,837 m	215.96		0 m	0 m
04R	262 ft	3,255 ft	37.39	GRASS	0 ft	0 ft
	80 m	992 m	35.95		0 m	0 m
22L	262 ft	3,255 ft	217.40	GRASS	0 ft	0 ft
	80 m	992 m	215.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	MER	109.35 MHz	18 nm	-	-	60 ft
				33 km	-		60 m
22	LOC-ILS	MER	109.35 MHz	18 nm	217.41	-	60 ft
				33 km	215.97		60 m
22	GS	MER	109.35 MHz	10 nm	217.80	3.50	60 ft
				19 km	216.36		60 m