

UUEE

Moscou Sheremetyevo


GCTS

Tenerife Sur

2024/05/07 0112Z

UUEE FK **A104** MOSON **UA104** PASUD **UL979** MATUS **UN869** KI **UT711** TRZ **UN869** DKB **TR11** TGO **UN869** OLRAK **UQ169**
AGN **UL866** PPN **UN976** NEA **UL14** ELVAR **UN975** BIRBA **UN873** SOTEX **UZ223** BEXAL **UN866** KONBA **UB602** TFN GCTS

2876.53 nm / 5327.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UUEE	-	55.97264	0 ft	-	Moscou Sheremetyevo
APT	-	37.41459	0 m		
FK	-	55.55528	30,200 ft	84	GAGARIN NDB
NDB	-	35.02194	9,205 m		
MOSON	A104	54.66833	34,000 ft	146	-
FIX	AWY-HI	31.04139	10,363 m		
PASUD	UA104	54.39333	34,000 ft	41	-
FIX	AWY-HI	29.93333	10,363 m		
SUMOK	UL979	54.36000	34,000 ft	11	-
FIX	AWY-HI	29.61000	10,363 m		
KURPI	UL979	54.26333	34,000 ft	32	-
FIX	AWY-HI	28.71167	10,363 m		
MATUS	UL979	54.10333	34,000 ft	49	-
FIX	AWY-HI	27.34000	10,363 m		
KI	UN869	53.88333	34,000 ft	25	IVENETS NDB
NDB	AWY-HI	26.73333	10,363 m		
GORAT	UT711	53.17806	34,000 ft	109	-
FIX	AWY-HI	23.89417	10,363 m		
WAR	UT711	52.25914	34,000 ft	130	ZABOROWEK VOR-DME
VOR	AWY-HI	20.65710	10,363 m		
IBARA	UT711	51.94944	34,000 ft	48	-
FIX	AWY-HI	19.44222	10,363 m		
TRZ	UT711	51.30816	34,000 ft	94	TRZEBNICA VOR-DME
VOR	AWY-HI	17.11431	10,363 m		
UVSOV	UN869	50.95306	34,000 ft	71	-
FIX	AWY-HI	15.29333	10,363 m		
OKX	UN869	50.90268	34,000 ft	10	FRYDLANT VOR-DME
VOR	AWY-HI	15.03190	10,363 m		
KONAR	UN869	50.44514	34,000 ft	79	-
FIX	AWY-HI	13.06558	10,363 m		
OKG	UN869	50.06515	34,000 ft	34	CHEB VOR-DME
VOR	AWY-HI	12.40574	10,363 m		
ERL51	UN869	50.04472	34,000 ft	3	-
FIX	AWY-HI	12.32139	10,363 m		
RONIG	UN869	49.98917	34,000 ft	9	-
FIX	AWY-HI	12.09722	10,363 m		
NOGRA	UN869	49.92056	34,000 ft	11	-
FIX	AWY-HI	11.82167	10,363 m		
ANELA	UN869	49.76889	34,000 ft	24	-
FIX	AWY-HI	11.22472	10,363 m		
KEGOS	UN869	49.66056	34,000 ft	9	-
FIX	AWY-HI	11.05139	10,363 m		
NORAS	UN869	49.40667	34,000 ft	21	-
FIX	AWY-HI	10.64917	10,363 m		
DKB	UN869	49.14275	34,000 ft	22	DINKELSBUHL VORTAC
VOR	AWY-HI	10.23831	10,363 m		
TGO	TR11	48.61841	34,000 ft	49	TANGO VORTAC
VOR	AWY-HI	9.25921	10,363 m		
NATOR	UN869	48.17000	34,000 ft	46	-
FIX	AWY-HI	8.32139	10,363 m		
RINLI	UN869	47.62278	34,000 ft	37	-
FIX	AWY-HI	7.88083	10,363 m		
OLBEN	UN869	47.30444	34,000 ft	21	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	7.62944	10,363 m		
LUTIX	UN869	47.16500	34,000 ft	13	-
FIX	AWY-HI	7.37056	10,363 m		
BENOT	UN869	47.05778	34,000 ft	10	-
FIX	AWY-HI	7.17278	10,363 m		
NEMOS	UN869	46.91194	34,000 ft	13	-
FIX	AWY-HI	6.90667	10,363 m		
VEROX	UN869	46.72750	34,000 ft	17	-
FIX	AWY-HI	6.57333	10,363 m		
MILPA	UN869	46.30250	34,000 ft	38	-
FIX	AWY-HI	5.87972	10,363 m		
NINTU	UN869	46.14722	34,000 ft	16	-
FIX	AWY-HI	5.55306	10,363 m		
MEBAK	UN869	45.70806	34,000 ft	46	-
FIX	AWY-HI	4.64889	10,363 m		
REPSI	UN869	45.52250	34,000 ft	19	-
FIX	AWY-HI	4.27528	10,363 m		
LERGA	UN869	45.25722	34,000 ft	27	-
FIX	AWY-HI	3.75028	10,363 m		
MOKDI	UN869	44.95694	34,000 ft	30	-
FIX	AWY-HI	3.16694	10,363 m		
OLRAK	UN869	44.78444	34,000 ft	17	-
FIX	AWY-HI	2.83722	10,363 m		
NARAK	UQ169	44.29528	34,000 ft	55	-
FIX	AWY-HI	1.74889	10,363 m		
AGN	UQ169	43.88803	34,000 ft	45	AGEN-Gaudonville VOR-DME
VOR	AWY-HI	0.87286	10,363 m		
PIPOR	UL866	43.00905	34,000 ft	101	-
FIX	AWY-HI	-1.10810	10,363 m		
PPN	UL866	42.73375	34,000 ft	30	PAMPLONA VOR-DME
VOR	AWY-HI	-1.70200	10,363 m		
MIRPO	UN976	42.63112	34,000 ft	20	-
FIX	AWY-HI	-2.15539	10,363 m		
DGO	UN976	42.45331	34,000 ft	33	DOMINGO VOR-DME
VOR	AWY-HI	-2.88071	10,363 m		
NEA	UN976	42.02761	34,000 ft	60	TABANERA VOR-DME
VOR	AWY-HI	-4.10913	10,363 m		
ZANKO	UL14	41.28795	34,000 ft	58	-
FIX	AWY-HI	-4.96459	10,363 m		
MINVI	UL14	41.12614	34,000 ft	12	-
FIX	AWY-HI	-5.14818	10,363 m		
RIDAV	UL14	40.53524	34,000 ft	46	-
FIX	AWY-HI	-5.80829	10,363 m		
RAKOD	UL14	39.78082	34,000 ft	58	-
FIX	AWY-HI	-6.62851	10,363 m		
ELVAR	UL14	39.21945	34,000 ft	43	-
FIX	AWY-HI	-7.22332	10,363 m		
BIRBA	UN975	39.10556	34,000 ft	15	-
FIX	AWY-HI	-7.51194	10,363 m		
EVURA	UN873	38.66500	34,000 ft	32	-
FIX	AWY-HI	-7.91861	10,363 m		
SOTEX	UN873	38.29278	34,000 ft	26	-
FIX	AWY-HI	-8.22000	10,363 m		
BEXAL	UZ223	35.96667	34,000 ft	208	-
FIX	AWY-HI	-11.44833	10,363 m		
KUBIL	UN866	34.26111	34,000 ft	125	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-12.91167	10,363 m		
LUPEX	UN866	32.99750	34,000 ft	92	-
FIX	AWY-HI	-13.95500	10,363 m		
KONBA	UN866	31.30083	34,000 ft	122	-
FIX	AWY-HI	-15.30167	10,363 m		
KASAS	UB602	29.98642	26,600 ft	82	-
FIX	AWY-HI	-15.76872	8,108 m		
TFN	UB602	28.53683	24,500 ft	90	TENERIFE NORTE VOR-DME
VOR	AWY-HI	-16.26878	7,468 m		
GCTS	-	28.04447	0 ft	33	Tenerife Sur
APT	-	-16.57249	0 m		

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.976 E

METAR

UUEE 070100Z 06007MPS 3600 -SNRA OVC023 00/M02 Q1007 R06R/290051 R06C/290051 NOSIG

TAF

TAF UUEE 062251Z 0700/0724 05006MPS 9000 BKN020 TX06/0712Z TN01/0701Z TEMPO 0700/0706 07008G13MPS 4900 -SHRASN FE

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.01		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.05		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.05		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.10		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.05		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.10		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m

GCTS

Region: CANARY ISLANDS
Timezone: ATLANTIC/CANARY
Runways: 1

Elevation: 209 ft / 64 m
Location: 28.044500 -16.572500
Magnetic Var: 4.375 W

METAR

GCTS 070100Z 05015KT 9999 FEW020 20/17 Q1015 NOSIG

TAF

TAF GCTS 062000Z 0621/0721 07015KT 9999 FEW020 TX30/0714Z TN20/0706Z PROB40 TEMPO 0708/0716 07020G30KT

Frequencies

REC - 118.67 MHz - ATIS	GND - 121.90 MHz - TENERIFE SOUTH GROUND
TWR - 119.00 MHz - TENERIFE SOUTH TOWER	TWR - 120.30 MHz - TENERIFE SOUTH TOWER
CLD - 121.75 MHz - CLEARANCE DELIVERY	APP - 127.70 MHz - TENERIFE SOUTH APPROACH
APP - 128.12 MHz - TENERIFE SOUTH APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,479 ft	68.48	ASPHALT	0 ft	0 ft
	45 m	3,194 m	72.86		0 m	0 m
25	148 ft	10,479 ft	248.50	ASPHALT	0 ft	0 ft
	45 m	3,194 m	252.87		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	TRS	109.70 MHz	18 nm	68.49	-	187 ft
				33 km	72.87		187 m
25	LOC-ILS	ISUR	110.90 MHz	18 nm	248.52	-	209 ft
				33 km	252.89		209 m
07	GS	TRS	109.70 MHz	10 nm	68.96	3.00	209 ft
				19 km	73.33		209 m
25	GS	ISUR	110.90 MHz	10 nm	248.96	3.00	236 ft
				19 km	253.33		236 m