

RCTP

Taiwan Taoyuan Intl


RJSK

AKITA

2024/06/05 1459Z

RCTP AISAR A1 IGMON Z40 ESBIS OTR30 FUE V28 DGC Y14 SAMON Z17 NOMAS REALU RJSK

1314.68 nm / 2434.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 37000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCTP	-	25.07790	0 ft	-	Taiwan Taoyuan Intl
APT	-	121.23400	0 m		
AISAR	-	25.94750	30,600 ft	85	-
FIX	-	122.49300	9,327 m		
OSTAR	A1	26.33170	37,000 ft	35	-
FIX	AWY-HI	123.00000	11,278 m		
BULAN	A1	27.09170	37,000 ft	70	-
FIX	AWY-HI	124.00000	11,278 m		
IGMON	A1	27.62210	37,000 ft	49	-
FIX	AWY-HI	124.72100	11,278 m		
ESBIS	Z40	31.25350	37,000 ft	258	-
FIX	AWY-HI	127.38100	11,278 m		
FUE	OTR30	32.66860	37,000 ft	112	FUKUE
VOR	AWY-HI	128.82700	11,278 m		
DGC	V28	33.67620	37,000 ft	99	FUKUOKA
VOR	AWY-HI	130.39000	11,278 m		
STOUT	Y14	34.19070	37,000 ft	43	-
FIX	AWY-HI	131.01600	11,278 m		
HALNA	Y14	34.53380	37,000 ft	33	-
FIX	AWY-HI	131.53600	11,278 m		
MIHOU	Y14	35.53110	37,000 ft	97	-
FIX	AWY-HI	133.09400	11,278 m		
DRIPS	Y14	35.90890	37,000 ft	42	-
FIX	AWY-HI	133.83600	11,278 m		
SAMON	Y14	36.24290	37,000 ft	38	-
FIX	AWY-HI	134.50300	11,278 m		
CELCA	Z17	37.48850	37,000 ft	107	-
FIX	AWY-HI	136.10100	11,278 m		
NOMAS	Z17	38.91380	24,600 ft	125	-
FIX	AWY-HI	138.03800	7,498 m		
REALU	-	38.81680	21,800 ft	13	-
FIX	-	138.29000	6,645 m		
RJSK	-	39.61560	0 ft	101	AKITA
APT	-	140.21900	0 m		

RCTP

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 2

Elevation: 108 ft / 33 m
Location: 25.077900 121.234000
Magnetic Var: 4.996 W

METAR

RCTP 051430Z VRB02KT 1500 RA SCT004 BKN006 BKN012 23/23 Q1013 NOSIG RMK A2992

TAF

TAF AMD RCTP 051358Z 0513/0618 18005KT 7000 FEW012 BKN032 TEMPO 0514/0518 2400 RA BR SCT008 BKN011 TEMPO 0518/0524

Frequencies

REC - 127.60 MHz - ATIS	TWR - 129.30 MHz - TAIPEI TOWER
TWR - 118.70 MHz - TAIPEI TOWER	GND - 121.70 MHz - TAIPEI GROUND
GND - 121.60 MHz - TAIPEI GROUND	CLD - 121.80 MHz - TAIPEI CLEARANCE DELIVERY
APP - 119.50 MHz - TAIPEI APPROACH	APP - 119.60 MHz - TAIPEI APPROACH
APP - 119.70 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 123.60 MHz - TAIPEI APPROACH	APP - 124.20 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 125.50 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	197 ft	12,020 ft	49.01	ASPHALT	0 ft	420 ft
	60 m	3,664 m	54.01		0 m	128 m
23R	197 ft	12,020 ft	229.02	ASPHALT	0 ft	390 ft
	60 m	3,664 m	234.02		0 m	119 m
05R	197 ft	12,478 ft	49.01	ASPHALT	328 ft	404 ft
	60 m	3,803 m	54.00		100 m	123 m
23L	197 ft	12,478 ft	229.02	ASPHALT	1,148 ft	394 ft
	60 m	3,803 m	234.02		350 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	ITIA	111.10 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05R	DME	ICKS	110.70 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23R	DME	ITYA	109.30 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23L	DME	ICJN	111.90 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05L	LOC-ILS	ITIA	111.10 MHz	18 nm	49.02	-	108 ft
				33 km	54.02		108 m
05R	LOC-ILS	ICKS	110.70 MHz	18 nm	49.02	-	108 ft
				33 km	54.02		108 m
23L	LOC-ILS	ICJN	111.90 MHz	18 nm	229.02	-	108 ft
				33 km	234.02		108 m
23R	LOC-ILS	ITYA	109.30 MHz	18 nm	229.02	-	108 ft
				33 km	234.02		108 m
05L	GS	ITIA	111.10 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.02		108 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	GS	ICKS	110.70 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.02		108 m
23L	GS	ICJN	111.90 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.02		108 m
23R	GS	ITYA	109.30 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.02		108 m

RJSK

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 312 ft / 95 m
Location: 39.615600 140.219000
Magnetic Var: 8.989 W

METAR

UNKNOWN

TAF

TAF RJSK 051105Z 0512/0618 28006KT 9999 FEW008 BKN012 BECMG 0513/0515 14004KT TEMPO 0515/0521 FEW005 BKN008 BECMG

Frequencies

REC - 127.10 MHz - SAPPORO INFO
TWR - 118.60 MHz -

TWR - 126.20 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft 60 m	8,184 ft 2,494 m	96.62 105.61	ASPHALT	0 ft 0 m	200 ft 61 m
28	197 ft 60 m	8,184 ft 2,494 m	276.64 285.63	ASPHALT	0 ft 0 m	200 ft 61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	IUW	108.90 MHz	18 nm 33 km	- -	-	328 ft 328 m
28	LOC-ILS	IUW	108.90 MHz	18 nm 33 km	276.62 285.61	-	286 ft 286 m
28	GS	IUW	108.90 MHz	10 nm 19 km	277.26 286.25	3.00	300 ft 300 m