

ULLI

Saint Petersburg Pulkovo Intl / Fedor M. Dostoevsky


UUEE

Moscow Sheremetyevo Alexander S. Pushkin Intl

2024/05/03 0619Z

ULLI LUKIR **B964** RUNEP UUEE

329.69 nm / 610.59 km



Notes

Basic altitude profile:

- Ascent Rate: 1700ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 33000ft
- Cruise Speed: 420kts
- Descent Rate: 1000ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
ULLI	-	59.80030	0 ft	-		Saint Petersburg Pulkovo Intl / Fedor M. Dostoevsky
APT	-	30.26250	0 m			
LUKIR	-	59.44970	14,100 ft	58	-	
FIX	-	32.04780	4,298 m			
KANET	B964	58.73330	29,000 ft	61	-	
FIX	AWY-HI	33.46440	8,839 m			
MANIV	B964	58.40500	26,400 ft	25	-	
FIX	AWY-HI	33.97440	8,047 m			
BERNO	B964	58.15000	23,500 ft	19	-	
FIX	AWY-HI	34.36440	7,163 m			
DB	B964	57.71310	18,900 ft	32		POCHINOK
NDB	AWY-HI	34.97190	5,761 m			
RUNEP	B964	57.03500	10,600 ft	57	-	
FIX	AWY-HI	36.24280	3,231 m			
UUEE	-	55.97250	0 ft	74		Moscow Sheremetyevo Alexander S. Pushkin Intl
APT	-	37.41310	0 m			

ULLI

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 79 ft / 24 m
Location: 59.800300 30.262500
Magnetic Var: 11.651 E

METAR

ULLI 030600Z 13004MPS 090V160 CAVOK 05/M03 Q1024 R88/090060 NOSIG

TAF

TAF ULLI 030453Z 0306/0406 12003MPS 9999 BKN025 TEMPO 0306/0320 5000 -SHRA BKN015CB TEMPO 0320/0406 4000 MIFG BR F

Frequencies

REC - 127.30 MHz - PULKOVO ATIS	REC - 127.40 MHz - PULKOVO ATIS
TWR - 118.70 MHz - PULKOVO TOWER	TWR - 118.10 MHz - PULKOVO TOWER
TWR - 133.50 MHz - PULKOVO TOWER	GND - 121.70 MHz - PULKOVO GROUND
GND - 119.00 MHz - PULKOVO RAMP	GND - 120.90 MHz - PULKOVO APRON
CLD - 121.90 MHz - PULKOVO DELIVERY	APP - 125.20 MHz - PETERSBURG APPROACH
APP - 119.30 MHz - PETERSBURG APPROACH	APP - 120.30 MHz - PETERSBURG KRUG RADAR
DEP - 120.30 MHz - PETERSBURG KRUG RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	12,379 ft	106.40	CONCRETE	0 ft	0 ft
	60 m	3,773 m	94.75		0 m	0 m
28L	197 ft	12,379 ft	286.46	CONCRETE	0 ft	0 ft
	60 m	3,773 m	274.81		0 m	0 m
10L	197 ft	11,132 ft	106.51	CONCRETE	0 ft	0 ft
	60 m	3,393 m	94.86		0 m	0 m
28R	197 ft	11,132 ft	286.56	CONCRETE	0 ft	0 ft
	60 m	3,393 m	274.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPU	110.50 MHz	18 nm	106.54	-	79 ft
				33 km	94.89		79 m
10R	LOC-ILS	IPK	111.90 MHz	18 nm	106.43	-	79 ft
				33 km	94.78		79 m
28L	LOC-ILS	IPO	108.90 MHz	18 nm	286.43	-	79 ft
				33 km	274.78		79 m
28R	LOC-ILS	IPL	111.30 MHz	18 nm	286.54	-	79 ft
				33 km	274.89		79 m
10L	GS	IPU	110.50 MHz	10 nm	106.54	3.00	79 ft
				19 km	94.89		79 m
10R	GS	IPK	111.90 MHz	10 nm	106.43	3.00	79 ft
				19 km	94.78		79 m
28L	GS	IPO	108.90 MHz	10 nm	286.43	3.00	79 ft
				19 km	274.78		79 m
28R	GS	IPL	111.30 MHz	10 nm	286.54	3.00	79 ft
				19 km	274.89		79 m

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.975 E

METAR

UUEE 030600Z 03006MPS 330V060 9999 FEW040 03/M12 Q1019 R06R/CLRD62 R06C/CLRD62 NOSIG

TAF

TAF UUEE 030450Z 0306/0406 36005MPS 9999 SCT035 TX09/0313Z TN00/0403Z TEMPO 0306/0313 02009G14MPS BECMG 0319/032

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.01		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.05		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.05		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.10		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.05		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.10		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.03		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.08		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.08		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.08		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.08		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.03		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.03		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.08		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.08		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.08		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.08		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.03		630 m