


2024/05/08 1601Z

KPIT DJB **J60** GSH KORD

364.58 nm / 675.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KPIT APT	-	40.49140 -80.23170	0 ft 0 m	-	Pittsburgh Intl
DJB VOR	-	41.35810 -82.16200	35,000 ft 10,668 m	101	DRYER
JERRI FIX	J60 AWY-HI	41.38380 -82.60340	35,000 ft 10,668 m	19	-
MAYZE FIX	J60 AWY-HI	41.43850 -83.66410	35,000 ft 10,668 m	47	-
NAPOL FIX	J60 AWY-HI	41.46040 -84.15210	35,000 ft 10,668 m	22	-
ASHEN FIX	J60 AWY-HI	41.48050 -84.64680	32,200 ft 9,815 m	22	-
GSH VOR	J60 AWY-HI	41.52520 -86.02800	18,900 ft 5,761 m	62	GOSHEN
KORD APT	-	41.97340 -87.90660	0 ft 0 m	88	Chicago O'Hare International

KPIT

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 1,204 ft / 367 m
Location: 40.491400 -80.231700
Magnetic Var: 9.284 W

METAR

KPIT 081451Z 26009KT 10SM SCT025 SCT200 23/14 A2973 RMK A02 SLP065 T02280144 50002

TAF

TAF AMD KPIT 081501Z 0815/0918 26012G18KT P6SM FEW020 FM090000 VRB04KT P6SM FEW250 FM091000 05004KT P6SM OVC025 P

Frequencies

COM - 122.95 MHz - UNICOM	REC - 127.25 MHz - ATIS (ARRIVAL)
REC - 135.90 MHz - ATIS (DEPARTURE)	GND - 121.90 MHz - PITTSBURGH GROUND
GND - 127.80 MHz - PITTSBURGH GROUND	TWR - 119.10 MHz - PITTSBURGH TOWER
TWR - 128.30 MHz - PITTSBURGH TOWER	TWR - 135.02 MHz - PITTSBURGH TOWER
TWR - 270.32 MHz - PITTSBURGH TOWER	APP - 121.25 MHz - PITTSBURGH APPROACH
APP - 123.95 MHz - PITTSBURGH APPROACH	CLD - 126.75 MHz - CLEARANCE DELIVERY
APP - 124.15 MHz - PITTSBURGH APPROACH	DEP - 119.35 MHz - PITTSBURGH DEPARTURE
DEP - 124.75 MHz - PITTSBURGH DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	200 ft	11,468 ft	91.96	CONCRETE	171 ft	184 ft
	61 m	3,495 m	101.24		52 m	56 m
28L	200 ft	11,468 ft	271.99	CONCRETE	177 ft	197 ft
	61 m	3,495 m	281.27		54 m	60 m
10L	151 ft	10,476 ft	91.95	ASPHALT	180 ft	371 ft
	46 m	3,193 m	101.23		55 m	113 m
28R	151 ft	10,476 ft	271.97	ASPHALT	0 ft	390 ft
	46 m	3,193 m	281.26		0 m	119 m
10C	151 ft	10,758 ft	91.94	CONCRETE	469 ft	108 ft
	46 m	3,279 m	101.22		143 m	33 m
28C	151 ft	10,758 ft	271.97	CONCRETE	607 ft	299 ft
	46 m	3,279 m	281.25		185 m	91 m
14	151 ft	8,099 ft	136.49	CONCRETE	144 ft	194 ft
	46 m	2,469 m	145.78		44 m	59 m
32	151 ft	8,099 ft	316.51	CONCRETE	335 ft	184 ft
	46 m	2,469 m	325.79		102 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	ILXB	111.70 MHz	18 nm	91.98	-	1,204 ft
				33 km	101.26		1,204 m
10R	LOC-ILS	IGUT	108.90 MHz	18 nm	91.99	-	1,204 ft
				33 km	101.27		1,204 m
28L	LOC-ILS	IPFS	108.90 MHz	18 nm	271.96	-	1,204 ft
				33 km	281.24		1,204 m
28R	LOC-ILS	IHFE	111.70 MHz	18 nm	271.94	-	1,204 ft
				33 km	281.22		1,204 m
32	LOC-ILS	ITQW	111.30 MHz	18 nm	316.49	-	1,204 ft
				33 km	325.77		1,204 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	GS	ILXB	111.70 MHz	10 nm	92.92	3.00	1,197 ft
				19 km	102.20		1,197 m
10R	GS	IGUT	108.90 MHz	10 nm	92.96	3.00	1,134 ft
				19 km	102.24		1,134 m
28L	GS	IPFS	108.90 MHz	10 nm	272.96	3.00	1,124 ft
				19 km	282.24		1,124 m
28R	GS	IHFE	111.70 MHz	10 nm	272.92	3.00	1,171 ft
				19 km	282.20		1,171 m
32	GS	ITQW	111.30 MHz	10 nm	317.00	3.00	1,117 ft
				19 km	326.28		1,117 m

KORD

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 6

Elevation: 680 ft / 207 m
Location: 41.973400 -87.906600
Magnetic Var: 4.110 W

METAR

KORD 081451Z 00000KT 10SM FEW190 FEW250 22/06 A2970 RMK A02 SLP053 T02170061 50003

TAF

KORD 081507Z 0815/0918 11006KT P6SM SCT150 FM081800 08011KT P6SM FEW060 SCT150 FM090400 06013KT P6SM VCSH BKN050 0

Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.96		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.99		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.51		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.52		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.96		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.98		0 m	122 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.52		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.11		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.10		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.00		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.52		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.10		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.11		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	273.99		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.52		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.11		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.10		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.00		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.52		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.10		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.11		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	273.99		680 m