


2024/05/20 0833Z

LWOH LETNI **M22** BLO **W21** INBOL **UN127** TITEK LRSB

355.43 nm / 658.26 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LWOH APT	-	41.17993 20.74231	0 ft 0 m	-	OHRID
LETNI FIX	-	42.09694 22.60583	35,000 ft 10,668 m	100	-
NAPET FIX	M22 AWY-LO	42.28833 23.00556	35,000 ft 10,668 m	21	-
EDADA FIX	M22 AWY-LO	42.47472 23.40083	35,000 ft 10,668 m	20	-
PIDOR FIX	M22 AWY-LO	42.56056 23.65611	35,000 ft 10,668 m	12	-
BLO VOR	M22 AWY-LO	42.66722 23.81389	35,000 ft 10,668 m	9	BAILOVO VOR-DME
ROVAM FIX	W21 AWY-LO	43.15111 23.80778	34,700 ft 10,577 m	29	-
INBOL FIX	W21 AWY-LO	43.47083 23.80361	30,600 ft 9,327 m	19	-
OSTOV FIX	UN127 AWY-HI	43.78333 23.80000	26,600 ft 8,108 m	18	-
TITEK FIX	UN127 AWY-HI	44.49327 23.57387	17,200 ft 5,243 m	43	-
LRSB APT	-	45.78560 24.09134	0 ft 0 m	80	SIBIU

LWOH

Region: MACEDONIA
Timezone: EUROPE/SKOPJE
Runways: 1

Elevation: 2,297 ft / 700 m
Location: 41.179900 20.742300
Magnetic Var: 5.022 E

METAR

LWOH 200820Z VRB02KT 9999 FEW019 BKN039 22/17 Q1015

TAF

TAF TAF LWOH 200524Z 2006/2106 VRB02KT 9999 SCT035 PROB30 TEMPO 2012/2018 VRB15KT TSRA FEW030CB BKN040

Frequencies

TWR - 119.30 MHz - OHRID TOWER

APP - 119.20 MHz - OHRID APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	144 ft	8,374 ft	17.61	CONCRETE	0 ft	0 ft
	44 m	2,552 m	12.59		0 m	0 m
20	144 ft	8,374 ft	197.62	CONCRETE	0 ft	0 ft
	44 m	2,552 m	192.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	MOH	108.90 MHz	18 nm	18.00	-	2,326 ft
				33 km	12.98		2,326 m
02	GS	MOH	108.90 MHz	10 nm	18.00	3.20	2,303 ft
				19 km	12.98		2,303 m

LRSB

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 1

Elevation: 1,457 ft / 444 m
Location: 45.785900 24.085600
Magnetic Var: 6.167 E

METAR

LRSB 200800Z 24003KT 190V320 CAVOK 20/13 Q1015

TAF

TAF LRSB 200500Z 2006/2106 VRB04KT CAVOK TEMPO 2010/2016 SCT040CB BECMG 2011/2013 14010KT PROB40 TEMPO 2011/2015

Frequencies

APP - 122.70 MHz - SIBIU APPROACH

TWR - 122.70 MHz - SIBIU TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	8,637 ft	91.33	CONCRETE	0 ft	476 ft
	45 m	2,633 m	85.16		0 m	145 m
27	148 ft	8,637 ft	271.35	CONCRETE	0 ft	472 ft
	45 m	2,633 m	265.19		0 m	144 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	ISB	110.70 MHz	18 nm	271.34	-	1,496 ft
				33 km	265.17		1,496 m
27	GS	ISB	110.70 MHz	10 nm	271.34	3.00	1,496 ft
				19 km	265.17		1,496 m