


2024/05/23 0753Z

KJYO SPERY **V210** ARD **V214** LINER KSNC

271.94 nm / 503.62 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 70kts
- Cruise Altitude: 35000ft
- Cruise Speed: 120kts
- Descent Rate: 1500ft/min
- Descent Speed: 70kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJYO APT	- -	39.07800 -77.55750	0 ft 0 m	-	Leesburg Executive
SPERY FIX	- -	40.08070 -75.72710	35,000 ft 10,668 m	103	-
AWISA FIX	V210 AWY-LO	40.17610 -75.28050	35,000 ft 10,668 m	21	-
PROPP FIX	V210 AWY-LO	40.19370 -75.19610	35,000 ft 10,668 m	4	-
ARD VOR	V210 AWY-LO	40.25330 -74.90760	35,000 ft 10,668 m	13	YARDLEY
MERSR FIX	V214 AWY-LO	40.31010 -74.82800	35,000 ft 10,668 m	4	-
METRO FIX	V214 AWY-LO	40.42270 -74.66950	35,000 ft 10,668 m	9	-
LINER FIX	V214 AWY-LO	40.50130 -74.55850	35,000 ft 10,668 m	6	-
KSNC APT	- -	41.38370 -72.50580	0 ft 0 m	107	CHESTER

KJYO

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 1

Elevation: 389 ft / 119 m
Location: 39.078000 -77.557500
Magnetic Var: 10.632 W

METAR

KJYO 230735Z AUTO 00000KT 10SM SCT070 SCT080 21/21 A2990 RMK A02

TAF

UNKNOWN

Frequencies

COM - 127.50 MHz - CTAF	COM - 122.97 MHz - UNICOM
TWR - 127.50 MHz - LEESBURG TOWER	GND - 120.50 MHz - LEESBURG GROUND
CLD - 118.55 MHz - CLEARANCE DELIVERY	APP - 126.10 MHz - POTOMAC APPROACH
DEP - 126.10 MHz - POTOMAC DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	100 ft	5,505 ft	161.35	ASPHALT	0 ft	0 ft
	30 m	1,678 m	171.99		0 m	0 m
35	100 ft	5,505 ft	341.36	ASPHALT	0 ft	0 ft
	30 m	1,678 m	351.99		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	IJYO	111.75 MHz	18 nm	-	-	389 ft
				33 km	-		389 m
17	LOC-ILS	IJYO	111.75 MHz	18 nm	161.36	-	389 ft
				33 km	171.99		389 m
17	GS	IJYO	111.75 MHz	10 nm	161.36	3.00	389 ft
				19 km	171.99		389 m