


2024/05/16 0601Z

LKKV VLM LKTB

160.10 nm / 296.50 km



## Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 85kts
- Cruise Altitude: 5000ft
- Cruise Speed: 130kts
- Descent Rate: 800ft/min
- Descent Speed: 50kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LKKV	-	50.20350	0 ft	-	Karlovy Vary
APT	-	12.91450	0 m		
VLM	-	49.70430	5,000 ft	88	VLASIM
VOR	-	15.06670	1,524 m		
LKTB	-	49.15100	0 ft	71	Brno Turany
APT	-	16.69320	0 m		

## LKKV

Region: CZECH REPUBLIC  
Timezone: EUROPE/PRAGUE  
Runways: 2

Elevation: 1,987 ft / 606 m  
Location: 50.203500 12.914500  
Magnetic Var: 4.335 E

## METAR

LKKV 160500Z 06007KT CAVOK 11/07 Q1009

## TAF

TAF LKKV 152300Z 1600/1700 12012KT CAVOK TEMPO 1609/1700 13017KT 9999 BKN045 PROB30 TEMPO 1609/1616 7000 -SHRA SC

## Frequencies

TWR - 121.22 MHz - KARLOVY VARY TOWER  
GND - 121.20 MHz - KARLOVY VARY GROUND  
APP - 118.65 MHz - KARLOVY VARY APPROACH  
COM - 122.80 MHz - KARLOVY VARY UNICOM  
TWR - 118.95 MHz - KARLOVY VARY ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	98 ft	3,351 ft	113.19	GRASS	0 ft	0 ft
	30 m	1,021 m	108.86		0 m	0 m
30	98 ft	3,351 ft	293.20	GRASS	0 ft	0 ft
	30 m	1,021 m	288.87		0 m	0 m
11	98 ft	7,061 ft	113.15	ASPHALT	499 ft	0 ft
	30 m	2,152 m	108.82		152 m	0 m
29	98 ft	7,061 ft	293.18	ASPHALT	0 ft	0 ft
	30 m	2,152 m	288.84		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29	DME	KVY	111.55 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
29	LOC-LOC	KVY	111.55 MHz	18 nm	293.13	-	1,988 ft
				33 km	288.80		1,988 m
29	GS	KLV	111.55 MHz	10 nm	293.10	3.07	1,988 ft
				19 km	288.76		1,988 m

## LKTB

Region: CZECH REPUBLIC  
Timezone: EUROPE/PRAGUE  
Runways: 2

Elevation: 776 ft / 237 m  
Location: 49.151000 16.693200  
Magnetic Var: 5.155 E

## METAR

LKTB 160530Z 12012KT CAVOK 14/08 Q1015 NOSIG

## TAF

TAF LKTB 152300Z 1600/1700 14010KT CAVOK TEMPO 1610/1618 15014G26KT 9999 BKN040 PROB30 TEMPO 1612/1618 8000 SHRA 5

## Frequencies

REC - 118.02 MHz - ATIS  
TWR - 119.60 MHz -

GND - 125.42 MHz - GROUND  
APP - 119.90 MHz - BRNO APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	197 ft	8,679 ft	97.51	CONCRETE	0 ft	0 ft
	60 m	2,646 m	92.36		0 m	0 m
27	197 ft	8,679 ft	277.54	CONCRETE	0 ft	0 ft
	60 m	2,646 m	272.38		0 m	0 m
08	98 ft	3,284 ft	97.54	GRASS	0 ft	0 ft
	30 m	1,001 m	92.38		0 m	0 m
26	98 ft	3,284 ft	277.55	GRASS	0 ft	0 ft
	30 m	1,001 m	272.39		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	B0	111.50 MHz	18 nm	-	-	785 ft
				33 km	-		785 m
27	LOC-ILS	B0	111.50 MHz	18 nm	277.53	-	776 ft
				33 km	272.37		776 m
27	GS	B0	111.50 MHz	10 nm	277.53	3.00	776 ft
				19 km	272.37		776 m