


2024/05/07 2024Z

OMDB KURTA **R401** DATBU **G652** IMPOS **UP552** DATEG **P312** PAKER **UB312G** HARGA ALNAB **R775** SOLUL **R775G** MOGDU
UB400G ITMAR **UB400** DV HTDA

2325.72 nm / 4307.23 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 30000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25491	0 ft	-	DUBAI INTL
APT	-	55.36426	0 m		
KURTA	-	23.70139	34,400 ft	96	-
FIX	-	55.81667	10,485 m		
LABSA	R401	23.03139	35,000 ft	40	-
FIX	AWY-HI	55.91806	10,668 m		
DATBU	R401	22.37861	35,000 ft	39	-
FIX	AWY-HI	56.01500	10,668 m		
TOKRA	G652	22.15694	35,000 ft	28	-
FIX	AWY-HI	55.56389	10,668 m		
DUDRI	G652	19.00000	35,000 ft	275	-
FIX	AWY-HI	52.00000	10,668 m		
IMPOS	G652	18.52694	35,000 ft	48	-
FIX	AWY-LO	51.31333	10,668 m		
ITELI	UP552	17.21944	35,000 ft	93	-
FIX	AWY-HI	50.43472	10,668 m		
KEBER	UP552	17.07889	35,000 ft	9	-
FIX	AWY-HI	50.34139	10,668 m		
GINBO	UP552	16.06361	35,000 ft	72	-
FIX	AWY-HI	49.67139	10,668 m		
RALMO	UP552	15.64000	35,000 ft	30	-
FIX	AWY-HI	49.36528	10,668 m		
DEMNA	UP552	15.27167	35,000 ft	26	-
FIX	AWY-HI	49.10833	10,668 m		
PAXUD	UP552	14.91000	35,000 ft	26	-
FIX	AWY-HI	48.84583	10,668 m		
BOSAX	UP552	14.79444	35,000 ft	8	-
FIX	AWY-HI	48.76472	10,668 m		
RASBA	UP552	14.69000	35,000 ft	7	-
FIX	AWY-HI	48.69111	10,668 m		
ULAXI	UP552	14.25667	35,000 ft	31	-
FIX	AWY-HI	48.38806	10,668 m		
SEPRO	UP552	13.47333	35,000 ft	56	-
FIX	AWY-HI	47.84306	10,668 m		
DATEG	UP552	12.59694	35,000 ft	62	-
FIX	AWY-HI	47.27417	10,668 m		
PAKER	P312	11.91667	35,000 ft	57	-
FIX	AWY-LO	46.58333	10,668 m		
EGROV	UB312G	11.34528	35,000 ft	49	-
FIX	AWY-HI	45.98250	10,668 m		
HARGA	UB312G	9.52000	35,000 ft	156	-
FIX	AWY-HI	44.09167	10,668 m		
ALNAB	-	8.91833	35,000 ft	36	-
FIX	-	44.21667	10,668 m		
GABDA	R775	6.85231	35,000 ft	127	-
FIX	AWY-LO	44.70069	10,668 m		
SOLUL	R775	5.08578	35,000 ft	109	-
FIX	AWY-LO	45.13400	10,668 m		
BELEN	R775G	4.73664	35,000 ft	21	-
FIX	AWY-LO	45.18158	10,668 m		
MOGDU	R775G	2.00667	35,000 ft	164	-
FIX	AWY-LO	45.29333	10,668 m		
RAGGS	UB400G	0.32500	35,000 ft	121	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	44.16000	10,668 m		
ITMAR	UB400G	-2.00256	35,000 ft	168	-
FIX	AWY-HI	42.58434	10,668 m		
EVARU	UB400	-2.21833	35,000 ft	15	-
FIX	AWY-HI	42.43472	10,668 m		
IMKAK	UB400	-4.07232	35,000 ft	136	-
FIX	AWY-HI	41.12405	10,668 m		
ELAVA	UB400	-5.10673	28,000 ft	74	-
FIX	AWY-HI	40.42253	8,534 m		
DV	UB400	-6.88865	200 ft	129	DAR ES SALAAM VOR-DME
VOR	AWY-HI	39.19271	61 m		
HTDA	-	-6.87505	0 ft	1	MWALIMU JULIUS K NYERERE INTL
APT	-	39.20426	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 072000Z 09003KT 050V120 CAVOK 32/18 Q1007 NOSIG

TAF

TAF OMDB 071700Z 0718/0900 10005KT CAVOK BECMG 0804/0806 18010KT BECMG 0808/0810 34015KT BECMG 0816/0818 08005KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

HTDA

Region: TANZANIA
Timezone: AFRICA/DAR_ES_SALAAM
Runways: 2

Elevation: 182 ft / 55 m
Location: -6.874990 39.204400
Magnetic Var: 2.100 W

METAR

HTDA 071900Z 23004KT 9999 FEW013 24/22 Q1016 NOSIG

TAF

TAF HTDA 071100Z 0712/0818 16005KT 9999 BKN014 FEW016CB PROB30 TEMPO 0713/0715 RA BECMG 0716/0719 NSW SCT013 FEW0

Frequencies

REC - 119.00 MHz - DAR-ES-SALAAM ATIS
TWR - 118.30 MHz - DAR-ES-SALAAM TOWER

GND - 121.80 MHz - DAR-ES-SALAAM GROUND
APP - 119.60 MHz - DAR-ES-SALAAM APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	9,880 ft	44.82	ASPHALT	0 ft	190 ft
	46 m	3,011 m	46.92		0 m	58 m
23	151 ft	9,880 ft	224.82	ASPHALT	0 ft	187 ft
	46 m	3,011 m	226.92		0 m	57 m
14	98 ft	3,304 ft	135.19	ASPHALT	0 ft	0 ft
	30 m	1,007 m	137.29		0 m	0 m
32	98 ft	3,304 ft	315.19	ASPHALT	0 ft	0 ft
	30 m	1,007 m	317.29		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	DL	110.50 MHz	18 nm	44.81	-	182 ft
				33 km	46.91		182 m
05	GS	DL	110.50 MHz	10 nm	44.81	3.00	182 ft
				19 km	46.91		182 m