

UUEE

Moscow Sheremetyevo Alexander S. Pushkin Intl


UWWW

Samara / Kurumoch International Airport

2024/06/14 0653Z

UUEE NOGTI GAMDI **B817** BT **B827** BMK UWWW

469.50 nm / 869.52 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
UUEE	-	55.97250	0 ft	-	Moscow Sheremetyevo	Alexander S. Pushkin Intl
APT	-	37.41310	0 m			
NOGTI	-	55.65310	31,000 ft	86	-	
FIX	-	39.92280	9,449 m			
GAMDI	-	55.66670	35,000 ft	23	-	
FIX	-	40.61470	10,668 m			
IPLAR	B817	55.34560	35,000 ft	97	-	
FIX	AWY-HI	43.43670	10,668 m			
NEBOM	B817	55.17310	35,000 ft	45	-	
FIX	AWY-HI	44.74500	10,668 m			
BT	B817	54.81670	31,800 ft	66	ALATYR	
NDB	AWY-HI	46.58170	9,693 m			
GOTUN	B827	54.53830	24,600 ft	33	-	
FIX	AWY-HI	47.41670	7,498 m			
BMK	B827	54.26310	17,600 ft	32	ULYANOVSK-BARATAYEVKA	
VOR	AWY-HI	48.22560	5,364 m			
UWWW	-	53.50490	0 ft	82	Samara / Kurumoch International Airport	
APT	-	50.16390	0 m			

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.989 E

METAR

UUEE 140630Z 34006MPS 310V010 9999 SCT034 18/12 Q1011 R24L/CLRD62 R24C/CLRD62 NOSIG

TAF

TAF UUEE 140450Z 1406/1506 34006MPS 9999 BKN016 TX22/1412Z TN15/1501Z TEMPO 1406/1416 36008G14MPS BECMG 1416/1418

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	62.99		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.03		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.04		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.08		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.04		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.08		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.01		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.06		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.06		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.06		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.06		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.01		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.01		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.06		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.06		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.06		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.06		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.01		630 m

UWWW

Region: RUSSIA
Timezone: EUROPE/SAMARA
Runways: 2

Elevation: 477 ft / 145 m
Location: 53.504900 50.163900
Magnetic Var: 12.776 E

METAR

UWWW 140630Z 20006MPS CAVOK 31/12 Q1013 R15/CLRD63 NOSIG RMK QFE748/0997

TAF

TAF UWWW 140453Z 1406/1506 18007G13MPS 9999 SCT030 TX33/1411Z TN19/1501Z TEMPO 1408/1418 23010G16MPS -TSRA BKN020

Frequencies

APP - 124.60 MHz - SAMARA_APPROACH
GND - 119.00 MHz - SAMARA_GROUND
REC - 134.90 MHz - SAMARA_ATIS

TWR - 118.20 MHz - SAMARA_TOWER
COM - 128.00 MHz - SAMARA_RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	9,868 ft	160.46	ASPHALT	0 ft	0 ft
	45 m	3,008 m	147.68		0 m	0 m
33	148 ft	9,868 ft	340.47	ASPHALT	0 ft	0 ft
	45 m	3,008 m	327.69		0 m	0 m
05	197 ft	8,355 ft	61.31	ASPHALT	0 ft	164 ft
	60 m	2,547 m	48.53		0 m	50 m
23	197 ft	8,355 ft	241.33	ASPHALT	0 ft	164 ft
	60 m	2,547 m	228.56		0 m	50 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IBE	110.50 MHz	18 nm	61.32	-	477 ft
				33 km	48.54		477 m
15	LOC-ILS	IWG	111.90 MHz	18 nm	160.47	-	477 ft
				33 km	147.69		477 m
23	LOC-ILS	IFK	109.70 MHz	18 nm	241.32	-	477 ft
				33 km	228.54		477 m
33	LOC-ILS	IAZ	111.10 MHz	18 nm	340.47	-	477 ft
				33 km	327.69		477 m
05	GS	IBE	110.50 MHz	10 nm	61.32	3.00	477 ft
				19 km	48.54		477 m
15	GS	IWG	111.90 MHz	10 nm	160.47	2.70	477 ft
				19 km	147.69		477 m
23	GS	IFK	109.70 MHz	10 nm	241.32	2.70	477 ft
				19 km	228.54		477 m
33	GS	IAZ	111.10 MHz	10 nm	340.47	2.70	477 ft
				19 km	327.69		477 m