


2024/05/04 1812Z

8S1 MLP V536 RENG V187 PSC PSC V520 LTJ KUAO

391.68 nm / 725.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
8S1	-	47.69540	0 ft	-	Polson
APT	-	-114.18500	0 m		
MLP	-	47.45690	21,700 ft	60	MULLAN PASS
VOR	-	-115.64600	6,614 m		
JETTS	V536	46.97050	35,000 ft	49	-
FIX	AWY-LO	-116.63700	10,668 m		
PENAE	V536	46.93260	35,000 ft	3	-
FIX	AWY-LO	-116.71300	10,668 m		
PUW	V536	46.67420	35,000 ft	26	PULLMAN (PULLMAN/MOSCOW)
VOR	AWY-LO	-117.22400	10,668 m		
LEKIC	V536	46.59440	35,000 ft	7	-
FIX	AWY-LO	-117.37100	10,668 m		
BIDDY	V536	46.57140	35,000 ft	2	-
FIX	AWY-LO	-117.41400	10,668 m		
RENGO	V536	46.33560	35,000 ft	22	-
FIX	AWY-LO	-117.84500	10,668 m		
BUTOC	V187	46.32090	35,000 ft	13	-
FIX	AWY-LO	-118.15900	10,668 m		
DATES	V187	46.31930	35,000 ft	1	-
FIX	AWY-LO	-118.19000	10,668 m		
BACUN	V187	46.30450	35,000 ft	12	-
FIX	AWY-LO	-118.48700	10,668 m		
OYREX	V187	46.28890	35,000 ft	12	-
FIX	AWY-LO	-118.78200	10,668 m		
PSC	V187	46.27030	35,000 ft	13	PASCO
VOR	AWY-LO	-119.11700	10,668 m		
PSC	-	46.26300	35,000 ft	0	PASCO VOR-DME
DME	-	-119.11600	10,668 m		
VIRTU	V520	46.20450	33,000 ft	10	-
FIX	AWY-LO	-119.36000	10,058 m		
OZODU	V520	46.14270	30,800 ft	10	-
FIX	AWY-LO	-119.58700	9,388 m		
AMPLE	V520	46.12230	30,100 ft	3	-
FIX	AWY-LO	-119.66100	9,174 m		
LTJ	V520	45.71360	16,200 ft	64	KLICKITAT (THE DALLES)
VOR	AWY-LO	-121.10100	4,938 m		
KUAO	-	45.24710	0 ft	75	Aurora State
APT	-	-122.77000	0 m		

KUAO

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 200 ft / 61 m
Location: 45.247100 -122.770000
Magnetic Var: 14.416 E

METAR

KUAO 041753Z 19006KT 5SM -RA BR BKN008 BKN011 OVC045 10/08 A2957 RMK A02 SLP013 P0006 60012 T01000083 10100 20094

TAF

KUAO 041734Z 0418/0518 21005KT 6SM -RA BKN006 OVC030 FM042100 21007KT 5SM -RA BR SCT006 OVC025 FM051200 20013KT 6SM

Frequencies

REC - 118.52 MHz - AURORA ATIS	COM - 120.35 MHz - AURORA UNICOM
GND - 119.15 MHz - AURORA GROUND	TWR - 120.35 MHz - AURORA TOWER
DEP - 118.10 MHz - PORTLAND DEPARTURE	DEP - 126.00 MHz - PORTLAND DEPARTURE
APP - 118.10 MHz - PORTLAND APPROACH	APP - 126.00 MHz - PORTLAND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	100 ft	5,009 ft	187.12	ASPHALT	0 ft	0 ft
	30 m	1,527 m	172.70		0 m	0 m
35	100 ft	5,009 ft	7.12	ASPHALT	0 ft	151 ft
	30 m	1,527 m	352.70		0 m	46 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	IUAO	111.15 MHz	18 nm	-	-	205 ft
				33 km	-		205 m
17	LOC-LOC	IUAO	111.15 MHz	18 nm	187.12	-	200 ft
				33 km	172.70		200 m