

# LSGG

Geneva


# OMDB

Dubai Intl

2024/06/04 0337Z

LSGG INVOP **L612** SRN **Z982** TZO VAKON **Q702** CHI **L614** ADORU **UA4** YAVRU **UA17** BAG **UG8** GEM GEM **UW73** ERH  
ERH **UW73** DYB **UP975** NOLDO **P975** SIDAD **R784** IMDAT **B416** ORSAR OMDB

2694.51 nm / 4990.23 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 290kts
- Cruise Altitude: 33000ft
- Cruise Speed: 320kts
- Descent Rate: 1500ft/min
- Descent Speed: 290kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23810	0 ft	-	Geneva
APT	-	6.10901	0 m		
INVOP	-	45.80280	33,000 ft	89	-
FIX	-	8.15639	10,058 m		
SRN	L612	45.64600	33,000 ft	37	SARONNO
VOR	AWY-HI	9.02158	10,058 m		
TZO	Z982	45.55920	33,000 ft	21	TREZZO
VOR	AWY-HI	9.50700	10,058 m		
VAKON	-	45.47810	33,000 ft	21	-
FIX	-	10.00000	10,058 m		
USOBU	Q702	45.36970	33,000 ft	27	-
FIX	AWY-HI	10.63610	10,058 m		
CHI	Q702	45.07110	33,000 ft	71	CHIOGGIA
VOR	AWY-HI	12.28140	10,058 m		
AGOMO	L614	45.01690	33,000 ft	22	-
FIX	AWY-HI	12.80190	10,058 m		
LABIN	L614	44.98580	33,000 ft	12	-
FIX	AWY-LO	13.09140	10,058 m		
PUL	L614	44.89240	33,000 ft	35	PULA
VOR	AWY-LO	13.91810	10,058 m		
PALEZ	L614	44.57500	33,000 ft	71	-
FIX	AWY-LO	15.53310	10,058 m		
SONIK	L614	44.44830	33,000 ft	27	-
FIX	AWY-LO	16.14330	10,058 m		
ELTIB	L614	44.30360	33,000 ft	30	-
FIX	AWY-LO	16.81640	10,058 m		
SOLGU	L614	44.11580	33,000 ft	38	-
FIX	AWY-LO	17.66140	10,058 m		
KEB	L614	43.93390	33,000 ft	35	SARAJEVO
VOR	AWY-LO	18.44980	10,058 m		
MITNO	L614	43.77330	33,000 ft	35	-
FIX	AWY-LO	19.24170	10,058 m		
PESAK	L614	43.71860	33,000 ft	11	-
FIX	AWY-LO	19.50420	10,058 m		
TORTO	L614	43.67090	33,000 ft	10	-
FIX	AWY-LO	19.73130	10,058 m		
RAMAP	L614	43.41840	33,000 ft	52	-
FIX	AWY-LO	20.89110	10,058 m		
GINAM	L614	43.30860	33,000 ft	22	-
FIX	AWY-LO	21.37640	10,058 m		
NISVA	L614	42.97280	33,000 ft	65	-
FIX	AWY-LO	22.79750	10,058 m		
BLO	L614	42.66720	33,000 ft	48	BAILOVO
VOR	AWY-HI	23.81390	10,058 m		
DEDIN	L614	42.59420	33,000 ft	12	-
FIX	AWY-HI	24.07940	10,058 m		
GERGI	L614	42.18330	33,000 ft	68	-
FIX	AWY-HI	25.52190	10,058 m		
ADORU	L614	41.87170	33,000 ft	50	-
FIX	AWY-HI	26.56830	10,058 m		
SERCE	UA4	41.57720	33,000 ft	37	-
FIX	AWY-HI	27.30920	10,058 m		
TIRER	UA4	41.13640	33,000 ft	55	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	28.38420	10,058 m		
BKZ	UA4	41.12700	33,000 ft	34	BEYKOZ
VOR	AWY-HI	29.14290	10,058 m		
GAYEM	UA4	41.04580	33,000 ft	22	-
FIX	AWY-HI	29.63000	10,058 m		
ERKAL	UA4	40.98670	33,000 ft	16	-
FIX	AWY-HI	29.97980	10,058 m		
NUMSO	UA4	40.92270	33,000 ft	17	-
FIX	AWY-HI	30.34540	10,058 m		
ERSEN	UA4	40.86560	33,000 ft	14	-
FIX	AWY-HI	30.66610	10,058 m		
YAVRU	UA4	40.58220	33,000 ft	55	-
FIX	AWY-HI	31.83280	10,058 m		
KIZIK	UA17	40.41830	33,000 ft	17	-
FIX	AWY-HI	32.14940	10,058 m		
BAG	UA17	40.06990	33,000 ft	36	BAGLUM (ANKARA)
VOR	AWY-HI	32.81040	10,058 m		
KUBER	UG8	39.83220	33,000 ft	39	-
FIX	AWY-HI	33.61060	10,058 m		
GOBIT	UG8	39.77610	33,000 ft	13	-
FIX	AWY-HI	33.88690	10,058 m		
MARTI	UG8	39.40170	33,000 ft	64	-
FIX	AWY-HI	35.18280	10,058 m		
GEM	UG8	39.15530	33,000 ft	42	GEMEREK VOR-DME
DME	AWY-HI	36.02920	10,058 m		
GEM	-	39.15380	33,000 ft	0	GEMEREK
VOR	-	36.02850	10,058 m		
UREBO	UW73	38.78940	33,000 ft	56	-
FIX	AWY-HI	37.14420	10,058 m		
ERH	UW73	38.44160	33,000 ft	48	ERHAC TACAN
DME	AWY-HI	38.08620	10,058 m		
ERH	-	38.46250	33,000 ft	1	MALATYA
VOR	-	38.11210	10,058 m		
ASKER	UW73	38.27690	33,000 ft	33	-
FIX	AWY-HI	38.78470	10,058 m		
DIGIL	UW73	38.19530	33,000 ft	14	-
FIX	AWY-HI	39.07720	10,058 m		
MOVUL	UW73	38.15290	33,000 ft	7	-
FIX	AWY-HI	39.23200	10,058 m		
DYB	UW73	37.87340	33,000 ft	49	DIYARBAKIR
VOR	AWY-HI	40.20820	10,058 m		
LEKRO	UP975	37.27740	33,000 ft	51	-
FIX	AWY-HI	40.97150	10,058 m		
LESRI	UP975	37.07220	33,000 ft	17	-
FIX	AWY-HI	41.23030	10,058 m		
SIDNA	UP975	36.56610	33,000 ft	37	-
FIX	AWY-HI	41.68310	10,058 m		
TUBEN	UP975	35.29000	33,000 ft	97	-
FIX	AWY-HI	42.90940	10,058 m		
MUTAG	UP975	34.50080	33,000 ft	59	-
FIX	AWY-HI	43.64280	10,058 m		
SOGUM	UP975	34.20330	33,000 ft	22	-
FIX	AWY-HI	43.91500	10,058 m		
PUTSI	UP975	33.53330	33,000 ft	53	-
FIX	AWY-HI	44.61670	10,058 m		
SINKA	UP975	33.36030	33,000 ft	13	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	44.79810	10,058 m		
NOLDO	UP975	32.82560	33,000 ft	42	-
FIX	AWY-HI	45.35810	10,058 m		
KATUT	P975	32.62690	33,000 ft	16	-
FIX	AWY-HI	45.57750	10,058 m		
DENKI	P975	32.37440	33,000 ft	20	-
FIX	AWY-HI	45.85610	10,058 m		
ILMAP	P975	31.35920	33,000 ft	82	-
FIX	AWY-HI	46.95060	10,058 m		
PEBAD	P975	30.83970	33,000 ft	42	-
FIX	AWY-HI	47.49940	10,058 m		
SIDAD	P975	29.87530	33,000 ft	77	-
FIX	AWY-HI	48.49560	10,058 m		
DESLU	R784	29.46670	33,000 ft	37	-
FIX	AWY-HI	49.03060	10,058 m		
NANPI	R784	29.08250	33,000 ft	34	-
FIX	AWY-HI	49.53250	10,058 m		
ALNIN	R784	28.55170	33,000 ft	46	-
FIX	AWY-HI	50.17670	10,058 m		
IMDAT	R784	27.68330	33,000 ft	74	-
FIX	AWY-HI	51.18330	10,058 m		
DURSI	B416	27.20530	33,000 ft	53	-
FIX	AWY-HI	52.02890	10,058 m		
PEGET	B416	27.07610	33,000 ft	14	-
FIX	AWY-HI	52.25420	10,058 m		
EGMIT	B416	26.56110	33,000 ft	56	-
FIX	AWY-HI	53.14030	10,058 m		
LEVNA	B416	26.25970	31,200 ft	32	-
FIX	AWY-HI	53.64920	9,510 m		
ORSAR	B416	26.07500	25,600 ft	20	-
FIX	AWY-HI	53.95830	7,803 m		
OMDB	-	25.25110	0 ft	91	Dubai Intl
APT	-	55.37110	0 m		

## LSGG

Region: SWITZERLAND  
Timezone: EUROPE/ZURICH  
Runways: 1

Elevation: 1,411 ft / 430 m  
Location: 46.238100 6.109010  
Magnetic Var: 2.519 E

## METAR

LSGG 040320Z AUTO 03002KT 9999 OVC039 15/12 Q1016 NOSIG

## TAF

TAF TAF LSGG 040225Z 0403/0509 05004KT 9999 FEW035 BKN040 TX22/0415Z TN12/0405Z TN12/0505Z TEMPO 0412/0420 22007K

## Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.90		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.92		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.92		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.92		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.92		1,411 m

## OMDB

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 62 ft / 19 m  
Location: 25.251100 55.371100  
Magnetic Var: 2.356 E

## METAR

OMDB 040300Z 18005KT 150V230 CAVOK 31/25 Q1003 NOSIG

## TAF

TAF OMDB 032300Z 0400/0506 VRB02KT 8000 NSC PROB30 0401/0404 4000 HZ BKN008 BECMG 0403/0405 19010KT BECMG 0408/0410 18005KT 150V230 CAVOK

## Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.14		302 m	115 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	–	–	62 ft
				33 km	–		62 m
30L	DME	IDBW	111.30 MHz	18 nm	–	–	41 ft
				33 km	–		41 m
30R	DME	IDBR	110.90 MHz	18 nm	–	–	44 ft
				33 km	–		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	–	62 ft
				33 km	119.13		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	–	62 ft
				33 km	119.18		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	–	62 ft
				33 km	299.18		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	–	62 ft
				33 km	299.13		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.13		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.18		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.18		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.13		62 m