

# OBBI

Bahrain Intl


# LIRF

Roma-Fiumicino "Leonardo da Vinci"

2024/05/10 0154Z

OBBI BOROP **M691** ITIXI **V45** HFR GINVA **UL768** FIRAS **A21** KTN **R785** NIKAS **UL619** VESAR **UN135** AYT AYT AYT  
**UN135** IMR **UN127** RIKSO **UP14** PINDO **M603** BRD **L995** TEA LIRF

2147.27 nm / 3976.74 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OBBI	-	26.26790	0 ft	-	Bahrain Intl
APT	-	50.63690	0 m		
BOROP	-	26.88810	35,000 ft	102	-
FIX	-	48.86750	10,668 m		
KEDAT	M691	27.36360	35,000 ft	55	-
FIX	AWY-HI	47.98360	10,668 m		
EMENI	M691	27.54280	35,000 ft	20	-
FIX	AWY-HI	47.64670	10,668 m		
ITIXI	M691	27.84190	35,000 ft	35	-
FIX	AWY-HI	47.07640	10,668 m		
HFR	V45	28.33050	35,000 ft	58	HAFR AL-BATIN VORTAC
DME	AWY-HI	46.12950	10,668 m		
GINVA	-	28.33050	35,000 ft	0	-
FIX	-	46.12950	10,668 m		
VATIM	UL768	28.86000	35,000 ft	79	-
FIX	AWY-HI	44.74530	10,668 m		
RAF	UL768	29.62020	35,000 ft	79	RAFHA
VOR	AWY-HI	43.49800	10,668 m		
AAR	UL768	30.90800	35,000 ft	144	ARAR
VOR	AWY-HI	41.14220	10,668 m		
OVANO	UL768	31.80030	35,000 ft	114	-
FIX	AWY-HI	39.16420	10,668 m		
OTILA	UL768	32.02530	35,000 ft	15	-
FIX	AWY-HI	39.03130	10,668 m		
MODAD	UL768	32.59440	35,000 ft	38	-
FIX	AWY-HI	38.69390	10,668 m		
KUMLO	UL768	32.97000	35,000 ft	25	-
FIX	AWY-HI	38.46880	10,668 m		
SOKAN	UL768	33.13580	35,000 ft	11	-
FIX	AWY-HI	38.36860	10,668 m		
RAFIF	UL768	33.21310	35,000 ft	5	-
FIX	AWY-HI	38.32190	10,668 m		
SULAF	UL768	33.45500	35,000 ft	16	-
FIX	AWY-HI	38.17420	10,668 m		
FIRAS	UL768	33.87190	35,000 ft	28	-
FIX	AWY-HI	37.92000	10,668 m		
KTN	A21	34.21330	35,000 ft	38	KARIATAIN
VOR	AWY-HI	37.26420	10,668 m		
BRAVO	R785	34.69300	35,000 ft	41	-
FIX	AWY-HI	36.65300	10,668 m		
BAN	R785	35.22830	35,000 ft	46	BANIAS
NDB	AWY-HI	35.95790	10,668 m		
07BAN	R785	35.20780	35,000 ft	6	-
FIX	AWY-HI	35.82110	10,668 m		
NIKAS	R785	35.19330	35,000 ft	5	-
FIX	AWY-HI	35.71670	10,668 m		
VESAR	UL619	35.91560	35,000 ft	93	-
FIX	AWY-HI	34.01610	10,668 m		
NEKES	UN135	36.15360	35,000 ft	38	-
FIX	AWY-HI	33.28470	10,668 m		
TUKTU	UN135	36.33470	35,000 ft	29	-
FIX	AWY-HI	32.71610	10,668 m		
KULOL	UN135	36.68300	35,000 ft	58	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	31.59370	10,668 m		
ADASU	UN135	36.75110	35,000 ft	10	-
FIX	AWY-HI	31.38890	10,668 m		
AYT	UN135	36.92140	35,000 ft	30	ANTALYA VOR-DME
DME	AWY-HI	30.79690	10,668 m		
AYT	-	36.92080	35,000 ft	0	ANTALYA
VOR	-	30.79450	10,668 m		
AYT	-	36.91560	35,000 ft	0	ANTALYA TACAN
DME	-	30.78280	10,668 m		
ERGIN	UN135	37.23000	35,000 ft	42	-
FIX	AWY-HI	29.99940	10,668 m		
NESIL	UN135	37.34310	35,000 ft	14	-
FIX	AWY-HI	29.72310	10,668 m		
BALSU	UN135	37.45830	35,000 ft	15	-
FIX	AWY-HI	29.42360	10,668 m		
LAVTA	UN135	37.72170	35,000 ft	37	-
FIX	AWY-HI	28.70330	10,668 m		
BAPSI	UN135	38.00230	35,000 ft	41	-
FIX	AWY-HI	27.90430	10,668 m		
KUMAN	UN135	38.03170	35,000 ft	3	-
FIX	AWY-HI	27.83280	10,668 m		
IMR	UN135	38.31740	35,000 ft	42	IZMIR
VOR	AWY-HI	27.00720	10,668 m		
RIKSO	UN127	38.83330	35,000 ft	41	-
FIX	AWY-HI	26.43330	10,668 m		
PINDO	UP14	40.48080	35,000 ft	271	-
FIX	AWY-HI	20.95580	10,668 m		
ADDER	M603	40.52390	35,000 ft	29	-
FIX	AWY-LO	20.30470	10,668 m		
OVVER	M603	40.54170	35,000 ft	13	-
FIX	AWY-LO	20.01280	10,668 m		
GOKEL	M603	40.59830	35,000 ft	46	-
FIX	AWY-LO	19.00000	10,668 m		
XAPAT	M603	40.60810	35,000 ft	32	-
FIX	AWY-LO	18.29060	10,668 m		
BRD	M603	40.61090	35,000 ft	13	BRINDISI
VOR	AWY-HI	18.00290	10,668 m		
ROBOT	L995	40.70970	35,000 ft	25	-
FIX	AWY-HI	17.46940	10,668 m		
LUXIL	L995	40.81920	35,000 ft	28	-
FIX	AWY-HI	16.87080	10,668 m		
TOPNO	L995	40.95170	35,000 ft	35	-
FIX	AWY-HI	16.10780	10,668 m		
DOGUS	L995	41.02000	34,900 ft	18	-
FIX	AWY-HI	15.70330	10,638 m		
EKTOL	L995	41.10780	29,700 ft	24	-
FIX	AWY-HI	15.17140	9,053 m		
AMSOR	L995	41.15720	26,700 ft	13	-
FIX	AWY-HI	14.86920	8,138 m		
AKAMO	L995	41.19080	24,500 ft	9	-
FIX	AWY-HI	14.65330	7,468 m		
TEA	L995	41.29680	17,800 ft	31	TEANO
VOR	AWY-HI	13.97070	5,425 m		
LIRF	-	41.81080	0 ft	83	Roma-Fiumicino "Leonardo da Vinci"
APT	-	12.25090	0 m		

## OBBI

Region: BAHRAIN  
Timezone: ASIA/BAHRAIN  
Runways: 2

Elevation: 8 ft / 2 m  
Location: 26.267900 50.636900  
Magnetic Var: 3.065 E

## METAR

OBBI 100130Z 30008KT CAVOK 26/16 Q1010 NOSIG

## TAF

TAF OBBI 092300Z 1000/1106 34015KT CAVOK

## Frequencies

TWR - 118.50 MHz - BAHRAIN TOWER  
APP - 127.85 MHz - BAHRAIN APPROACH

GND - 121.85 MHz - BAHRAIN GROUND  
REC - 127.20 MHz - BAHRAIN ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	148 ft	8,300 ft	122.73	ASPHALT	1,007 ft	0 ft
	45 m	2,530 m	119.67		307 m	0 m
30L	148 ft	8,300 ft	302.74	ASPHALT	397 ft	0 ft
	45 m	2,530 m	299.68		121 m	0 m
12L	197 ft	12,994 ft	122.77	ASPHALT	1,001 ft	207 ft
	60 m	3,961 m	119.70		305 m	63 m
30R	197 ft	12,994 ft	302.78	ASPHALT	997 ft	203 ft
	60 m	3,961 m	299.72		304 m	62 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IBIB	111.50 MHz	18 nm	-	-	42 ft
				33 km	-		42 m
30R	DME	IBIA	110.30 MHz	18 nm	-	-	42 ft
				33 km	-		42 m
12L	LOC-ILS	IBIB	111.50 MHz	18 nm	122.78	-	8 ft
				33 km	119.72		8 m
30R	LOC-ILS	IBIA	110.30 MHz	18 nm	302.78	-	8 ft
				33 km	299.72		8 m
12L	GS	IBIB	111.50 MHz	10 nm	122.78	3.00	8 ft
				19 km	119.72		8 m
30R	GS	IBIA	110.30 MHz	10 nm	302.78	3.00	8 ft
				19 km	299.72		8 m

## LIRF

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 3

Elevation: 13 ft / 4 m  
Location: 41.810800 12.250900  
Magnetic Var: 3.665 E

## METAR

LIRF 100120Z 06004KT CAVOK 15/11 Q1015 NOSIG

## TAF

TAF LIRF 092300Z 1000/1106 03008KT 9999 FEW020 BECMG 1009/1011 26012KT BECMG 1017/1019 03006KT

## Frequencies

REC - 120.17 MHz - ATIS ARRIVAL  
REC - 121.85 MHz - ATIS DEPARTURE  
GND - 121.72 MHz - FIUME APRON  
GND - 121.90 MHz - FIUME GROUND  
TWR - 127.62 MHz - FIUME TOWER  
TWR - 118.70 MHz - FIUME TOWER  
DEP - 131.10 MHz - ROMA DEPARTURE  
APP - 125.50 MHz - ROMA ARRIVAL  
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL  
CLD - 121.80 MHz - CLEARANCE DELIVERY  
GND - 121.67 MHz - FIUME GROUND  
GND - 122.12 MHz - FIUME GROUND  
TWR - 123.72 MHz - FIUME TOWER  
DEP - 130.90 MHz - ROMA DEPARTURE  
APP - 127.95 MHz - ROMA ARRIVAL  
APP - 119.20 MHz - ROMA DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m