


2024/05/03 0030Z

SBRF OPNED UM791 ISUPI SBPB

517.85 nm / 959.06 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBRF	-	-8.12547	0 ft	-	Recife-Guararapes Intl
APT	-	-34.92350	0 m	-	
OPNED	-	-7.22833	28,900 ft	80	-
FIX	-	-35.93900	8,809 m	-	-
KODSO	UM791	-5.98500	36,000 ft	117	-
FIX	AWY-HI	-37.46050	10,973 m	-	-
POSNA	UM791	-5.93500	36,000 ft	4	-
FIX	AWY-HI	-37.52080	10,973 m	-	-
KIGUK	UM791	-5.82900	36,000 ft	9	-
FIX	AWY-HI	-37.64980	10,973 m	-	-
ABASE	UM791	-5.73017	36,000 ft	9	-
FIX	AWY-HI	-37.76950	10,973 m	-	-
ISUGI	UM791	-5.10717	36,000 ft	58	-
FIX	AWY-HI	-38.51520	10,973 m	-	-
LOGOX	UM791	-4.88400	36,000 ft	20	-
FIX	AWY-HI	-38.78120	10,973 m	-	-
ESMEM	UM791	-4.77833	36,000 ft	9	-
FIX	AWY-HI	-38.90680	10,973 m	-	-
RODIT	UM791	-4.67633	36,000 ft	9	-
FIX	AWY-HI	-39.02780	10,973 m	-	-
ABUCU	UM791	-4.58617	36,000 ft	8	-
FIX	AWY-HI	-39.13470	10,973 m	-	-
GUTOI	UM791	-4.12117	31,300 ft	42	-
FIX	AWY-HI	-39.66780	9,540 m	-	-
ESDAB	UM791	-3.73983	23,900 ft	34	-
FIX	AWY-HI	-40.09830	7,285 m	-	-
ISUPI	UM791	-3.36483	16,600 ft	33	-
FIX	AWY-HI	-40.52230	5,060 m	-	-
SBPB	-	-2.89328	0 ft	77	Parnaiba
APT	-	-41.73030	0 m	-	

SBRF

Region: BRAZIL
Timezone: AMERICA/RECIFE
Runways: 1

Elevation: 33 ft / 10 m
Location: -8.125470 -34.923500
Magnetic Var: 21.889 W

METAR

SBRF 030000Z 15009KT 9999 SCT022 29/25 Q1010

TAF

TAF SBRF 021930Z 0300/0324 15007KT 8000 SCT020 TN26/0308Z TX31/0316Z TEMPO 0300/0312 22015KT 4000 SHRA BKN015 FEW

Frequencies

REC - 127.65 MHz - ATIS	CLD - 118.90 MHz - RECIFE CLEARANCE
CLD - 120.40 MHz - RECIFE CLEARANCE	GND - 121.85 MHz - RECIFE GROUND
TWR - 118.35 MHz - RECIFE TOWER	TWR - 122.80 MHz - RECIFE TOWER
TWR - 125.25 MHz - RECIFE TOWER	APP - 119.50 MHz - RECIFE APPROACH
APP - 119.95 MHz - RECIFE APPROACH	APP - 120.40 MHz - RECIFE APPROACH
APP - 129.60 MHz - RECIFE APPROACH	COM - 122.80 MHz - UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,906 ft	161.89	ASPHALT	978 ft	0 ft
	45 m	3,324 m	183.78		298 m	0 m
36	148 ft	10,906 ft	341.89	ASPHALT	0 ft	528 ft
	45 m	3,324 m	3.78		0 m	161 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IRF	110.30 MHz	18 nm	161.89	-	33 ft
				33 km	183.78		33 m
18	GS	IRF	110.30 MHz	10 nm	162.89	3.00	33 ft
				19 km	184.78		33 m