

LIRF

Roma-Fiumicino "Leonardo da Vinci"


LIPX

Verona-Villafranca "Valerio Catullo"

2024/05/04 1625Z

LIRF AMTEL **M738** OMAKU LIPX

223.78 nm / 414.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIRF	-	41.81080	0 ft	-	Roma-Fiumicino	"Leonardo da Vinci"
APT	-	12.25090	0 m			
AMTEL	-	43.22030	28,800 ft	89	-	
FIX	-	11.60860	8,778 m			
OMAKU	M738	44.14670	16,700 ft	56	-	
FIX	AWY-HI	11.38640	5,090 m			
LIPX	-	45.39700	0 ft	78	Verona-Villafranca	"Valerio Catullo"
APT	-	10.89030	0 m			

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.664 E

METAR

LIRF 041550Z 28012KT CAVOK 18/11 Q1016 NOSIG

TAF

TAF LIRF 041100Z 0412/0518 28013KT CAVOK BECMG 0419/0422 VRB05KT BECMG 0509/0511 24010KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE
GND - 121.72 MHz - FIUME APRON
GND - 121.90 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER
DEP - 131.10 MHz - ROMA DEPARTURE
APP - 125.50 MHz - ROMA ARRIVAL
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL
CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.67 MHz - FIUME GROUND
GND - 122.12 MHz - FIUME GROUND
TWR - 123.72 MHz - FIUME TOWER
DEP - 130.90 MHz - ROMA DEPARTURE
APP - 127.95 MHz - ROMA ARRIVAL
APP - 119.20 MHz - ROMA DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.02		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m

LIPX

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 236 ft / 72 m
Location: 45.397000 10.890300
Magnetic Var: 3.589 E

METAR

LIPX 041550Z 23004KT 190V280 9999 FEW025 21/10 Q1015

TAF

TAF LIPX 041100Z 0412/0512 VRB05KT 9999 FEW030 BECMG 0507/0509 26010KT

Frequencies

GND - 121.75 MHz - VILLAFRANCA GROUND
REC - 123.25 MHz - ATIS
APP - 118.55 MHz - GARDA APPROACH
TWR - 118.65 MHz - VILLAFRANCA TOWER
APP - 124.25 MHz - GARDA APPROACH
APP - 135.90 MHz - GARDA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	10,074 ft	45.59	ASPHALT	194 ft	797 ft
	45 m	3,071 m	42.01		59 m	243 m
22	148 ft	10,074 ft	225.61	ASPHALT	1,339 ft	184 ft
	45 m	3,071 m	222.03		408 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IVF	110.10 MHz	18 nm	-	-	248 ft
				33 km	-		248 m
04	LOC-ILS	IVF	110.10 MHz	18 nm	45.62	-	237 ft
				33 km	42.03		237 m
04	GS	IVF	110.10 MHz	10 nm	45.62	3.00	237 ft
				19 km	42.03		237 m