


2024/05/18 0147Z

KABQ ACH **V12** TCC **J6** PNH **J14** ATL KATL

1105.21 nm / 2046.84 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 290kts
- Cruise Altitude: 32000ft
- Cruise Speed: 325kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KABQ APT	-	35.03820 -106.61000	0 ft 0 m	-	Albuquerque
ACH VOR	-	35.11170 -105.04000	32,000 ft 9,754 m	77	ANTON CHICO
WASBI FIX	V12 AWY-LO	35.16590 -103.96400	32,000 ft 9,754 m	52	-
TCC VOR	V12 AWY-LO	35.18220 -103.59900	32,000 ft 9,754 m	17	TUCUMCARI
PNH VOR	J6 AWY-HI	35.23510 -101.69900	32,000 ft 9,754 m	93	PANHANDLE
CRUSR FIX	J14 AWY-HI	35.33540 -98.86620	32,000 ft 9,754 m	139	-
IRW VOR	J14 AWY-HI	35.35860 -97.60920	32,000 ft 9,754 m	61	WILL ROGERS (OKLAHOMA CITY)
DWINE FIX	J14 AWY-HI	35.20810 -96.21630	32,000 ft 9,754 m	68	-
KLUBB FIX	J14 AWY-HI	35.12040 -95.46670	32,000 ft 9,754 m	37	-
KOMMA FIX	J14 AWY-HI	35.01460 -94.67760	32,000 ft 9,754 m	39	-
LIT VOR	J14 AWY-HI	34.67770 -92.18050	32,000 ft 9,754 m	124	LITTLE ROCK
ARIGY FIX	J14 AWY-HI	34.53550 -91.34720	32,000 ft 9,754 m	42	-
CARIN FIX	J14 AWY-HI	34.45420 -90.88700	32,000 ft 9,754 m	23	-
XESSS FIX	J14 AWY-HI	34.31410 -90.11740	32,000 ft 9,754 m	39	-
YAALL FIX	J14 AWY-HI	33.79340 -87.48090	32,000 ft 9,754 m	134	-
VUZ VOR	J14 AWY-HI	33.67010 -86.89980	32,000 ft 9,754 m	29	VULCAN (BIRMINGHAM)
ATL VOR	J14 AWY-HI	33.62910 -84.43510	100 ft 30 m	123	ATLANTA
KATL APT	-	33.63660 -84.42800	0 ft 0 m	0	Hartsfield-Jackson Atlanta Intl

## KABQ

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 3

Elevation: 5,354 ft / 1,632 m

Location: 35.038200 -106.610000

Magnetic Var: 7.890 E

## METAR

KABQ 180052Z 26009KT 10SM SCT100 28/M03 A2987 RMK A02 SLP042 T02781028

## TAF

TAF KABQ 172320Z 1800/1824 27010G16KT P6SM FEW120 FM180100 31007KT P6SM FEW120 FM180400 VRB05KT P6SM SKC FM182000

## Frequencies

REC - 118.00 MHz - ATIS

CLD - 119.20 MHz - CLNC DEL

TWR - 123.77 MHz -

APP - 123.90 MHz - APP/DEP

APP - 127.40 MHz - APP/DEP

COM - 122.95 MHz - UNICOM

GND - 121.90 MHz -

TWR - 120.30 MHz -

APP - 124.40 MHz - APP/DEP

APP - 134.80 MHz - APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	13,762 ft	90.43	CONCRETE	1,001 ft	551 ft
	46 m	4,195 m	82.54		305 m	168 m
26	150 ft	13,762 ft	270.45	CONCRETE	0 ft	1,001 ft
	46 m	4,195 m	262.56		0 m	305 m
03	150 ft	10,002 ft	44.66	CONCRETE	0 ft	400 ft
	46 m	3,049 m	36.77		0 m	122 m
21	150 ft	10,002 ft	224.67	CONCRETE	0 ft	0 ft
	46 m	3,049 m	216.78		0 m	0 m
12	150 ft	6,024 ft	128.99	CONCRETE	0 ft	0 ft
	46 m	1,836 m	121.10		0 m	0 m
30	150 ft	6,024 ft	309.00	CONCRETE	0 ft	0 ft
	46 m	1,836 m	301.11		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	ISPT	111.90 MHz	18 nm	-	-	5,374 ft
				33 km	-		5,374 m
03	LOC-ILS	IBZY	111.50 MHz	18 nm	44.67	-	5,354 ft
				33 km	36.78		5,354 m
08	LOC-ILS	ISPT	111.90 MHz	18 nm	90.44	-	5,354 ft
				33 km	82.55		5,354 m
03	GS	IBZY	111.50 MHz	10 nm	44.67	3.00	5,354 ft
				19 km	36.78		5,354 m
08	GS	ISPT	111.90 MHz	10 nm	90.44	3.00	5,354 ft
				19 km	82.55		5,354 m

## KATL

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 5

Elevation: 1,026 ft / 313 m  
Location: 33.636600 -84.428000  
Magnetic Var: 5.632 W

## METAR

KATL 180052Z 21003KT 10SM BKN018 OVC030 21/18 A2988 RMK A02 SLP111 T02110178

## TAF

KATL 172345Z 1800/1906 19008KT P6SM SCT012 BKN030 OVC050 FM180200 19006KT 6SM BR VCSH BKN012 OVC030 FM180400 1900

## Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.62		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.65		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.63		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.61		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.63		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.64		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.61		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.63		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.60		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.59		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.59		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.65		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.59		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.57		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.59		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.59		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.59		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.65		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.57		990 m