

SSKW

Cacoal


SBPV

Porto Velho Intl

2024/05/03 0721Z

SSKW RON **W10** ITAGU SBPV

221.43 nm / 410.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SSKW	-	-11.49570	0 ft	-	Cacoal
APT	-	-61.45090	0 m		
RON	-	-10.88520	16,700 ft	46	RONDONIA (JI-PARANA)
NDB	-	-61.94750	5,090 m		
ITAGU	W10	-9.21083	8,600 ft	134	-
FIX	AWY-LO	-63.45150	2,621 m		
SBPV	-	-8.70925	0 ft	40	Porto Velho Intl
APT	-	-63.90230	0 m		

SBPV

Region: BRAZIL
Timezone: AMERICA/PORTO_VELHO
Runways: 1

Elevation: 295 ft / 90 m
Location: -8.709250 -63.902300
Magnetic Var: 13.958 W

METAR

SBPV 030700Z 31001KT CAVOK 26/25 Q1007

TAF

TAF SBPV 030402Z 0306/0406 00000KT CAVOK TN24/0309Z TX32/0315Z BECMG 0312/0314 03006KT BECMG 0316/0318 SCT030 FEW

Frequencies

CLD - 118.20 MHz - PORTO VELHO DELIVERY
APP - 120.25 MHz - PORTO VELHO APPROACH

TWR - 118.55 MHz - PORTO VELHO TOWER
APP - 120.80 MHz - PORTO VELHO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	7,921 ft	356.58	ASPHALT	0 ft	213 ft
	45 m	2,414 m	10.54		0 m	65 m
19	148 ft	7,921 ft	176.58	ASPHALT	0 ft	213 ft
	45 m	2,414 m	190.54		0 m	65 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	LOC-ILS	IPV	109.30 MHz	18 nm	176.58	-	295 ft
				33 km	190.54		295 m
19	GS	IPV	109.30 MHz	10 nm	176.58	3.00	295 ft
				19 km	190.54		295 m