

# LTBA

Istanbul Ataturk


# LTBJ

ADNAN MENDERES

2024/05/06 1729Z

LTBA ATKAN LTBJ

178.67 nm / 330.90 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 28000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTBA	-	40.97914	0 ft	-	Istanbul Ataturk
APT	-	28.81283	0 m		
ATKAN	-	39.52000	17,200 ft	98	-
FIX	-	27.84944	5,243 m		
LTBJ	-	38.29221	0 ft	80	ADNAN MENDERES
APT	-	27.15594	0 m		

## LTBA

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 1

Elevation: 163 ft / 50 m  
Location: 40.976100 28.814200  
Magnetic Var: 6.065 E

## METAR

LTBA 061650Z 24004KT CAVOK 15/09 Q1015 RMK RWY23 25005KT

## TAF

TAF LTBA 061040Z 0612/0712 22012KT CAVOK BECMG 0613/0616 VRB02KT BECMG 0706/0709 22012KT

## Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	8,513 ft	58.45	ASPHALT	492 ft	207 ft
	60 m	2,595 m	52.38		150 m	63 m
23	197 ft	8,513 ft	238.47	ASPHALT	0 ft	197 ft
	60 m	2,595 m	232.40		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
23	DME	IATA	111.90 MHz	18 nm	-	-	163 ft
				33 km	-		163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm	58.46	-	163 ft
				33 km	52.39		163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm	238.46	-	163 ft
				33 km	232.39		163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.39		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.39		163 m

## LTBJ

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 2

Elevation: 410 ft / 125 m  
Location: 38.292200 27.155900  
Magnetic Var: 5.515 E

## METAR

LTBJ 061650Z 35013KT CAVOK 20/04 Q1013 NOSIG RMK RWY16 35012KT 310V010

## TAF

TAF LTBJ 061040Z 0612/0712 36017G27KT 9999 FEW030 BECMG 0614/0617 CAVOK BECMG 0618/0622 35009KT TEMPO 0710/0712 F

## Frequencies

REC - 129.20 MHz - ATIS	GND - 121.90 MHz - MENDERES GROUND
GND - 121.70 MHz - MENDERES GROUND	TWR - 118.10 MHz - MENDERES TOWER
APP - 119.45 MHz - MENDERES APPROACH	APP - 120.10 MHz - MENDERES APPROACH
APP - 120.17 MHz - MENDERES APPROACH	APP - 134.20 MHz - MENDERES APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	147 ft	10,653 ft	166.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	161.16		0 m	60 m
34L	147 ft	10,653 ft	346.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	341.17		0 m	60 m
16L	147 ft	10,653 ft	166.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	161.15		0 m	60 m
34R	147 ft	10,653 ft	346.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	341.16		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IIMR	108.50 MHz	18 nm	166.67	-	410 ft
				33 km	161.16		410 m
34R	LOC-ILS	IMEN	110.30 MHz	18 nm	346.67	-	410 ft
				33 km	341.16		410 m
16L	GS	IIMR	108.50 MHz	10 nm	166.67	3.10	410 ft
				19 km	161.16		410 m
34R	GS	IMEN	110.30 MHz	10 nm	346.67	3.00	410 ft
				19 km	341.16		410 m