

SLVR

Viru Viru Intl


SLLP

El Alto Intl

2024/05/06 2114Z

SLVR SALBI **A304** DOLGI **UA304** MEVOT SLLP

298.16 nm / 552.19 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 28000ft
- Cruise Speed: 440kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SLVR	-	-17.64480	0 ft	-	Viru Viru Intl
APT	-	-63.13540	0 m	-	
SALBI	-	-17.32970	27,600 ft	80	-
FIX	-	-64.50970	8,412 m	-	
DOLGI	A304	-17.07560	28,000 ft	68	-
FIX	AWY-LO	-65.66720	8,534 m	-	
PUNAV	UA304	-17.02750	27,800 ft	12	-
FIX	AWY-HI	-65.88640	8,473 m	-	
MOSGO	UA304	-16.93920	22,900 ft	23	-
FIX	AWY-HI	-66.28890	6,980 m	-	
MEVOT	UA304	-16.90170	20,900 ft	10	-
FIX	AWY-HI	-66.45970	6,370 m	-	
SLLP	-	-16.51330	0 ft	102	El Alto Intl
APT	-	-68.19230	0 m	-	

SLVR

Region: BOLIVIA
Timezone: AMERICA/LA_PAZ
Runways: 1

Elevation: 1,224 ft / 373 m
Location: -17.644800 -63.135400
Magnetic Var: 13.137 W

METAR

SLVR 062100Z 36013G24KT 9999 FEW020 30/24 Q1006

TAF

TAF SLVR 061600Z 0618/0718 34020G35KT 9999 BKN020 TX33/0619Z TN25/0711Z BECMG 0623/0701 34012KT SCT015 BECMG 0705

Frequencies

GND - 121.90 MHz - VIRU VIRU GROUND
APP - 119.70 MHz - VIRU VIRU APPROACH
TWR - 118.60 MHz - VIRU VIRU TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,516 ft	147.35	CONCRETE	0 ft	197 ft
	45 m	3,510 m	160.49		0 m	60 m
34	148 ft	11,516 ft	327.34	CONCRETE	0 ft	197 ft
	45 m	3,510 m	340.48		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	VCZ	110.90 MHz	18 nm	327.34	-	1,224 ft
				33 km	340.48		1,224 m
34	GS	VCZ	110.90 MHz	10 nm	327.69	3.00	1,224 ft
				19 km	340.82		1,224 m

SLLP

Region: BOLIVIA
Timezone: AMERICA/LA_PAZ
Runways: 1

Elevation: 13,314 ft / 4,058 m
Location: -16.513300 -68.192300
Magnetic Var: 9.171 W

METAR

SLLP 062100Z 27010KT 9999 FEW020 SCT200 17/00 Q1036

TAF

TAF SLLP 061600Z 0618/0718 27010KT 9999 FEW017 TX18/0619Z TN01/0710Z BECMG 0623/0701 07005KT BECMG 0703/0705 3000

Frequencies

GND - 121.90 MHz - LA PAZ GROUND
APP - 119.50 MHz - LA PAZ APPROACH

TWR - 118.30 MHz - LA PAZ TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	13,108 ft	91.90	CONCRETE	0 ft	108 ft
	46 m	3,995 m	101.07		0 m	33 m
28	151 ft	13,108 ft	271.88	CONCRETE	0 ft	125 ft
	46 m	3,995 m	281.06		0 m	38 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	ILPA	110.30 MHz	18 nm	91.89	-	13,313 ft
				33 km	101.06		13,313 m
10	GS	ILPA	110.30 MHz	10 nm	92.79	2.40	13,313 ft
				19 km	101.96		13,313 m