

KNQX

NAS Key West - Boca Chica Field


KCHS

Charleston AFB/Intl

2024/05/15 2245Z

KNQX CITAG **V225** RSW **V7** LAL **V157** WEBBS LOULO **J55** CRG **V1** TYBEE KCHS

525.33 nm / 972.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KNQX APT	-	24.57440 -81.68680	0 ft 0 m	-	NAS Key West - Boca Chica Field
CITAG FIX	-	26.23700 -81.77950	35,000 ft 10,668 m	99	-
HICUP FIX	V225 AWY-LO	26.41360 -81.77730	35,000 ft 10,668 m	10	-
RSW VOR	V225 AWY-LO	26.52990 -81.77580	35,000 ft 10,668 m	6	LEE COUNTY (FORT MYERS)
SERFS FIX	V7 AWY-LO	26.80070 -81.81960	35,000 ft 10,668 m	16	-
JOCKS FIX	V7 AWY-LO	27.00960 -81.85350	35,000 ft 10,668 m	12	-
ROGAN FIX	V7 AWY-LO	27.25080 -81.89290	35,000 ft 10,668 m	14	-
CROWD FIX	V7 AWY-LO	27.66710 -81.96120	35,000 ft 10,668 m	25	-
LAL VOR	V7 AWY-LO	27.98620 -82.01390	35,000 ft 10,668 m	19	LAKELAND
URIVE FIX	V157 AWY-LO	28.13480 -82.04010	35,000 ft 10,668 m	9	-
WEBBS FIX	V157 AWY-LO	28.51390 -82.10740	35,000 ft 10,668 m	23	-
LOULO FIX	-	28.78370 -81.90080	35,000 ft 10,668 m	19	-
CRG VOR	J55 AWY-HI	30.33890 -81.50990	35,000 ft 10,668 m	95	CRAIG (JACKSONVILLE)
LLIPS FIX	V1 AWY-LO	30.66690 -81.37170	32,400 ft 9,876 m	20	-
OCNOP FIX	V1 AWY-LO	30.86220 -81.28910	29,700 ft 9,053 m	12	-
STARY FIX	V1 AWY-LO	31.20130 -81.14460	25,000 ft 7,620 m	21	-
TYBEE FIX	V1 AWY-LO	31.83810 -80.87020	16,300 ft 4,968 m	40	-
KCHS APT	-	32.89810 -80.04060	0 ft 0 m	76	Charleston AFB/Intl

KCHS

Region: UNITED STATES

Timezone: AMERICA/NEW_YORK

Runways: 2

Elevation: 45 ft / 14 m

Location: 32.898100 -80.040600

Magnetic Var: 8.305 W

METAR

KCHS 152156Z 20015KT 10SM FEW030 FEW200 29/20 A2966 RMK A02 SLP042 T02890200

TAF

TAF AMD KCHS 151958Z 1520/1618 20016G23KT P6SM SCT040 FM152300 19009KT P6SM SCT050 FM160400 28006KT P6SM FEW015 FM161000 28006KT P6SM FEW015

Frequencies

REC - 124.75 MHz - CHARLESTON ATIS

GND - 121.90 MHz - CHARLESTON GROUND

CLD - 127.32 MHz - CLEARANCE DELIVERY

DEP - 120.70 MHz - CHARLESTON DEPARTURE

APP - 120.70 MHz - CHARLESTON APPROACH

COM - 122.95 MHz - CHARLESTON UNICOM

TWR - 126.00 MHz - CHARLESTON TOWER

DEP - 119.30 MHz - CHARLESTON DEPARTURE

APP - 119.30 MHz - CHARLESTON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	150 ft	9,015 ft	147.54	CONCRETE	0 ft	1,001 ft
	46 m	2,748 m	155.85		0 m	305 m
33	150 ft	9,015 ft	327.55	CONCRETE	0 ft	1,001 ft
	46 m	2,748 m	335.85		0 m	305 m
03	150 ft	7,016 ft	24.30	CONCRETE	0 ft	1,001 ft
	46 m	2,138 m	32.61		0 m	305 m
21	150 ft	7,016 ft	204.31	CONCRETE	0 ft	801 ft
	46 m	2,138 m	212.61		0 m	244 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	ICHS	109.70 MHz	18 nm	147.55	-	45 ft
				33 km	155.86		45 m
33	LOC-ILS	ICCI	108.90 MHz	18 nm	327.55	-	45 ft
				33 km	335.86		45 m
15	GS	ICHS	109.70 MHz	10 nm	147.55	3.00	45 ft
				19 km	155.86		45 m
33	GS	ICCI	108.90 MHz	10 nm	327.55	3.00	45 ft
				19 km	335.86		45 m