

LEVC

Valencia


LEBL

Barcelona - El Prat

2024/05/23 0926Z

LEVC LOTOS LEBL

160.04 nm / 296.38 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 24000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEVC	-	39.48824	0 ft	-	Valencia
APT	-	-0.48389	0 m		
LOTOS	-	40.54969	14,200 ft	93	-
FIX	-	1.00298	4,328 m		
LEBL	-	41.29511	0 ft	66	Barcelona - El Prat
APT	-	2.08803	0 m		

LEVC

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 240 ft / 73 m
Location: 39.490000 -0.483345
Magnetic Var: 0.915 E

METAR

LEVC 230900Z 08007KT 050V130 9999 SCT025 BKN030 21/13 Q1018 NOSIG

TAF

TAF LEVC 230500Z 2306/2406 01005KT 9999 FEW030 TX23/2315Z TN14/2306Z BECMG 2307/2309 08010KT TEMPO 2308/2313 BKN0

Frequencies

REC - 121.07 MHz - ATIS	GND - 121.87 MHz - VALENCIA GROUND
TWR - 118.55 MHz - VALENCIA TOWER	TWR - 125.47 MHz - VALENCIA TOWER
CLD - 123.57 MHz - CLEARANCE DELIVERY	APP - 124.75 MHz - VALENCIA APPROACH
APP - 120.10 MHz - VALENCIA APPROACH	APP - 119.07 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,528 ft	116.24	ASPHALT	0 ft	0 ft
	45 m	3,209 m	115.33		0 m	0 m
30	148 ft	10,528 ft	296.26	ASPHALT	968 ft	945 ft
	45 m	3,209 m	295.35		295 m	288 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	VLN	111.50 MHz	25 nm	-	-	256 ft
				46 km	-		256 m
30	DME	IVC	110.10 MHz	18 nm	-	-	203 ft
				33 km	-		203 m
12	LOC-ILS	VLN	111.50 MHz	18 nm	116.20	-	256 ft
				33 km	115.29		256 m
30	LOC-ILS	IVC	110.10 MHz	18 nm	296.19	-	225 ft
				33 km	295.28		225 m
12	GS	VLN	111.50 MHz	10 nm	116.40	3.00	256 ft
				19 km	115.49		256 m
30	GS	IVC	110.10 MHz	10 nm	296.52	3.00	225 ft
				19 km	295.61		225 m

LEBL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 3

Elevation: 14 ft / 4 m
Location: 41.295100 2.088030
Magnetic Var: 1.545 E

METAR

LEBL 230900Z 10008KT 040V130 9999 FEW025 19/13 Q1019 NOSIG

TAF

TAF LEBL 230500Z 2306/2406 33007KT 9999 FEW030 TX20/2312Z TN15/2306Z BECMG 2306/2308 08009KT PROB30 TEMPO 2306/2308

Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.37		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.37		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.96		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.94		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.37		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.37		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m