

# VHHH

Hong Kong Intl


# KREO

Rome State

2024/05/02 2219Z

VHHH SANIP NOLON **A599** NNX NNX **A599** ELNEX **G204** MULO V73 SUPAR **B221** AND AND **B221** ELAGO LASAN **G327**  
LAMEN **A593** PONIK NIRAT **B576** CJU **A586** TOPAX OMOTU **A586** BULGA DABIK **A586** TENAS **B467** NULAR **B233**  
BULOD **R810** AGITA **G815** OTLER **B932** RIMLI **G816** LUMES NYMPH **G469** SPY **R591** CHUUK **R341** ODK **J123** CJAYY  
GRIZZ **B757** KATCH **TR18** KALTS YZP **Q801** YAZ **J501** TOU **J54** WANTA **J523** IMB **V497** ILR KREO

6174.24 nm / 11434.70 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VHHH	-	22.30890	0 ft	-	Hong Kong Intl
APT	-	113.91500	0 m		
SANIP	-	24.02670	35,000 ft	103	-
FIX	-	114.01500	10,668 m		
NOLON	-	24.10830	35,000 ft	6	-
FIX	-	113.94700	10,668 m		
WYN	A599	24.35000	35,000 ft	17	WENGYUAN
VOR	AWY-HI	114.11200	10,668 m		
NNX	A599	25.09500	35,000 ft	45	NANXIONG
VOR	AWY-HI	114.27300	10,668 m		
NNX	-	25.10000	35,000 ft	0	NANXIONG VOR-DME
DME	-	114.27200	10,668 m		
PLT	A599	25.80830	35,000 ft	53	PANLONG
VOR	AWY-HI	114.87500	10,668 m		
SAGON	A599	26.50170	35,000 ft	61	-
FIX	AWY-HI	115.70800	10,668 m		
NF	A599	27.20830	35,000 ft	62	NANFENG
NDB	AWY-HI	116.55800	10,668 m		
XUVGI	A599	27.52000	35,000 ft	26	-
FIX	AWY-HI	116.92200	10,668 m		
SHR	A599	28.41670	35,000 ft	77	SHANGRAO
VOR	AWY-HI	117.97000	10,668 m		
ELNEX	A599	29.63170	35,000 ft	108	-
FIX	AWY-HI	119.49000	10,668 m		
UGAGO	G204	29.62830	35,000 ft	8	-
FIX	AWY-HI	119.65000	10,668 m		
MULOV	G204	29.61500	35,000 ft	31	-
FIX	AWY-HI	120.24800	10,668 m		
SUPAR	V73	30.02330	35,000 ft	40	-
FIX	AWY-HI	120.85800	10,668 m		
OKTUG	B221	30.08830	35,000 ft	6	-
FIX	AWY-HI	120.96000	10,668 m		
AND	B221	30.25330	35,000 ft	16	ANDONG VOR-DME
DME	AWY-HI	121.21800	10,668 m		
AND	-	30.25670	35,000 ft	0	ANDONG
VOR	-	121.22200	10,668 m		
ELAGO	B221	30.80000	35,000 ft	59	-
FIX	AWY-HI	122.18300	10,668 m		
LASAN	-	31.00000	35,000 ft	17	-
FIX	-	122.42500	10,668 m		
BONGI	G327	31.00000	35,000 ft	11	-
FIX	AWY-HI	122.64800	10,668 m		
BOLEX	G327	31.00000	35,000 ft	18	-
FIX	AWY-HI	123.00000	10,668 m		
TONIX	G327	31.33170	35,000 ft	34	-
FIX	AWY-HI	123.54300	10,668 m		
LAMEN	G327	31.61000	35,000 ft	28	-
FIX	AWY-HI	124.00000	10,668 m		
SADLI	A593	31.83330	35,000 ft	52	-
FIX	AWY-HI	124.99800	10,668 m		
PONIK	A593	32.00580	35,000 ft	41	-
FIX	AWY-HI	125.78300	10,668 m		
NIRAT	-	32.06500	35,000 ft	14	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	126.05800	10,668 m		
SAMLO	B576	32.53970	35,000 ft	30	-
FIX	AWY-HI	126.26000	10,668 m		
SOSDO	B576	33.00330	35,000 ft	29	-
FIX	AWY-HI	126.46000	10,668 m		
CJU	B576	33.38460	35,000 ft	24	JEJU
VOR	AWY-HI	126.62400	10,668 m		
ATINA	A586	33.72230	35,000 ft	30	-
FIX	AWY-HI	127.07300	10,668 m		
MAKET	A586	33.91460	35,000 ft	17	-
FIX	AWY-HI	127.33100	10,668 m		
GOSBO	A586	34.25470	35,000 ft	30	-
FIX	AWY-HI	127.79300	10,668 m		
TOPAX	A586	34.76540	35,000 ft	46	-
FIX	AWY-HI	128.49800	10,668 m		
OMOTU	-	35.00920	35,000 ft	22	-
FIX	-	128.83900	10,668 m		
PSN	A586	35.12250	35,000 ft	10	BUSAN
VOR	AWY-HI	128.99900	10,668 m		
BEDOM	A586	35.42030	35,000 ft	23	-
FIX	AWY-HI	129.29800	10,668 m		
BULGA	A586	35.93580	35,000 ft	40	-
FIX	AWY-HI	129.82300	10,668 m		
DABIK	-	36.29530	35,000 ft	28	-
FIX	-	130.19500	10,668 m		
AGSUS	A586	36.75580	35,000 ft	36	-
FIX	AWY-HI	130.67900	10,668 m		
TENAS	A586	37.63890	35,000 ft	68	-
FIX	AWY-HI	131.57400	10,668 m		
MALSO	B467	37.91110	35,000 ft	20	-
FIX	AWY-HI	131.81800	10,668 m		
KANSU	B467	38.63330	35,000 ft	53	-
FIX	AWY-HI	132.47500	10,668 m		
TONIN	B467	39.33330	35,000 ft	48	-
FIX	AWY-HI	133.00000	10,668 m		
NULAR	B467	40.98670	35,000 ft	113	-
FIX	AWY-HI	134.18300	10,668 m		
LURED	B233	42.48330	35,000 ft	106	-
FIX	AWY-HI	135.43900	10,668 m		
MANIT	B233	42.86500	35,000 ft	27	-
FIX	AWY-HI	135.77100	10,668 m		
ODIBA	B233	43.24190	35,000 ft	26	-
FIX	AWY-HI	136.10300	10,668 m		
ASMER	B233	43.55190	35,000 ft	22	-
FIX	AWY-HI	136.38100	10,668 m		
ORTEP	B233	44.27530	35,000 ft	51	-
FIX	AWY-HI	137.04100	10,668 m		
DIRUL	B233	44.82530	35,000 ft	39	-
FIX	AWY-HI	137.55300	10,668 m		
ERONO	B233	45.44030	35,000 ft	44	-
FIX	AWY-HI	138.13900	10,668 m		
NITIN	B233	46.41860	35,000 ft	71	-
FIX	AWY-HI	139.10400	10,668 m		
TUPNA	B233	46.68190	35,000 ft	19	-
FIX	AWY-HI	139.37100	10,668 m		
BULOD	B233	46.76190	35,000 ft	5	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	139.45300	10,668 m		
BAGOM	R810	46.85360	35,000 ft	23	-
FIX	AWY-HI	140.00100	10,668 m		
ODONA	R810	47.06420	35,000 ft	57	-
FIX	AWY-HI	141.35900	10,668 m		
PIMAG	R810	47.14190	35,000 ft	21	-
FIX	AWY-HI	141.87500	10,668 m		
BAPMA	R810	47.28890	35,000 ft	35	-
FIX	AWY-HI	142.72700	10,668 m		
BELNA	R810	47.44810	35,000 ft	19	-
FIX	AWY-HI	143.13900	10,668 m		
AGITA	R810	47.71110	35,000 ft	32	-
FIX	AWY-HI	143.83600	10,668 m		
NOSTI	G815	48.14670	35,000 ft	71	-
FIX	AWY-HI	145.47700	10,668 m		
DOLET	G815	48.50580	35,000 ft	61	-
FIX	AWY-HI	146.92500	10,668 m		
MOROG	G815	48.73640	35,000 ft	41	-
FIX	AWY-HI	147.90800	10,668 m		
BUMEN	G815	49.19330	35,000 ft	87	-
FIX	AWY-HI	150.00200	10,668 m		
OTLER	G815	49.80310	35,000 ft	159	-
FIX	AWY-HI	153.97900	10,668 m		
RIMLI	B932	51.70500	35,000 ft	194	-
FIX	AWY-HI	158.11500	10,668 m		
LUMES	G816	53.41170	35,000 ft	347	-
FIX	AWY-HI	167.21600	10,668 m		
NYMPH	-	53.40880	35,000 ft	36	-
FIX	-	168.24000	10,668 m		
ONEIL	G469	54.20240	35,000 ft	164	-
FIX	AWY-HI	172.68100	10,668 m		
PINTT	G469	56.71730	35,000 ft	403	-
FIX	AWY-HI	-176.30700	10,668 m		
CREMR	G469	56.91420	35,000 ft	81	-
FIX	AWY-HI	-173.86900	10,668 m		
SPY	G469	57.15700	35,000 ft	119	SAINT PAUL ISLAND
NDB	AWY-HI	-170.23300	10,668 m		
CHUUK	R591	58.05750	35,000 ft	170	-
FIX	AWY-HI	-165.21500	10,668 m		
ODK	R341	57.77500	35,000 ft	410	KODIAK
VOR	AWY-HI	-152.34000	10,668 m		
CJAYY	J123	57.46410	35,000 ft	61	-
FIX	AWY-HI	-150.53100	10,668 m		
GRIZZ	-	57.11490	35,000 ft	69	-
FIX	-	-148.50200	10,668 m		
HMPTN	B757	56.19440	35,000 ft	158	-
FIX	AWY-HI	-144.00200	10,668 m		
KATCH	B757	54.00000	35,000 ft	304	-
FIX	AWY-HI	-136.00000	10,668 m		
KALTS	TR18	53.62170	35,000 ft	81	-
FIX	AWY-HI	-133.80500	10,668 m		
YZP	-	53.25220	35,000 ft	74	SANDSPIT
VOR	-	-131.80700	10,668 m		
CAFTA	Q801	51.29530	35,000 ft	154	-
FIX	AWY-HI	-129.08900	10,668 m		
SIMSU	Q801	50.78220	35,000 ft	39	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-128.42700	10,668 m		
FINGS	Q801	50.25000	35,000 ft	45	-
FIX	AWY-HI	-127.56700	10,668 m		
YAZ	Q801	49.04680	35,000 ft	102	TOFINO
NDB	AWY-HI	-125.70400	10,668 m		
TOU	J501	48.29990	35,000 ft	61	TATOOSH (NEAH BAY)
VOR	AWY-HI	-124.62700	10,668 m		
OLM	J54	46.97160	35,000 ft	106	OLYMPIA
VOR	AWY-HI	-122.90200	10,668 m		
SUMMA	J54	46.61790	35,000 ft	43	-
FIX	AWY-HI	-121.98800	10,668 m		
WANTA	J54	46.47330	35,000 ft	17	-
FIX	AWY-HI	-121.62400	10,668 m		
LTJ	J523	45.71360	35,000 ft	50	KLICKITAT (THE DALLES)
VOR	AWY-HI	-121.10100	10,668 m		
IMB	J523	44.64840	31,700 ft	86	KIMBERLY
VOR	AWY-HI	-119.71200	9,662 m		
DOWCY	V497	44.47930	29,300 ft	11	-
FIX	AWY-LO	-119.58800	8,931 m		
WIPLO	V497	44.42960	28,500 ft	3	-
FIX	AWY-LO	-119.55200	8,687 m		
AKUKY	V497	44.32670	27,100 ft	6	-
FIX	AWY-LO	-119.47800	8,260 m		
ILR	V497	43.59310	16,400 ft	49	WILDHORSE (BURNS)
VOR	AWY-LO	-118.95500	4,999 m		
KREO	-	42.57760	0 ft	76	Rome State
APT	-	-117.88500	0 m		

## VHHH

Region: HONG KONG  
Timezone: UNKNOWN  
Runways: 2

Elevation: 27 ft / 8 m  
Location: 22.308900 113.915000  
Magnetic Var: 3.236 W

## METAR

VHHH 022200Z 10017KT 9999 -SHRA FEW009 SCT015 25/21 Q1012 NOSIG

## TAF

TAF VHHH 022000Z 0221/0403 09015KT 9999 FEW010 SCT020 TX28/0306Z TN24/0222Z TN25/0322Z TEMPO 0304/0310 4000 SHRA

## Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.02		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m