

KLAX

Los Angeles Intl


OMDB

Dubai Intl

2024/05/08 2029Z

KLAX BEALE **Q842** WINEN MLF KU69Q KD87U KU06W 5230N09000W 5530N08000W 58N070W FASSA PIDSO 61N050W
62N040W 63N030W 63N020W 63N010W KOVIK BAKLI BINKA ROVEK KELEL BADOR BONAM **L319** DASDO **UL223** LAM
G666 ORSAR **R784** TATLA **L223** VUTEB OMDB

7693.03 nm / 14247.50 km



Notes

Requested: KLAX OSHNN9 BEALE Q842 WINEN MLF KU69Q KD87U KU06W KP18A/N0500F310 5230N09000W 5530N08000W 58N070W FASSA PIDSO 61N050W 62N040W 63N030W 63N020W 63N010W KOVIK BAKLI BINKA ROVEK KELEL BADOR BONAM **L319** DASDO **UL223** LAM **G666** ORSAR **R784** TATLA **L223** VUTEB OMDB

Unmatched points: OSHNN9 KP18A/N0500F310 LOPVI/M085F330 VALDI/N0488F350 ARGES/K0920F350 NEGEM/N0499F350 ERGUN/M0499F350

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX APT	-	33.94310 -118.40900	0 ft 0 m	-	Los Angeles Intl
BEALE FIX	-	36.18250 -114.82600	0 ft 0 m	221	-
BLIPP FIX	Q842 AWY-HI	36.71150 -114.47400	0 ft 0 m	36	-
WINEN FIX	Q842 AWY-HI	37.93330 -113.50000	0 ft 0 m	86	-
MLF VOR	-	38.36040 -113.01300	0 ft 0 m	34	MILFORD
KU69Q FIX	-	41.50000 -110.00000	0 ft 0 m	234	-
KD87U FIX	-	44.50000 -106.00000	0 ft 0 m	251	-
KU06W FIX	-	46.00000 -104.00000	0 ft 0 m	123	-
5230N09000W LATLON	-	52.30000 -90.00000	0 ft 0 m	665	-
5530N08000W LATLON	-	55.30000 -80.00000	0 ft 0 m	397	-
58N070W LATLON	-	58.00000 -70.00000	0 ft 0 m	367	-
FASSA FIX	-	58.70000 -67.00000	0 ft 0 m	103	-
PIDSO FIX	-	60.46670 -58.00000	0 ft 0 m	293	-
61N050W LATLON	-	61.00000 -50.00000	0 ft 0 m	236	-
62N040W LATLON	-	62.00000 -40.00000	0 ft 0 m	292	-
63N030W LATLON	-	63.00000 -30.00000	0 ft 0 m	283	-
63N020W LATLON	-	63.00000 -20.00000	0 ft 0 m	272	-
63N010W LATLON	-	63.00000 -10.00000	0 ft 0 m	272	-
KOVIK FIX	-	57.55970 8.57414	0 ft 0 m	638	-
BAKLI FIX	-	54.91670 13.56080	0 ft 0 m	229	-
BINKA FIX	-	53.75940 14.27560	0 ft 0 m	73	-
ROVEK FIX	-	53.37890 14.88170	0 ft 0 m	31	-
KELEL FIX	-	49.31360 20.17530	0 ft 0 m	314	-
BADOR FIX	-	47.57360 22.10810	0 ft 0 m	129	-
BONAM FIX	-	38.04890 44.29970	0 ft 0 m	1126	-
TUDNU FIX	L319 AWY-HI	37.88360 44.74640	0 ft 0 m	23	-
PARAS	L319	37.52580	0 ft	49	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	45.69280	0 m		
ROVON	L319	37.26690	0 ft	18	-
FIX	AWY-HI	45.88940	0 m		
PAREX	L319	36.09080	0 ft	84	-
FIX	AWY-HI	46.86500	0 m		
KEBEP	L319	35.08170	0 ft	72	-
FIX	AWY-HI	47.67060	0 m		
NOTSA	L319	33.29580	0 ft	127	-
FIX	AWY-HI	49.05420	0 m		
RADID	L319	30.41470	0 ft	211	-
FIX	AWY-HI	51.42750	0 m		
IMGOD	L319	30.23860	0 ft	11	-
FIX	AWY-HI	51.51390	0 m		
DASDO	L319	28.90030	0 ft	85	-
FIX	AWY-HI	52.09750	0 m		
LAGSA	UL223	28.55170	0 ft	24	-
FIX	AWY-HI	52.34890	0 m		
LAM	UL223	27.37280	0 ft	83	LAMERD
VOR	AWY-HI	53.18400	0 m		
LVA	G666	26.81210	0 ft	34	LAVAN ISLAND
VOR	AWY-HI	53.35590	0 m		
DATUT	G666	26.55890	0 ft	19	-
FIX	AWY-HI	53.59390	0 m		
ELIRA	G666	26.35140	0 ft	15	-
FIX	AWY-HI	53.75060	0 m		
ORSAR	G666	26.07500	0 ft	20	-
FIX	AWY-HI	53.95830	0 m		
GIBIB	R784	25.91860	0 ft	20	-
FIX	AWY-HI	54.28670	0 m		
EMOTA	R784	25.88170	0 ft	6	-
FIX	AWY-HI	54.40390	0 m		
TATLA	R784	25.79810	0 ft	15	-
FIX	AWY-HI	54.66890	0 m		
VUTEB	L223	25.61250	0 ft	15	-
FIX	AWY-HI	54.86360	0 m		
OMDB	-	25.25110	0 ft	35	Dubai Intl
APT	-	55.37110	0 m		

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.442 E

METAR

KLAX 081953Z 25012KT 10SM CLR 19/12 A2987 RMK A02 SLP113 T01890122 \$

TAF

TAF KLAX 081749Z 0818/0924 24006KT P6SM SCT022 FM081900 25012KT P6SM SKC FM090500 VRB03KT P6SM OVC014 FM091700 24006KT P6SM SCT022

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 082000Z VRB03KT CAVOK 32/18 Q1006 NOSIG

TAF

TAF OMDB 081700Z 0818/1000 21005KT 8000 NSC BECMG 0904/0906 29014KT PROB30 0918/1000 22005KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m