


2024/05/03 0909Z

LSGG OMETO **UM872** FRZ **UZ910** VELIM LIRN

487.67 nm / 903.16 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23775	0 ft	-	Geneva
APT	-	6.10617	0 m	-	
OMETO	-	45.73667	30,700 ft	86	-
FIX	-	8.04278	9,357 m	-	-
BOTAL	UM872	45.13361	35,000 ft	58	-
FIX	AWY-HI	9.12278	10,668 m	-	-
FRZ	UM872	44.02718	35,000 ft	104	FIRENZE VORTAC
VOR	AWY-HI	11.00331	10,668 m	-	
IXUSI	UZ910	43.43861	35,000 ft	47	-
FIX	AWY-HI	11.73083	10,668 m	-	-
VERUN	UZ910	43.28139	35,000 ft	12	-
FIX	AWY-HI	11.92139	10,668 m	-	-
NIKMA	UZ910	43.06639	34,600 ft	17	-
FIX	AWY-HI	12.18028	10,546 m	-	-
VELIM	UZ910	42.14222	18,900 ft	73	-
FIX	AWY-HI	13.26528	5,761 m	-	-
LIRN	-	40.88603	0 ft	88	Naples Capodichino
APT	-	14.29078	0 m	-	

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.508 E

METAR

LSGG 030820Z AUTO 19005KT 170V240 9999 SCT011 BKN034 10/07 Q1017 NOSIG

TAF

TAF LSGG 030825Z 0309/0415 22005KT 9999 SCT035 TX15/0314Z TN05/0405Z TX15/0414Z PROB30 TEMPO 0309/0311 BKN009 PRO

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.94		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m

LIRN

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 292 ft / 89 m
Location: 40.886000 14.290800
Magnetic Var: 3.960 E

METAR

LIRN 030820Z 26013KT 230V310 9999 BKN050 16/08 Q1014 NOSIG

TAF

TAF LIRN 030500Z 0306/0406 26008KT 9999 SCT030 BKN040 BECMG 0306/0308 27016G26KT TEMPO 0309/0315 SHRA BECMG 0313/

Frequencies

APP - 124.35 MHz - NAPOLI APPROACH
TWR - 118.50 MHz - NAPOLI TOWER
REC - 135.97 MHz - ATIS

APP - 120.95 MHz - NAPOLI APPROACH
GND - 121.90 MHz - NAPOLI GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,630 ft	58.04	ASPHALT	1,312 ft	217 ft
	45 m	2,630 m	54.08		400 m	66 m
24	148 ft	8,630 ft	238.05	ASPHALT	607 ft	230 ft
	45 m	2,630 m	234.09		185 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	NPC	110.15 MHz	25 nm	-	-	294 ft
				46 km	-		294 m
24	DME	INPL	109.50 MHz	25 nm	-	-	250 ft
				46 km	-		250 m
06	LOC-ILS	NPC	110.15 MHz	18 nm	58.08	-	292 ft
				33 km	54.12		292 m
24	LOC-ILS	INPL	109.50 MHz	18 nm	238.03	-	288 ft
				33 km	234.07		288 m
24	LOC-ILS	INP	109.50 MHz	18 nm	238.08	-	292 ft
				33 km	234.12		292 m
24	GS	INPL	109.50 MHz	10 nm	238.06	3.33	250 ft
				19 km	234.10		250 m
24	GS	INP	109.50 MHz	10 nm	238.08	3.33	292 ft
				19 km	234.12		292 m