


2024/06/08 1722Z

LFPO KEPER **UN741** ERIGA **UZZ218** DIGAL LPPT

794.19 nm / 1470.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72636	0 ft	-	Paris Orly
APT	-	2.36703	0 m		
KEPER	-	47.80611	35,000 ft	100	-
FIX	-	0.27389	10,668 m		
ANG	UN741	47.53686	35,000 ft	48	ANGERS VOR
VOR	AWY-HI	-0.85183	10,668 m		
NTS	UN741	47.16086	35,000 ft	38	NANTES ATLANTIQUE VOR-DME
VOR	AWY-HI	-1.61296	10,668 m		
MOKOR	UN741	47.00694	35,000 ft	18	-
FIX	AWY-HI	-2.01389	10,668 m		
ERIGA	UN741	46.86000	35,000 ft	16	-
FIX	AWY-HI	-2.36306	10,668 m		
PEPET	UZ218	45.08417	35,000 ft	123	-
FIX	AWY-HI	-3.86722	10,668 m		
BAKUP	UZ218	44.41250	35,000 ft	47	-
FIX	AWY-HI	-4.43611	10,668 m		
TEDRI	UZ218	43.50527	35,000 ft	64	-
FIX	AWY-HI	-5.22687	10,668 m		
VEDER	UZ218	42.74296	35,000 ft	53	-
FIX	AWY-HI	-5.86964	10,668 m		
GASBA	UZ218	41.94783	35,000 ft	54	-
FIX	AWY-HI	-6.44596	10,668 m		
MOSEN	UZ218	41.78654	35,000 ft	10	-
FIX	AWY-HI	-6.56085	10,668 m		
BABEX	UZ218	41.04028	35,000 ft	50	-
FIX	AWY-HI	-7.08389	10,668 m		
DIGAL	UZ218	39.74083	16,800 ft	88	-
FIX	AWY-HI	-7.98972	5,121 m		
LPPT	-	38.77856	0 ft	78	Lisboa
APT	-	-9.13515	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.461 E

METAR

LFPO 081700Z 34012KT 300V010 9999 FEW048 BKN260 21/11 Q1012 NOSIG

TAF

TAF LFPO 081100Z 0812/0918 36005KT CAVOK PROB40 TEMPO 0812/0819 30010KT PROB30 TEMPO 0904/0906 BKN007

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.32		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.36		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.88		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.91		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.84		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.85		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.85		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.34		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.90		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.34		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.90		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.91	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.85	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.34	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.90	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.34	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.90	3.00	291 ft 291 m

LPPT

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 2

Elevation: 374 ft / 114 m
Location: 38.778800 -9.135190
Magnetic Var: 1.559 W

METAR

LPPT 081700Z 22010KT 9999 FEW012 BKN023 19/16 Q1013

TAF

TAF LPPT 081100Z 0812/0918 23010KT 9999 BKN040 TEMPO 0812/0818 8000 SHRA SCT012 FEW025CB BKN030 PROB30 0812/0815 5

Frequencies

REC - 121.95 MHz - ATIS	REC - 124.15 MHz - ATIS
TWR - 118.10 MHz - LISBOA TOWER	TWR - 118.50 MHz - LISBOA TOWER
GND - 121.75 MHz - LISBOA GROUND	CLD - 118.95 MHz - CLEARANCE DELIVERY
APP - 119.10 MHz - LISBOA APPROACH	APP - 119.55 MHz - LISBOA APPROACH
APP - 125.35 MHz - LISBOA ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,505 ft	22.65	ASPHALT	302 ft	0 ft
	45 m	3,812 m	24.21		92 m	0 m
21	148 ft	12,505 ft	202.66	ASPHALT	1,965 ft	0 ft
	45 m	3,812 m	204.22		599 m	0 m
17	148 ft	7,612 ft	168.14	ASPHALT	0 ft	0 ft
	45 m	2,320 m	169.70		0 m	0 m
35	148 ft	7,612 ft	348.14	ASPHALT	194 ft	299 ft
	45 m	2,320 m	349.70		59 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	ILI	109.10 MHz	18 nm	-	-	419 ft
				33 km	-		419 m
21	DME	ILB	109.50 MHz	18 nm	-	-	423 ft
				33 km	-		423 m
03	LOC-ILS	ILI	109.10 MHz	18 nm	22.66	-	374 ft
				33 km	24.22		374 m
21	LOC-ILS	ILB	109.50 MHz	18 nm	202.59	-	335 ft
				33 km	204.14		335 m
03	GS	ILI	109.10 MHz	10 nm	22.66	3.00	374 ft
				19 km	24.22		374 m
21	GS	ILB	109.50 MHz	10 nm	203.42	3.00	423 ft
				19 km	204.98		423 m