

# OPQT

Quetta Samungli Intl


# OPKC

Karachi Jinnah Intl

2024/05/12 0340Z

OPQT LOTUS **J172** QILAH OPKC

321.25 nm / 594.95 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OPQT	-	30.25150	0 ft	-	Quetta Samungli Intl
APT	-	66.93790	0 m		
LOTUS	-	29.01640	26,500 ft	74	-
FIX	-	66.99530	8,077 m		
KODAR	J172	27.43440	32,500 ft	95	-
FIX	AWY-HI	67.06860	9,906 m		
QILAH	J172	25.29610	5,000 ft	128	-
FIX	AWY-HI	67.16470	1,524 m		
OPKC	-	24.90660	0 ft	23	Karachi Jinnah Intl
APT	-	67.16080	0 m		

## OPQT

Region: PAKISTAN  
Timezone: ASIA/KARACHI  
Runways: 2

Elevation: 5,267 ft / 1,605 m  
Location: 30.251500 66.937900  
Magnetic Var: 2.577 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

TWR - 118.05 MHz - QUETTA TOWER  
GND - 121.80 MHz - QUETTA GROUND

TWR - 118.50 MHz - QUETTA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	151 ft	11,974 ft	136.59	ASPHALT	0 ft	1,020 ft
	46 m	3,650 m	134.01		0 m	311 m
31R	151 ft	11,974 ft	316.60	ASPHALT	0 ft	876 ft
	46 m	3,650 m	314.02		0 m	267 m
13R	98 ft	11,978 ft	136.58	ASPHALT	0 ft	0 ft
	30 m	3,651 m	134.01		0 m	0 m
31L	98 ft	11,978 ft	316.60	ASPHALT	0 ft	0 ft
	30 m	3,651 m	314.02		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	LOC-ILS	IUTA	108.70 MHz	18 nm	136.60	-	5,267 ft
				33 km	134.02		5,267 m
13L	GS	IUTA	108.70 MHz	10 nm	136.60	3.00	5,267 ft
				19 km	134.02		5,267 m

## OPKC

Region: PAKISTAN  
Timezone: ASIA/KARACHI  
Runways: 2

Elevation: 100 ft / 30 m  
Location: 24.906600 67.160800  
Magnetic Var: 1.468 E

## METAR

OPKC 120300Z 25005KT 4000 FU NSC 30/24 Q1009 NOSIG

## TAF

TAF OPKC 112300Z 1200/1306 23010G20KT 7000 FEW030 TEMPO 1200/1205 250 05KT 4000 FU SCT020 FM121600 25008KT 5000 FU

## Frequencies

REC - 126.70 MHz - ATIS  
TWR - 118.80 MHz - KARACHI TOWER  
APP - 125.50 MHz - KARACHI APPROACH  
GND - 121.60 MHz - KARACHI GROUND  
COM - 119.22 MHz - KARACHI UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	151 ft	11,140 ft	74.39	CONCRETE	0 ft	991 ft
	46 m	3,396 m	72.93		0 m	302 m
25L	151 ft	11,140 ft	254.41	CONCRETE	0 ft	627 ft
	46 m	3,396 m	252.94		0 m	191 m
07L	151 ft	10,494 ft	74.39	CONCRETE	0 ft	1,001 ft
	46 m	3,199 m	72.92		0 m	305 m
25R	151 ft	10,494 ft	254.40	CONCRETE	0 ft	994 ft
	46 m	3,199 m	252.93		0 m	303 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IKC	109.70 MHz	18 nm	-	-	156 ft
				33 km	-		156 m
25L	LOC-ILS	IQA	109.70 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25R	LOC-ILS	IKC	110.10 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25L	GS	IQA	109.70 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m
25R	GS	IKC	110.10 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m