

LFPG

Paris Charles De Gaulle


EDDB

Berlin Brandenburg International Willy Brandt

2024/05/15 0454Z

LFPG ARDEN **UZ706** NVO **M170** BARAG **Z858** ESADU **P12** WRB **Z92** LARET EDDB

470.81 nm / 871.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 320kts
- Descent Rate: 3500ft/min
- Descent Speed: 235kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00970	0 ft	-	Paris Charles De Gaulle
APT	-	2.56257	0 m		
ARDEN	-	49.86190	32,000 ft	103	-
FIX	-	4.85778	9,754 m		
KOMOB	UZ706	50.14390	32,000 ft	26	-
FIX	AWY-HI	5.37361	9,754 m		
LEND0	UZ706	50.62530	32,000 ft	45	-
FIX	AWY-HI	6.27861	9,754 m		
NVO	UZ706	50.82270	32,000 ft	18	NOERVENICH
VOR	AWY-HI	6.63654	9,754 m		
NOSTU	M170	50.99000	32,000 ft	12	-
FIX	AWY-LO	6.84083	9,754 m		
BAMSU	M170	51.18880	32,000 ft	21	-
FIX	AWY-LO	7.30901	9,754 m		
PADBA	M170	51.31170	32,000 ft	15	-
FIX	AWY-LO	7.67861	9,754 m		
TUVTI	M170	51.38720	32,000 ft	5	-
FIX	AWY-LO	7.77028	9,754 m		
BARAG	M170	51.41860	32,000 ft	2	-
FIX	AWY-LO	7.80861	9,754 m		
MABAB	Z858	51.41710	32,000 ft	9	-
FIX	AWY-LO	8.06777	9,754 m		
ARNOP	Z858	51.41620	32,000 ft	4	-
FIX	AWY-LO	8.17887	9,754 m		
NUDGO	Z858	51.41360	32,000 ft	9	-
FIX	AWY-LO	8.44094	9,754 m		
ESADU	Z858	51.41000	32,000 ft	11	-
FIX	AWY-LO	8.75611	9,754 m		
WRB	P12	51.50570	32,000 ft	14	WARBURG
VOR	AWY-LO	9.11091	9,754 m		
LUXUX	Z92	51.63150	32,000 ft	25	-
FIX	AWY-LO	9.76462	9,754 m		
BOKSO	Z92	51.79670	32,000 ft	34	-
FIX	AWY-LO	10.65890	9,754 m		
LARET	Z92	51.83440	32,000 ft	8	-
FIX	AWY-LO	10.86930	9,754 m		
EDDB	-	52.36230	0 ft	102	Berlin Brandenburg International Willy Brandt
APT	-	13.50070	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.497 E

METAR

LFPG 150430Z 18006KT 9999 -RA BKN005 SCT066 BKN083 13/12 Q1005 TEMPO BKN005

TAF

TAF LFPG 142300Z 1500/1606 17007KT 9999 BKN007 TX21/1514Z TN12/1504Z PROB30 TEMPO 1500/1505 4000 -SHRA BKN015TCU

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m

EDDB

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 157 ft / 48 m
Location: 52.362300 13.500700
Magnetic Var: 4.657 E

METAR

EDDB 150420Z AUTO 08006KT CAVOK 13/05 Q1013 NOSIG

TAF

TAF TAF EDDB 142300Z 1500/1524 09009KT CAVOK BECMG 1507/1510 10015G25KT BECMG 1515/1518 09011KT

Frequencies

REC - 123.77 MHz - ATIS	GND - 121.70 MHz - BERLIN GROUND E
GND - 129.50 MHz - BERLIN GROUND A	GND - 129.60 MHz - BERLIN APRON NORTH
GND - 121.85 MHz - BERLIN APRON SOUTH	TWR - 120.02 MHz - BERLIN TOWER NORTH
TWR - 118.80 MHz - BERLIN TOWER SOUTH	TWR - 118.85 MHz - BERLIN TOWER ALTERNATE
APP - 121.12 MHz - BERLIN DIRECTOR	APP - 136.10 MHz - BERLIN DIRECTOR
CLD - 121.60 MHz - BERLIN DELIVERY	APP - 119.62 MHz - BREMEN RADAR
APP - 120.62 MHz - BREMEN RADAR	APP - 126.42 MHz - BREMEN RADAR
APP - 119.50 MHz - BREMEN RADAR	APP - 134.42 MHz - BREMEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft	13,088 ft	68.74	CONCRETE	0 ft	0 ft
	60 m	3,989 m	64.09		0 m	0 m
25L	197 ft	13,088 ft	248.78	CONCRETE	0 ft	0 ft
	60 m	3,989 m	244.13		0 m	0 m
07L	148 ft	11,780 ft	68.75	ASPHALT	981 ft	0 ft
	45 m	3,591 m	64.09		299 m	0 m
25R	148 ft	11,780 ft	248.79	ASPHALT	981 ft	0 ft
	45 m	3,591 m	244.13		299 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	IBNE	110.70 MHz	18 nm	68.77	-	157 ft
				33 km	64.11		157 m
07R	LOC-ILS	IBSE	109.70 MHz	18 nm	68.77	-	157 ft
				33 km	64.11		157 m
25L	LOC-ILS	IBSW	109.50 MHz	18 nm	248.77	-	157 ft
				33 km	244.11		157 m
25R	LOC-ILS	IBNW	109.90 MHz	18 nm	248.77	-	157 ft
				33 km	244.11		157 m
07L	GS	IBNE	110.70 MHz	10 nm	68.77	3.00	157 ft
				19 km	64.11		157 m
07R	GS	IBSE	109.70 MHz	10 nm	68.77	3.00	157 ft
				19 km	64.11		157 m
25L	GS	IBSW	109.50 MHz	10 nm	248.77	3.00	157 ft
				19 km	244.11		157 m
25R	GS	IBNW	109.90 MHz	10 nm	248.77	3.00	157 ft
				19 km	244.11		157 m