


2024/05/04 0524Z

CYYC YRM **J485** YQU **J515** CANYO CYXY

942.14 nm / 1744.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 300kts
- Cruise Altitude: 38000ft
- Cruise Speed: 466kts
- Descent Rate: 2500ft/min
- Descent Speed: 300kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYC APT	-	51.11320 -114.02004	0 ft 0 m	-	CALGARY INTL
YRM VOR	-	52.50219 -115.32356	30,000 ft 9,144 m	96	ROCKY MOUNTAIN VOR-DME
YQU VOR	J485 AWY-HI	55.17422 -119.03019	38,000 ft 11,582 m	207	GRANDE PRAIRIE VOR-DME
LEPET FIX	J515 AWY-HI	56.42667 -120.27167	38,000 ft 11,582 m	86	-
YYE VOR	J515 AWY-HI	58.89192 -123.01600	38,000 ft 11,582 m	172	FORT NELSON VOR-DME
DACEY FIX	J515 AWY-HI	59.56056 -126.07583	38,000 ft 11,582 m	102	-
YQH VOR	J515 AWY-HI	60.08653 -128.85758	38,000 ft 11,582 m	89	WATSON LAKE VOR-DME
CANYO FIX	J515 AWY-HI	60.42539 -132.40142	24,900 ft 7,590 m	107	-
CYXY APT	-	60.71219 -135.06711	0 ft 0 m	80	WHITEHORSE INTL

CYYC

Region: CANADA
Timezone: AMERICA/EDMONTON
Runways: 4

Elevation: 3,557 ft / 1,084 m
Location: 51.117200 -114.013000
Magnetic Var: 13.140 E

METAR

CYYC 040500Z 20003KT 10SM FEW080 06/M02 A2994 RMK AC1 SLP167

TAF

TAF TAF CYYC 040240Z 0403/0424 20006KT P6SM BKN070 FM040700 18006KT P6SM FEW070 BECMG 0407/0409 VRB03KT FM041600 0

Frequencies

REC - 128.22 MHz - CALGARY ATIS	CLD - 121.30 MHz - CLEARANCE DELIVERY
GND - 121.35 MHz - CALGARY GROUND	GND - 121.90 MHz - CALGARY GROUND
TWR - 118.70 MHz - CALGARY TOWER	TWR - 118.40 MHz - CALGARY TOWER
APP - 125.90 MHz - CALGARY APPROACH	APP - 123.85 MHz - CALGARY APPROACH
DEP - 124.52 MHz - CALGARY DEPARTURE	DEP - 119.80 MHz - CALGARY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	200 ft	12,668 ft	180.03	ASPHALT	0 ft	0 ft
	61 m	3,861 m	166.89		0 m	0 m
35L	200 ft	12,668 ft	0.03	ASPHALT	0 ft	210 ft
	61 m	3,861 m	346.89		0 m	64 m
17L	200 ft	13,996 ft	180.04	CONCRETE	0 ft	0 ft
	61 m	4,266 m	166.90		0 m	0 m
35R	200 ft	13,996 ft	0.04	CONCRETE	0 ft	0 ft
	61 m	4,266 m	346.90		0 m	0 m
11	200 ft	7,979 ft	120.09	ASPHALT	0 ft	0 ft
	61 m	2,432 m	106.95		0 m	0 m
29	200 ft	7,979 ft	300.11	ASPHALT	0 ft	0 ft
	61 m	2,432 m	286.97		0 m	0 m
08	151 ft	6,194 ft	90.02	ASPHALT	0 ft	0 ft
	46 m	1,888 m	76.88		0 m	0 m
26	151 ft	6,194 ft	270.04	ASPHALT	0 ft	0 ft
	46 m	1,888 m	256.90		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IGY	110.55 MHz	18 nm	120.10	-	3,557 ft
				33 km	106.96		3,557 m
17L	LOC-ILS	ILG	109.15 MHz	18 nm	180.04	-	3,557 ft
				33 km	166.90		3,557 m
17R	LOC-ILS	IEM	109.30 MHz	18 nm	180.03	-	3,557 ft
				33 km	166.89		3,557 m
29	LOC-ILS	IAQ	110.90 MHz	18 nm	300.10	-	3,557 ft
				33 km	286.96		3,557 m
35L	LOC-ILS	IYC	111.50 MHz	18 nm	0.03	-	3,557 ft
				33 km	346.89		3,557 m
35R	LOC-ILS	IRF	110.75 MHz	18 nm	0.04	-	3,557 ft
				33 km	346.90		3,557 m
11	GS	IGY	110.55 MHz	10 nm	120.10	3.00	3,557 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	106.96		3,557 m
17L	GS	ILG	109.15 MHz	10 nm	180.04	3.00	3,557 ft
				19 km	166.90		3,557 m
17R	GS	IEM	109.30 MHz	10 nm	180.03	3.00	3,557 ft
				19 km	166.89		3,557 m
29	GS	IAQ	110.90 MHz	10 nm	300.10	3.00	3,557 ft
				19 km	286.96		3,557 m
35L	GS	IYC	111.50 MHz	10 nm	0.03	3.00	3,557 ft
				19 km	346.89		3,557 m
35R	GS	IRF	110.75 MHz	10 nm	0.04	3.00	3,557 ft
				19 km	346.90		3,557 m