

KJFK

John F Kennedy Intl


TJSJ

San Juan - Luis Munoz Marin Intl

2024/05/03 1053Z

KJFK WUZYU **A300** PLING TJSJ

1412.57 nm / 2616.08 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK	-	40.63990	0 ft	-	John F Kennedy Intl
APT	-	-73.77666	0 m	-	
WUZYU	-	39.48764	32,900 ft	92	-
FIX	-	-72.44936	10,028 m	-	-
ANNGO	A300	39.21861	35,000 ft	21	-
FIX	AWY-HI	-72.14778	10,668 m	-	-
BERGH	A300	39.13246	35,000 ft	6	-
FIX	AWY-HI	-72.05158	10,668 m	-	-
CHAMP	A300	37.51683	35,000 ft	98	-
FIX	AWY-LO	-71.68281	10,668 m	-	-
DOWNT	A300	35.91603	35,000 ft	106	-
FIX	AWY-LO	-70.74156	10,668 m	-	-
HUBER	A300	34.58261	35,000 ft	88	-
FIX	AWY-LO	-69.98375	10,668 m	-	-
LACKI	A300	33.48836	35,000 ft	72	-
FIX	AWY-LO	-69.37967	10,668 m	-	-
WAYDE	A300	32.40036	35,000 ft	66	-
FIX	AWY-LO	-69.18422	10,668 m	-	-
SUNDE	A300	31.89819	35,000 ft	30	-
FIX	AWY-LO	-69.09542	10,668 m	-	-
HOLMA	A300	31.65031	35,000 ft	15	-
FIX	AWY-LO	-69.05196	10,668 m	-	-
PULLS	A300	29.88231	35,000 ft	107	-
FIX	AWY-LO	-68.74808	10,668 m	-	-
NUTRE	A300	28.78692	35,000 ft	66	-
FIX	AWY-LO	-68.56506	10,668 m	-	-
SIMBA	A300	26.92316	35,000 ft	113	-
FIX	AWY-LO	-68.25694	10,668 m	-	-
KRAFT	A300	23.50000	35,000 ft	207	-
FIX	AWY-LO	-67.71667	10,668 m	-	-
CHOCK	A300	22.28733	35,000 ft	74	-
FIX	AWY-LO	-67.39369	10,668 m	-	-
LENNT	A300	21.26718	35,000 ft	62	-
FIX	AWY-LO	-67.13226	10,668 m	-	-
PLING	A300	19.99217	22,200 ft	78	-
FIX	AWY-LO	-66.79794	6,767 m	-	-
TJSJ	-	18.43878	0 ft	103	San Juan - Luis Munoz Marin Intl
APT	-	-66.00202	0 m	-	

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.820 W

METAR

KJFK 030951Z 07004KT 10SM FEW060 SCT250 12/09 A3011 RMK A02 SLP194 T01170089

TAF

TAF AMD KJFK 030839Z 0309/0412 08008KT P6SM FEW025 FEW250 FM031200 08012G19KT P6SM BKN025 FM031600 10011KT P6SM S

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m

TJSJ

Region: USA (PUERTO RICO)
Timezone: AMERICA/PUERTO_RICO
Runways: 2

Elevation: 8 ft / 2 m
Location: 18.438700 -66.002200
Magnetic Var: 13.514 W

METAR

TJSJ 030956Z 13003KT 10SM FEW025 SCT055 BKN080 26/23 A2983

TAF

TAF TAF TJSJ 030520Z 0306/0406 09006KT P6SM VCSH FEW030 SCT050 BKN070 FM031200 07012KT P6SM VCSH SCT025 SCT045 BKN

Frequencies

REC - 125.80 MHz - ATIS	COM - 123.00 MHz - UNICOM
CLD - 126.40 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SAN JUAN GROUND
TWR - 132.05 MHz - SAN JUAN TOWER	DEP - 120.90 MHz - SAN JUAN DEPARTURE
DEP - 119.40 MHz - SAN JUAN DEPARTURE	APP - 119.40 MHz - SAN JUAN APPROACH
APP - 120.90 MHz - SAN JUAN APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	200 ft	10,410 ft	66.85	ASPHALT	404 ft	394 ft
	61 m	3,173 m	80.37		123 m	120 m
26	200 ft	10,410 ft	246.86	ASPHALT	400 ft	397 ft
	61 m	3,173 m	260.38		122 m	121 m
10	151 ft	8,006 ft	90.14	CONCRETE	0 ft	203 ft
	46 m	2,440 m	103.66		0 m	62 m
28	151 ft	8,006 ft	270.15	CONCRETE	0 ft	200 ft
	46 m	2,440 m	283.66		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	ISJU	110.30 MHz	18 nm	66.86	-	2 ft
				33 km	80.37		2 m
10	LOC-ILS	ICLA	109.70 MHz	18 nm	90.15	-	2 ft
				33 km	103.66		2 m
08	GS	ISJU	110.30 MHz	10 nm	66.86	3.00	2 ft
				19 km	80.37		2 m
10	GS	ICLA	109.70 MHz	10 nm	90.15	3.00	2 ft
				19 km	103.66		2 m