

# EDDM

Muenchen International Airport Franz-Josef Strauss


2024/05/23 0337Z

EDDM NIKUS EDDP

185.12 nm / 342.85 km

# EDDP

Leipzig-Halle



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
EDDM	-	48.35380	0 ft	-		Muenchen International Airport Franz-Josef Strauss
APT	-	11.78610	0 m			
NIKUS	-	49.85360	20,200 ft	90	-	
FIX	-	11.99250	6,157 m			
EDDP	-	51.42260	0 ft	94		Leipzig-Halle
APT	-	12.23600	0 m			

## EDDM

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 1,484 ft / 452 m  
Location: 48.353800 11.786100  
Magnetic Var: 3.945 E

## METAR

EDDM 230320Z AUTO VRB01KT 2500 0800 R26R/P2000N R26L/P2000N BCFG FEW036 08/08 Q1016 NOSIG

## TAF

TAF AMD EDDM 230247Z 2302/2406 VRB03KT CAVOK PROB40 TEMPO 2302/2305 1200 BCFG BECMG 2308/2310 06005KT BECMG 2316/

## Frequencies

REC - 123.12 MHz - MUENCHEN ATIS	COM - 122.80 MHz - MUENCHEN UNICOM
CLD - 121.72 MHz - MUENCHEN DELIVERY	GND - 121.97 MHz - MUENCHEN GROUND NORTH
GND - 121.82 MHz - MUENCHEN GROUND SOUTH	GND - 121.77 MHz - MUENCHEN APRON 1
GND - 121.70 MHz - MUENCHEN APRON 2	GND - 121.92 MHz - MUENCHEN APRON 3
TWR - 120.50 MHz - MUENCHEN TOWER SOUTH	TWR - 118.70 MHz - MUENCHEN TOWER NORTH
APP - 123.90 MHz - MUENCHEN RADAR NORTH	APP - 127.95 MHz - MUENCHEN RADAR SOUTH
APP - 128.25 MHz - MUENCHEN ARRIVAL NORTH	APP - 120.77 MHz - MUENCHEN ARRIVAL SOUTH
APP - 118.82 MHz - MUENCHEN DIRECTOR NORTH	APP - 132.30 MHz - MUENCHEN DIRECTOR SOUTH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft	13,135 ft	83.39	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.44		0 m	0 m
26R	197 ft	13,135 ft	263.43	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.48		0 m	0 m
08R	197 ft	13,135 ft	83.37	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.43		0 m	0 m
26L	197 ft	13,135 ft	263.41	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.47		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	IMNE	109.50 MHz	18 nm	83.41	-	1,484 ft
				33 km	79.47		1,484 m
08R	LOC-ILS	IMSE	109.30 MHz	18 nm	83.39	-	1,484 ft
				33 km	79.45		1,484 m
26L	LOC-ILS	IMSW	108.30 MHz	18 nm	263.39	-	1,484 ft
				33 km	259.45		1,484 m
26R	LOC-ILS	IMNW	108.70 MHz	18 nm	263.41	-	1,484 ft
				33 km	259.47		1,484 m
08L	GS	IMNE	109.50 MHz	10 nm	83.41	3.00	1,484 ft
				19 km	79.47		1,484 m
08R	GS	IMSE	109.30 MHz	10 nm	83.39	3.00	1,484 ft
				19 km	79.45		1,484 m
26L	GS	IMSW	108.30 MHz	10 nm	263.39	3.00	1,484 ft
				19 km	259.45		1,484 m
26R	GS	IMNW	108.70 MHz	10 nm	263.41	3.00	1,484 ft
				19 km	259.47		1,484 m

## EDDP

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 470 ft / 143 m  
Location: 51.422600 12.236000  
Magnetic Var: 4.240 E

## METAR

EDDP 230320Z AUTO 24009KT CAVOK 12/11 Q1013

## TAF

TAF EDDP 222300Z 2300/2324 24007KT CAVOK PROB30 TEMPO 2300/2307 2000 BR BECMG 2312/2314 30004KT

## Frequencies

REC - 123.95 MHz - LEIPZIG ATIS	GND - 121.67 MHz - LEIPZIG GROUND
TWR - 125.95 MHz - LEIPZIG TOWER	TWR - 121.10 MHz - LEIPZIG TOWER
COM - 121.10 MHz - LEIPZIG UNICOM	APP - 126.17 MHz - MUNCHEN RADAR
APP - 379.92 MHz - MUNCHEN RADAR	APP - 128.47 MHz - LEIPZIG DIRECTOR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	11,769 ft	85.69	CONCRETE	0 ft	331 ft
	45 m	3,587 m	81.45		0 m	101 m
26R	148 ft	11,769 ft	265.73	CONCRETE	0 ft	335 ft
	45 m	3,587 m	261.49		0 m	102 m
08R	197 ft	11,778 ft	85.69	CONCRETE	0 ft	325 ft
	60 m	3,590 m	81.45		0 m	99 m
26L	197 ft	11,778 ft	265.73	CONCRETE	0 ft	341 ft
	60 m	3,590 m	261.49		0 m	104 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ILNE	108.55 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
08R	LOC-ILS	ILSR	111.75 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
26L	LOC-ILS	ILSL	110.30 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
26R	LOC-ILS	ILNW	108.35 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
08L	GS	ILNE	108.55 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
08R	GS	ILSR	111.75 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
26L	GS	ILSL	110.30 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m
26R	GS	ILNW	108.35 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m