


2024/05/23 0323Z
KRNO LLC BAM BVL KSLC
372.55 nm / 689.96 km



Notes

Requested: KRNO LLC BAM J154 BVL KSLC
Unmatched points: J154

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KRNO APT	-	39.49884 -119.76802	0 ft 0 m	-	Reno Tahoe Intl
LLC VOR	-	40.12525 -118.57758	0 ft 0 m	66	LOVELOCK VORTAC
BAM VOR	-	40.56908 -116.92225	0 ft 0 m	80	BATTLE MOUNTAIN VORTAC
BVL VOR	-	40.72611 -113.75742	0 ft 0 m	144	BONNEVILLE VORTAC
KSLC APT	-	40.78697 -111.97543	0 ft 0 m	81	Salt Lake City Intl

KRNO

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3

Elevation: 4,415 ft / 1,346 m
Location: 39.498800 -119.768000
Magnetic Var: 12.743 E

METAR

KRNO 230255Z 27017G26KT 10SM FEW090 19/01 A2991 RMK A02 PK WND 28030/0156 SLP090 T01890006 53016

TAF

TAF KRNO 222327Z 2300/2324 27023G31KT P6SM SCT200 FM230400 29013G23KT P6SM FEW080 SCT180 FM230700 35010KT P6SM SC

Frequencies

REC - 135.80 MHz - ATIS
CLD - 124.90 MHz - CLNC DEL
TWR - 118.70 MHz - RENO TOWER
APP - 126.30 MHz - NORCAL APPROACH
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz - RENO GROUND
APP - 119.20 MHz - NORCAL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	151 ft	11,026 ft	180.12	CONCRETE	1,004 ft	394 ft
	46 m	3,361 m	167.38		306 m	120 m
34L	151 ft	11,026 ft	0.12	CONCRETE	994 ft	1,148 ft
	46 m	3,361 m	347.38		303 m	350 m
16L	151 ft	9,016 ft	180.12	CONCRETE	0 ft	400 ft
	46 m	2,748 m	167.37		0 m	122 m
34R	151 ft	9,016 ft	0.11	CONCRETE	0 ft	400 ft
	46 m	2,748 m	347.37		0 m	122 m
07	151 ft	6,087 ft	90.23	CONCRETE	0 ft	203 ft
	46 m	1,855 m	77.49		0 m	62 m
25	151 ft	6,087 ft	270.24	CONCRETE	0 ft	200 ft
	46 m	1,855 m	257.50		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	DME	IRNO	110.90 MHz	18 nm	-	-	4,410 ft
				33 km	-		4,410 m
16R	LOC-ILS	IRNO	110.90 MHz	18 nm	180.12	-	4,415 ft
				33 km	167.38		4,415 m
34L	LOC-ILS	IAGY	109.90 MHz	18 nm	0.12	-	4,410 ft
				33 km	347.38		4,410 m
16R	GS	IRNO	110.90 MHz	10 nm	180.12	3.10	4,415 ft
				19 km	167.38		4,415 m
34L	GS	IAGY	109.90 MHz	10 nm	0.12	3.54	4,415 ft
				19 km	347.38		4,415 m

KSLC

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 4

Elevation: 4,227 ft / 1,288 m
Location: 40.787000 -111.975000
Magnetic Var: 10.768 E

METAR

KSLC 230254Z 30006KT 10SM BKN130 BKN150 22/M03 A2962 RMK A02 SLP989 T02221033 56015 \$

TAF

KSLC 230257Z 2303/2406 30010KT P6SM SCT080 BKN150 FM230500 34015G25KT P6SM VCSH SCT040 BKN080 FM230800 34011KT P6

Frequencies

REC - 124.75 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
TWR - 118.30 MHz -
TWR - 132.65 MHz -
APP - 124.30 MHz - APP/DEP
APP - 126.25 MHz - APP/DEP

REC - 127.62 MHz - ATIS
CLD - 127.30 MHz - CLNC DEL
GND - 133.65 MHz -
TWR - 119.05 MHz -
APP - 121.10 MHz - APP/DEP
APP - 124.90 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	12,013 ft	174.97	ASPHALT	0 ft	394 ft
	46 m	3,662 m	164.21		0 m	120 m
34R	151 ft	12,013 ft	354.98	ASPHALT	0 ft	400 ft
	46 m	3,662 m	344.21		0 m	122 m
16R	151 ft	12,013 ft	174.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	164.20		0 m	122 m
34L	151 ft	12,013 ft	354.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	344.20		0 m	122 m
17	151 ft	9,606 ft	179.99	ASPHALT	0 ft	102 ft
	46 m	2,928 m	169.22		0 m	31 m
35	151 ft	9,606 ft	359.99	ASPHALT	335 ft	312 ft
	46 m	2,928 m	349.22		102 m	95 m
14	151 ft	4,896 ft	153.08	ASPHALT	0 ft	0 ft
	46 m	1,492 m	142.32		0 m	0 m
32	151 ft	4,896 ft	333.09	ASPHALT	0 ft	0 ft
	46 m	1,492 m	322.32		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	IMOY	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
16R	DME	IUAT	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
17	DME	IBNT	111.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34L	DME	IUUH	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34R	DME	ISLC	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IMOY	109.50 MHz	18 nm 33 km	174.98 164.21	-	4,227 ft 4,227 m
16R	LOC-ILS	IUAT	111.90 MHz	18 nm 33 km	174.97 164.20	-	4,227 ft 4,227 m
17	LOC-ILS	IBNT	111.50 MHz	18 nm 33 km	179.99 169.22	-	4,227 ft 4,227 m
34L	LOC-ILS	IUUH	111.90 MHz	18 nm 33 km	354.97 344.20	-	4,227 ft 4,227 m
34R	LOC-ILS	ISLC	109.50 MHz	18 nm 33 km	354.98 344.21	-	4,227 ft 4,227 m
35	LOC-ILS	IUTJ	111.50 MHz	18 nm 33 km	359.99 349.22	-	4,227 ft 4,227 m
16L	GS	IMOY	109.50 MHz	10 nm 19 km	174.98 164.21	3.00	4,227 ft 4,227 m
16R	GS	IUAT	111.90 MHz	10 nm 19 km	174.97 164.20	3.00	4,227 ft 4,227 m
17	GS	IBNT	111.50 MHz	10 nm 19 km	179.99 169.22	3.00	4,227 ft 4,227 m
34L	GS	IUUH	111.90 MHz	10 nm 19 km	354.97 344.20	3.00	4,227 ft 4,227 m
34R	GS	ISLC	109.50 MHz	10 nm 19 km	354.98 344.21	3.00	4,227 ft 4,227 m
35	GS	IUTJ	111.50 MHz	10 nm 19 km	359.99 349.22	3.00	4,227 ft 4,227 m