

# LKPR

Vaclav Havel Prague


# LGAV

Athens Eleftherios Venizelos

2024/06/04 0932Z

LKPR LIKSA **L993** IVOLI **Z650** PEPK BERRA ABITU 4700N01900E INVED **L606** OVDOT LOMOS ERDOM RESLA OGOTA  
TODRO SOF OMENO **Y505** NIKTI **UY505** PEREN **UV652** SKP LGAV

910.84 nm / 1686.87 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LKPR APT	-	50.10410 14.25670	0 ft 0 m	-	Vaclav Havel Prague
LIKSA FIX	-	49.15280 16.01480	31,800 ft 9,693 m	89	-
IVOLI FIX	L993 AWY-HI	49.00060 16.45790	35,000 ft 10,668 m	19	-
PEPIK FIX	Z650 AWY-HI	48.78280 17.07920	35,000 ft 10,668 m	27	-
BERVA FIX	-	48.61750 17.54110	35,000 ft 10,668 m	20	-
ABITU FIX	-	48.33330 18.32470	35,000 ft 10,668 m	35	-
4700N01900E LATLON	-	47.00000 19.00000	35,000 ft 10,668 m	84	-
INVED FIX	-	46.15780 20.40140	35,000 ft 10,668 m	76	-
PADGU FIX	L606 AWY-HI	44.77860 22.61060	35,000 ft 10,668 m	124	-
OVDOT FIX	L606 AWY-HI	44.53890 22.97690	35,000 ft 10,668 m	21	-
LOMOS FIX	-	43.83330 23.25000	35,000 ft 10,668 m	43	-
ERDOM FIX	-	43.51750 23.28920	35,000 ft 10,668 m	19	-
RESLA FIX	-	43.32830 23.31280	35,000 ft 10,668 m	11	-
OGOTA FIX	-	43.21420 23.32670	35,000 ft 10,668 m	6	-
TODRO FIX	-	42.92030 23.36250	35,000 ft 10,668 m	17	-
SOF VOR	-	42.69810 23.38940	35,000 ft 10,668 m	13	SOFIA
OMENO FIX	-	42.29690 23.48140	35,000 ft 10,668 m	24	-
NIKTI FIX	Y505 AWY-HI	41.54640 24.12170	35,000 ft 10,668 m	53	-
LASBU FIX	UY505 AWY-HI	41.01420 24.03360	35,000 ft 10,668 m	32	-
VAMKO FIX	UY505 AWY-HI	40.76470 23.99420	35,000 ft 10,668 m	15	-
PEREN FIX	UY505 AWY-HI	40.59670 23.96780	34,800 ft 10,607 m	10	-
SKP VOR	UV652 AWY-HI	39.18060 23.61590	16,300 ft 4,968 m	86	SKOPELOS
LGAV APT	-	37.93670 23.94450	0 ft 0 m	76	Athens Eleftherios Venizelos

## LKPR

Region: CZECH REPUBLIC  
Timezone: EUROPE/PRAGUE  
Runways: 2

Elevation: 1,247 ft / 380 m  
Location: 50.104100 14.256700  
Magnetic Var: 4.673 E

## METAR

LKPR 040900Z 36006KT 320V030 9999 FEW026 BKN035 14/09 Q1016 NOSIG

## TAF

TAF LKPR 040800Z 0409/0515 VRB02KT 9999 BKN033 BECMG 0415/0417 20007KT CAVOK TEMPO 0500/0504 5000 BR NSC TEMPO 051

## Frequencies

REC - 122.15 MHz - ATIS	TWR - 118.10 MHz - RUZYNE TOWER
TWR - 134.55 MHz - RUZYNE TOWER	GND - 121.90 MHz - RUZYNE GROUND
GND - 131.95 MHz - RUZYNE GROUND	CLD - 120.05 MHz - CLEARANCE DELIVERY
APP - 136.07 MHz - PRAGUE APPROACH	APP - 127.57 MHz - PRAGUE APPROACH
APP - 120.52 MHz - PRAGUE APPROACH	APP - 119.00 MHz - PRAGUE APPROACH
REC - 118.30 MHz - RUZYNE INFORMATION	REC - 127.57 MHz - RUZYNE INFORMATION
REC - 136.07 MHz - RUZYNE INFORMATION	REC - 136.17 MHz - RUZYNE INFORMATION
APP - 120.52 MHz - PRAGUE RADAR	APP - 127.57 MHz - PRAGUE RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,674 ft	126.99	CONCRETE	0 ft	0 ft
	45 m	3,253 m	122.32		0 m	0 m
30	148 ft	10,674 ft	307.02	CONCRETE	0 ft	0 ft
	45 m	3,253 m	302.34		0 m	0 m
06	148 ft	12,198 ft	64.93	CONCRETE	0 ft	0 ft
	45 m	3,718 m	60.25		0 m	0 m
24	148 ft	12,198 ft	244.96	CONCRETE	0 ft	0 ft
	45 m	3,718 m	240.29		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	PH	111.15 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
12	DME	PA	109.95 MHz	18 nm	-	-	1,246 ft
				33 km	-		1,246 m
24	DME	PR	109.10 MHz	18 nm	-	-	1,175 ft
				33 km	-		1,175 m
30	DME	PG	109.50 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
06	LOC-ILS	PH	111.15 MHz	18 nm	64.94	-	1,202 ft
				33 km	60.27		1,202 m
12	LOC-ILS	PA	109.95 MHz	18 nm	127.00	-	1,246 ft
				33 km	122.33		1,246 m
24	LOC-ILS	PR	109.10 MHz	18 nm	244.95	-	1,156 ft
				33 km	240.27		1,156 m
30	LOC-ILS	PG	109.50 MHz	18 nm	307.08	-	1,234 ft
				33 km	302.41		1,234 m
06	GS	PH	111.15 MHz	10 nm	65.88	3.00	1,202 ft
				19 km	61.21		1,202 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	PA	109.95 MHz	10 nm	127.00	3.00	1,246 ft
				19 km	122.33		1,246 m
24	GS	PR	109.10 MHz	10 nm	245.88	3.00	1,156 ft
				19 km	241.21		1,156 m
30	GS	PG	109.50 MHz	10 nm	307.00	3.00	1,234 ft
				19 km	302.33		1,234 m

## LGAV

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 2

Elevation: 308 ft / 94 m  
Location: 37.936700 23.944500  
Magnetic Var: 5.114 E

## METAR

LGAV 040920Z 09009KT CAVOK 32/12 Q1012 NOSIG

## TAF

TAF TAF LGAV 040500Z 0406/0506 VRB03KT 9999 FEW025 BECMG 0406/0408 26010KT

## Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.76		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.74		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.76		300 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.41		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.86		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.39		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.92		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.95		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.95		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.92		282 m