

# ESMS

Malmo Sturup


# LGRP

Rhodos Diagoras

2024/05/21 0619Z

ESMS TELMO **Z491** VAVUN **L996** DENKO **L616** PEKOT REGLI BILNA LITKU NIPUR UVERA DEGET DITAX LOMOS RESLA  
PIDOR NIKTI **UN127** LMO **UL618** MES **UN139** LURUS LGRP

1335.05 nm / 2472.51 km



## Notes

Requested: ESMS N0446F350 TELMO Z491 VAVUN L996 DENKO L616 PEKOT L867 REGLI BILNA LITKU NIPUR UVERA DEGET DITAX LO

Unmatched points: N0446F350 CODIC

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ESMS	-	55.52890	0 ft	-	Malmo Sturup
APT	-	13.37110	0 m		
TELMO	-	55.05460	0 ft	38	-
FIX	-	14.11630	0 m		
KEKOV	Z491	54.94940	0 ft	12	-
FIX	AWY-HI	14.44120	0 m		
POKEN	Z491	54.81960	0 ft	8	-
FIX	AWY-HI	14.56420	0 m		
EKRON	Z491	54.58360	0 ft	15	-
FIX	AWY-HI	14.70940	0 m		
XELOL	Z491	54.27750	0 ft	19	-
FIX	AWY-HI	14.89500	0 m		
DEMUR	Z491	54.08000	0 ft	12	-
FIX	AWY-HI	15.00780	0 m		
BEDAM	Z491	53.73970	0 ft	21	-
FIX	AWY-HI	15.19220	0 m		
VAVUN	Z491	53.47530	0 ft	16	-
FIX	AWY-HI	15.33310	0 m		
DOSAL	L996	53.39860	0 ft	5	-
FIX	AWY-HI	15.39220	0 m		
PIXOR	L996	53.28860	0 ft	7	-
FIX	AWY-HI	15.47640	0 m		
XERBI	L996	53.03220	0 ft	16	-
FIX	AWY-HI	15.67110	0 m		
DENKO	L996	52.81690	0 ft	14	-
FIX	AWY-HI	15.83250	0 m		
BINPO	L616	51.66970	0 ft	74	-
FIX	AWY-HI	16.61670	0 m		
VELAB	L616	51.46970	0 ft	12	-
FIX	AWY-HI	16.74890	0 m		
MISKA	L616	51.18580	0 ft	18	-
FIX	AWY-HI	16.93440	0 m		
ETNEL	L616	50.84080	0 ft	22	-
FIX	AWY-HI	17.15690	0 m		
PEKOT	L616	50.38830	0 ft	29	-
FIX	AWY-HI	17.44330	0 m		
REGLI	-	50.03030	0 ft	30	-
FIX	-	17.99560	0 m		
BILNA	-	49.39360	0 ft	42	-
FIX	-	18.44730	0 m		
LITKU	-	48.23060	0 ft	83	-
FIX	-	19.59860	0 m		
NIPUR	-	47.71720	0 ft	35	-
FIX	-	20.01310	0 m		
UVERA	-	47.20000	0 ft	35	-
FIX	-	20.42970	0 m		
DEGET	-	46.49360	0 ft	54	-
FIX	-	21.26720	0 m		
DITAX	-	45.46890	0 ft	76	-
FIX	-	22.33720	0 m		
LOMOS	-	43.83330	0 ft	105	-
FIX	-	23.25000	0 m		
RESLA	-	43.32830	0 ft	30	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	23.31280	0 m		
PIDOR	-	42.59390	0 ft	46	-
FIX	-	23.65610	0 m		
NIKTI	-	41.54640	0 ft	66	-
FIX	-	24.12170	0 m		
LOPTI	UN127	41.19530	0 ft	25	-
FIX	AWY-HI	24.43420	0 m		
KPL	UN127	40.91270	0 ft	18	KAVALA
VOR	AWY-HI	24.61480	0 m		
SUTIS	UN127	40.70190	0 ft	14	-
FIX	AWY-HI	24.74860	0 m		
AMALA	UN127	40.56860	0 ft	8	-
FIX	AWY-HI	24.83280	0 m		
LMO	UN127	39.91950	0 ft	43	LIMNOS
VOR	AWY-HI	25.23720	0 m		
KERMA	UL618	38.36860	0 ft	97	-
FIX	AWY-HI	25.86000	0 m		
MES	UL618	38.25170	0 ft	7	MESTA
VOR	AWY-HI	25.90570	0 m		
ERIMA	UN139	37.74810	0 ft	32	-
FIX	AWY-HI	26.13440	0 m		
OKORO	UN139	37.20440	0 ft	34	-
FIX	AWY-HI	26.37750	0 m		
LURUS	UN139	36.88920	0 ft	20	-
FIX	AWY-HI	26.51690	0 m		
LGRP	-	36.40540	0 ft	81	Rhodos Diagoras
APT	-	28.08620	0 m		

## ESMS

Region: SWEDEN  
Timezone: EUROPE/STOCKHOLM  
Runways: 2

Elevation: 237 ft / 72 m  
Location: 55.528900 13.371100  
Magnetic Var: 4.903 E

## METAR

ESMS 210550Z 08015KT CAVOK 13/07 Q1017

## TAF

TAF ESMS 210505Z 2106/2206 07013KT CAVOK PROB40 2109/2113 FEW040CB TEMPO 2109/2203 08015G25KT

## Frequencies

REC - 129.27 MHz - MALMO ATIS  
TWR - 121.70 MHz - MALMO TOWER  
APP - 135.90 MHz - MALMO APPROACH

TWR - 118.80 MHz - MALMO TOWER  
APP - 135.12 MHz - MALMO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	59 ft	2,575 ft	105.36	ASPHALT	0 ft	0 ft
	18 m	785 m	100.46		0 m	0 m
29	59 ft	2,575 ft	285.37	ASPHALT	0 ft	0 ft
	18 m	785 m	280.47		0 m	0 m
17	148 ft	9,181 ft	173.36	ASPHALT	0 ft	0 ft
	45 m	2,798 m	168.46		0 m	0 m
35	148 ft	9,181 ft	353.37	ASPHALT	0 ft	0 ft
	45 m	2,798 m	348.47		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	NMS	111.90 MHz	18 nm	173.37	-	237 ft
				33 km	168.47		237 m
35	LOC-ILS	SMS	108.10 MHz	18 nm	353.37	-	237 ft
				33 km	348.47		237 m
17	GS	NMS	111.90 MHz	10 nm	173.37	3.00	237 ft
				19 km	168.47		237 m
35	GS	SMS	108.10 MHz	10 nm	353.37	3.00	237 ft
				19 km	348.47		237 m

## LGRP

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 1

Elevation: 17 ft / 5 m  
Location: 36.405400 28.086200  
Magnetic Var: 5.386 E

## METAR

LGRP 210550Z 25007KT CAVOK 25/20 Q1010 NOSIG

## TAF

TAF LGRP 210500Z 2106/2206 24012KT 9999 FEW018

## Frequencies

REC - 126.35 MHz - RODOS DIAGORAS AIRPORT ATIS    GND - 121.70 MHz - DIAGORAS GROUND  
TWR - 118.20 MHz - DIAGORAS TOWER    APP - 118.25 MHz - RODOS DIRECTOR  
APP - 127.25 MHz - RODOS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,825 ft	69.98	ASPHALT	0 ft	23 ft
	45 m	3,300 m	64.59		0 m	7 m
24	148 ft	10,825 ft	250.00	ASPHALT	0 ft	20 ft
	45 m	3,300 m	244.61		0 m	6 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	IRDS	110.30 MHz	18 nm	249.99	-	17 ft
				33 km	244.60		17 m
24	GS	IRDS	110.30 MHz	10 nm	249.99	3.00	17 ft
				19 km	244.60		17 m