

# ROAH

Naha


# RJSK

AKITA

2024/06/05 1913Z

ROAH ONC **B597** RURIK **Y53** MADOG **B597** SUC **V53** KTE **V38** KMC KMC **V30** GTC **V31** AWASI RJSK

1035.79 nm / 1918.28 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ROAH	-	26.19340	0 ft	-	Naha
APT	-	127.63900	0 m		
ONC	-	27.43290	33,400 ft	93	ERABU (OKIERABU I)
VOR	-	128.69900	10,180 m		
PINNE	B597	27.82190	35,000 ft	31	-
FIX	AWY-HI	129.09100	10,668 m		
YUWAN	B597	28.18610	35,000 ft	29	-
FIX	AWY-HI	129.45900	10,668 m		
AME	B597	28.43470	35,000 ft	20	KASARI (AMAMI)
VOR	AWY-HI	129.71100	10,668 m		
TUMGI	B597	28.73250	35,000 ft	20	-
FIX	AWY-HI	129.88400	10,668 m		
RURIK	B597	29.29970	35,000 ft	38	-
FIX	AWY-HI	130.21500	10,668 m		
VEGAR	Y53	30.00740	35,000 ft	50	-
FIX	AWY-HI	130.74600	10,668 m		
LUKRA	Y53	30.46540	35,000 ft	32	-
FIX	AWY-HI	131.09500	10,668 m		
MADOG	Y53	32.12520	35,000 ft	119	-
FIX	AWY-HI	132.39600	10,668 m		
SUC	B597	32.75600	35,000 ft	48	SHIMIZU
VOR	AWY-HI	132.99700	10,668 m		
OKITU	V53	33.09650	35,000 ft	25	-
FIX	AWY-HI	133.29200	10,668 m		
SUSAK	V53	33.33950	35,000 ft	18	-
FIX	AWY-HI	133.50400	10,668 m		
KRE	V53	33.54180	35,000 ft	15	KOCHI
VOR	AWY-HI	133.68000	10,668 m		
POPPY	V53	33.81810	35,000 ft	18	-
FIX	AWY-HI	133.82100	10,668 m		
OBOKE	V53	34.01500	35,000 ft	12	-
FIX	AWY-HI	133.92200	10,668 m		
KTE	V53	34.21250	35,000 ft	12	KAGAWA (TAKAMATSU)
VOR	AWY-HI	134.02300	10,668 m		
OLIVE	V38	34.75490	35,000 ft	38	-
FIX	AWY-HI	134.45000	10,668 m		
YME	V38	35.48070	35,000 ft	55	MIYAZU
VOR	AWY-HI	135.13700	10,668 m		
KMC	V38	36.39650	35,000 ft	82	KOMATSU
VOR	AWY-HI	136.40400	10,668 m		
KMC	-	36.39640	35,000 ft	0	KOMATSU VORTAC
DME	-	136.40500	10,668 m		
OYABE	V30	36.60510	35,000 ft	20	-
FIX	AWY-HI	136.75400	10,668 m		
IMIZU	V30	36.73960	35,000 ft	13	-
FIX	AWY-HI	136.99000	10,668 m		
URUSI	V30	36.81920	35,000 ft	8	-
FIX	AWY-HI	137.13200	10,668 m		
IKUJI	V30	37.03820	35,000 ft	21	-
FIX	AWY-HI	137.49200	10,668 m		
GORYU	V30	37.19850	35,000 ft	16	-
FIX	AWY-HI	137.77000	10,668 m		
HAKBA	V30	37.26000	35,000 ft	6	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	137.88500	10,668 m		
TERAD	V30	37.60370	31,900 ft	35	-
FIX	AWY-HI	138.48000	9,723 m		
GTC	V30	37.95830	24,000 ft	36	NIIGATA
VOR	AWY-HI	139.11500	7,315 m		
AWASI	V31	38.40550	17,600 ft	29	-
FIX	AWY-HI	139.39800	5,364 m		
RJSK	-	39.61560	0 ft	82	AKITA
APT	-	140.21900	0 m		

## ROAH

Region: JAPAN  
Timezone: ASIA/TOKYO  
Runways: 2

Elevation: 11 ft / 3 m  
Location: 26.193400 127.639000  
Magnetic Var: 5.807 W

## METAR

ROAH 051900Z AUTO 12004KT 9999 NSC 24/18 Q1013

## TAF

TAF ROAH 051708Z 0518/0700 10006KT 9999 FEW020 SCT030 BECMG 0600/0602 04012KT TEMPO 0600/0603 4000 SHRA FEW006 BKN

## Frequencies

REC - 127.80 MHz - NAHA AIRPORT	TWR - 118.10 MHz - NAHA TOWER
TWR - 118.75 MHz - NAHA TOWER	TWR - 126.20 MHz - NAHA TOWER
GND - 121.80 MHz - NAHA GROUND	GND - 121.90 MHz - NAHA GROUND
CLD - 122.07 MHz - NAHA DELIVERY	APP - 119.10 MHz - NAHA APPROACH
APP - 126.50 MHz - NAHA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	194 ft	8,892 ft	177.57	ASPHALT	0 ft	1,037 ft
	59 m	2,710 m	183.38		0 m	316 m
36L	194 ft	8,892 ft	357.57	ASPHALT	0 ft	1,040 ft
	59 m	2,710 m	3.38		0 m	317 m
18L	145 ft	10,027 ft	177.59	ASPHALT	141 ft	489 ft
	44 m	3,056 m	183.40		43 m	149 m
36R	145 ft	10,027 ft	357.59	ASPHALT	0 ft	495 ft
	44 m	3,056 m	3.40		0 m	151 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18R	LOC-ILS	ION	110.15 MHz	18 nm	177.57	-	11 ft
				33 km	183.38		11 m
36L	LOC-ILS	IOW	111.70 MHz	18 nm	357.57	-	11 ft
				33 km	3.38		11 m
36R	LOC-ILS	IOK	110.30 MHz	18 nm	357.59	-	11 ft
				33 km	3.40		11 m
18R	GS	ION	110.15 MHz	10 nm	177.57	3.00	11 ft
				19 km	183.38		11 m
36L	GS	IOW	111.70 MHz	10 nm	357.57	3.00	11 ft
				19 km	3.38		11 m
36R	GS	IOK	110.30 MHz	10 nm	357.59	3.00	11 ft
				19 km	3.40		11 m

## RJSK

Region: JAPAN  
Timezone: ASIA/TOKYO  
Runways: 1

Elevation: 312 ft / 95 m  
Location: 39.615600 140.219000  
Magnetic Var: 8.989 W

## METAR

UNKNOWN

## TAF

TAF RJSK 051705Z 0518/0700 14004KT 9999 FEW020 TEMPO 0518/0521 FEW005 BKN008 BECMG 0522/0600 28010KT BECMG 0612/0

## Frequencies

REC - 127.10 MHz - SAPPORO INFO  
TWR - 118.60 MHz -

TWR - 126.20 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft 60 m	8,184 ft 2,494 m	96.62 105.61	ASPHALT	0 ft 0 m	200 ft 61 m
28	197 ft 60 m	8,184 ft 2,494 m	276.64 285.63	ASPHALT	0 ft 0 m	200 ft 61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	IUW	108.90 MHz	18 nm 33 km	- -	-	328 ft 328 m
28	LOC-ILS	IUW	108.90 MHz	18 nm 33 km	276.62 285.61	-	286 ft 286 m
28	GS	IUW	108.90 MHz	10 nm 19 km	277.26 286.25	3.00	300 ft 300 m