


2024/06/09 2148Z

KSHV GAMMS KGLH

159.02 nm / 294.51 km



Notes

Basic altitude profile:

- Ascent Rate: 800ft/min
- Ascent Speed: 80kts
- Cruise Altitude: 5000ft
- Cruise Speed: 120kts
- Descent Rate: 500ft/min
- Descent Speed: 120kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSHV	-	32.44700	0 ft	-	SHREVEPORT RGNL
APT	-	-93.82540	0 m		
GAMMS	-	32.61200	5,000 ft	58	-
FIX	-	-92.67730	1,524 m		
KGLH	-	33.48520	0 ft	100	MID DELTA RGNL
APT	-	-90.98470	0 m		

KSHV

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 256 ft / 78 m
Location: 32.447000 -93.825400
Magnetic Var: 0.718 E

METAR

KSHV 092056Z 23005KT 10SM SCT050 SCT290 35/22 A2985 RMK SLPNO

TAF

TAF AMD KSHV 091809Z 0918/1018 21007KT P6SM SCT040 FM100000 VRB03KT P6SM SCT250 FM100600 VRB03KT P6SM BKN250 FM101200 VRB03KT P6SM BKN250

Frequencies

REC - 128.45 MHz - ATIS	GND - 121.90 MHz - SHREVEPORT GROUND
TWR - 121.40 MHz - SHREVEPORT TOWER	APP - 119.90 MHz - SHREVEPORT APPROACH
DEP - 119.90 MHz - SHREVEPORT DEPARTURE	CLD - 124.65 MHz - CLEARANCE DELIVERY
COM - 122.95 MHz - SHREVEPORT UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	6,207 ft	60.78	ASPHALT	0 ft	92 ft
	45 m	1,892 m	60.06		0 m	28 m
24	148 ft	6,207 ft	240.79	ASPHALT	0 ft	98 ft
	45 m	1,892 m	240.07		0 m	30 m
14	197 ft	8,358 ft	142.84	ASPHALT	0 ft	102 ft
	60 m	2,547 m	142.12		0 m	31 m
32	197 ft	8,358 ft	322.85	ASPHALT	371 ft	102 ft
	60 m	2,547 m	322.13		113 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IMWP	109.10 MHz	18 nm	-	-	258 ft
				33 km	-		258 m
14	DME	ISHV	110.70 MHz	18 nm	-	-	258 ft
				33 km	-		258 m
14	LOC-ILS	ISHV	110.70 MHz	18 nm	142.85	-	257 ft
				33 km	142.13		257 m
32	LOC-ILS	IFOG	110.30 MHz	18 nm	322.84	-	270 ft
				33 km	322.12		270 m
06	LOC-LOC	IMWP	109.10 MHz	18 nm	60.79	-	256 ft
				33 km	60.07		256 m
14	GS	ISHV	110.70 MHz	10 nm	143.69	3.00	251 ft
				19 km	142.97		251 m
32	GS	IFOG	110.30 MHz	10 nm	323.69	3.00	219 ft
				19 km	322.97		219 m

KGLH

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 131 ft / 40 m
Location: 33.485200 -90.984700
Magnetic Var: 1.202 W

METAR

KGLH 092053Z 24007KT 10SM FEW065 37/24 A2984 RMK A02 SLP107 T03670244 57010

TAF

TAF KGLH 091727Z 0918/1018 23007KT P6SM FEW060 FM092200 VRB05KT P6SM -SHRA VCTS SCT060CB BKN100 FM100200 36007KT P

Frequencies

REC - 125.52 MHz - ASOS
COM - 122.95 MHz - UNICOM
TWR - 119.00 MHz - GREENVILLE TWR
COM - 119.00 MHz - CTAF
GND - 121.80 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	150 ft	8,023 ft	180.00	ASPHALT	0 ft	250 ft
	46 m	2,445 m	181.20		0 m	76 m
36R	150 ft	8,023 ft	0.00	ASPHALT	0 ft	150 ft
	46 m	2,445 m	1.20		0 m	46 m
18R	150 ft	7,039 ft	179.99	ASPHALT	0 ft	250 ft
	46 m	2,145 m	181.19		0 m	76 m
36L	150 ft	7,039 ft	359.99	ASPHALT	0 ft	150 ft
	46 m	2,145 m	1.19		0 m	46 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	LOC-ILS	IGLH	109.10 MHz	18 nm	180.00	-	131 ft
				33 km	181.20		131 m
18L	GS	IGLH	109.10 MHz	10 nm	180.00	3.00	127 ft
				19 km	181.20		127 m