

LEBL

Josep Tarradellas Barcelona-El Prat


LGKR

Ioannis Kapodistrias Intl

2024/05/18 0218Z

LEBL TOSNU **N725** ORKUM **M603** POKAV **M620** SOR **M603** BRD LGKR

836.59 nm / 1549.36 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 350ft
- Cruise Speed: 420kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEBL APT	- -	41.29510 2.08803	0 ft 0 m	-	Josep Tarradellas Barcelona-El Prat
TOSNU FIX	- -	41.01530 3.80689	300 ft 91 m	79 -	-
LAPIT FIX	N725 AWY-LO	40.89540 4.46142	300 ft 91 m	30 -	-
OSPOK FIX	N725 AWY-LO	40.85690 4.66667	300 ft 91 m	9 -	-
ORKUM FIX	N725 AWY-LO	40.56390 7.48278	300 ft 91 m	129 -	-
ELSAG FIX	M603 AWY-HI	40.60810 8.00000	300 ft 91 m	23 -	-
ALG VOR	M603 AWY-HI	40.62810 8.24389	300 ft 91 m	11 -	ALGHERO
ARSIK FIX	M603 AWY-HI	40.64560 8.46139	300 ft 91 m	9 -	-
MOROB FIX	M603 AWY-HI	40.66580 8.72306	300 ft 91 m	11 -	-
ORVEX FIX	M603 AWY-HI	40.67690 8.86722	300 ft 91 m	6 -	-
KOLUS FIX	M603 AWY-HI	40.71810 9.44111	300 ft 91 m	26 -	-
IDEPA FIX	M603 AWY-HI	40.72830 9.58028	300 ft 91 m	6 -	-
SUKUN FIX	M603 AWY-HI	40.75060 9.91111	300 ft 91 m	15 -	-
ROXAN FIX	M603 AWY-HI	40.82970 11.21720	300 ft 91 m	59 -	-
POKAV FIX	M603 AWY-HI	40.83970 11.39970	300 ft 91 m	8 -	-
UNIXO FIX	M620 AWY-HI	40.77530 12.68170	300 ft 91 m	58 -	-
VEXUV FIX	M620 AWY-HI	40.70610 13.29970	300 ft 91 m	28 -	-
SOR VOR	M620 AWY-HI	40.58240 14.33500	300 ft 91 m	47 -	SORRENTO
VEGAN FIX	M603 AWY-HI	40.60440 15.46920	300 ft 91 m	51 -	-
MATED FIX	M603 AWY-HI	40.61060 16.16830	300 ft 91 m	31 -	-
MOKTO FIX	M603 AWY-HI	40.61440 17.17420	300 ft 91 m	45 -	-
BRD VOR	M603 AWY-HI	40.61090 18.00290	300 ft 91 m	37 -	BRINDISI
LGKR APT	- -	39.60230 19.91200	0 ft 0 m	106	Ioannis Kapodistrias Intl

LEBL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 3

Elevation: 14 ft / 4 m
Location: 41.295100 2.088030
Magnetic Var: 1.544 E

METAR

LEBL 180200Z 33004KT 290V360 9999 FEW010 15/13 Q1010 NOSIG

TAF

TAF LEBL 172300Z 1800/1824 34006KT 9999 FEW015 TX21/1814Z TN14/1805Z PROB30 TEMPO 1800/1808 -RA BKN014 PROB40 TEM

Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.37		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.37		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.96		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.94		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.38		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.38		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m