LIPZ
Venezia Tessera


-

EPKK
BALICE

2024/03/19 0558Z

LIPZ TELSI KFT **P978** PINKA **M985** ABLOM OKR **L856** SOMID **UL856** KOPAT EPKK

412.26 nm / 763.50 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ APT	–	45.50479 12.34969	0 ft 0 m	–	Venezia Tessera
TELSI FIX	–	46.42768 14.29571	35,000 ft 10,668 m	98	–
KFT VOR	–	46.59758 14.56232	35,000 ft 10,668 m	15	KLAGENFURT VOR-DME
GRZ VOR	P978 AWY-LO	46.95537 15.44943	35,000 ft 10,668 m	42	GRAZ VOR-DME
PINKA FIX	P978 AWY-LO	47.37778 15.83056	35,000 ft 10,668 m	29	–
DIVAL FIX	M985 AWY-LO	47.55491 16.12964	35,000 ft 10,668 m	16	–
ABLOM FIX	M985 AWY-LO	48.06757 17.08770	34,500 ft 10,516 m	49	–
OKR NDB	–	48.22387 17.29032	31,800 ft 9,693 m	12	STEFANIK NORTH NDB
SOMID FIX	L856 AWY-LO	48.50528 17.71722	26,700 ft 8,138 m	23	–
KOPAT FIX	UL856 AWY-HI	49.10639 18.65444	15,600 ft 4,755 m	51	–
EPKK APT	–	50.07782 19.78550	0 ft 0 m	73	BALICE

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.889 E

METAR

LIPZ 190520Z VRB02KT 0400 R04R/1100N BCFG OVC001 10/10 Q1016 NOSIG

TAF

TAF LIPZ 182300Z 1900/2006 VRB05KT 0200 FG NSC BECMG 1907/1910 6000

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft 45 m	10,836 ft 3,303 m	42.03 38.14	ASPHALT	0 ft 0 m	0 ft 0 m
22L	148 ft 45 m	10,836 ft 3,303 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m
04L	148 ft 45 m	9,129 ft 2,782 m	42.03 38.14	ASPHALT	318 ft 97 m	0 ft 0 m
22R	148 ft 45 m	9,129 ft 2,782 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm 33 km	- -	-	26 ft 26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm 33 km	42.04 38.15	-	4 ft 4 m
04R	GS	VTS	109.95 MHz	10 nm 19 km	42.04 38.15	3.00	4 ft 4 m

EPKK

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 1

Elevation: 791 ft / 241 m
Location: 50.077800 19.785500
Magnetic Var: 5.968 E

METAR

EPKK 190530Z VRB02KT 9999 BKN015 BKN020 02/M01 Q1021

TAF

TAF AMD EPKK 190450Z 1904/2003 VRB02KT 9999 BKN015 TEMPO 1904/1907 BKN012 BECMG 2000/2003 2000 BR

Frequencies

REC - 112.80 MHz - KRAKOW ATIS
TWR - 123.25 MHz - KRAKOW TOWER
APP - 135.40 MHz - KRAKOW APPROACH

GND - 118.10 MHz - KRAKOW GROUND
APP - 121.07 MHz - KRAKOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	197 ft 60 m	8,352 ft 2,546 m	77.76 71.79	CONCRETE	0 ft 0 m	0 ft 0 m
25	197 ft 60 m	8,352 ft 2,546 m	257.78 251.81	CONCRETE	778 ft 237 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	KRW	110.30 MHz	18 nm 33 km	- -	-	827 ft 827 m
25	LOC-ILS	KRW	110.30 MHz	18 nm 33 km	257.77 251.80	-	791 ft 791 m
25	GS	KRW	110.30 MHz	10 nm 19 km	257.77 251.80	3.00	791 ft 791 m