

# KDAL

Dallas Love Field


# KATL

Hartsfield-Jackson Atlanta Intl

2024/05/03 0312Z

KDAL GLOVE **J66** LIT **J14** ATL KATL

653.09 nm / 1209.53 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDAL	-	32.84620	0 ft	-	Dallas Love Field
APT	-	-96.85070	0 m		
GLOVE	-	33.87190	35,000 ft	107	-
FIX	-	-95.10420	10,668 m		
MEEOW	J66	34.31810	35,000 ft	83	-
FIX	AWY-HI	-93.52360	10,668 m		
LIT	J66	34.67770	35,000 ft	69	LITTLE ROCK
VOR	AWY-HI	-92.18050	10,668 m		
ARIGY	J14	34.53550	35,000 ft	42	-
FIX	AWY-HI	-91.34720	10,668 m		
CARIN	J14	34.45420	35,000 ft	23	-
FIX	AWY-HI	-90.88700	10,668 m		
XESSS	J14	34.31410	35,000 ft	39	-
FIX	AWY-HI	-90.11740	10,668 m		
YAALL	J14	33.79340	32,900 ft	134	-
FIX	AWY-HI	-87.48090	10,028 m		
VUZ	J14	33.67010	26,500 ft	29	VULCAN (BIRMINGHAM)
VOR	AWY-HI	-86.89980	8,077 m		
ATL	J14	33.62910	100 ft	123	ATLANTA
VOR	AWY-HI	-84.43510	30 m		
KATL	-	33.63660	0 ft	0	Hartsfield-Jackson Atlanta Intl
APT	-	-84.42800	0 m		

## KDAL

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 2

Elevation: 485 ft / 148 m  
Location: 32.846200 -96.850700  
Magnetic Var: 2.620 E

## METAR

KDAL 030253Z 18005KT 10SM FEW027 BKN047 BKN070 OVC250 25/21 A2980 RMK A02 SLP087 OCNL LTGIC CB DSNT N-NE MOV E T025

## TAF

KDAL 030157Z 0302/0324 15008KT P6SM VCTS SCT035CB BKN100 FM030600 16007KT P6SM BKN035 FM030900 07005KT P6SM VCTS I

## Frequencies

REC - 133.40 MHz - ATIS	CLD - 127.90 MHz - CLEARANCE DELIVERY
GND - 121.75 MHz - LOVE GROUND	TWR - 123.70 MHz - LOVE TOWER
APP - 125.12 MHz - REGIONAL APPROACH SOUTH	DEP - 125.20 MHz - REGIONAL DEPARTURE SOUTH
DEP - 124.30 MHz - REGIONAL DEPARTURE NORTH	APP - 118.55 MHz - REGIONAL APPROACH NORTH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	8,801 ft	135.76	CONCRETE	495 ft	200 ft
	46 m	2,683 m	133.14		151 m	61 m
31L	151 ft	8,801 ft	315.77	CONCRETE	0 ft	197 ft
	46 m	2,683 m	313.15		0 m	60 m
13L	151 ft	7,756 ft	135.77	CONCRETE	0 ft	184 ft
	46 m	2,364 m	133.15		0 m	56 m
31R	151 ft	7,756 ft	315.78	CONCRETE	0 ft	200 ft
	46 m	2,364 m	313.16		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IDAL	111.50 MHz	18 nm	-	-	501 ft
				33 km	-		501 m
13R	DME	IDPX	111.10 MHz	18 nm	-	-	482 ft
				33 km	-		482 m
31L	DME	ILVF	111.10 MHz	18 nm	-	-	482 ft
				33 km	-		482 m
31R	DME	IOVW	111.50 MHz	18 nm	-	-	501 ft
				33 km	-		501 m
13L	LOC-ILS	IDAL	111.50 MHz	18 nm	135.78	-	487 ft
				33 km	133.16		487 m
13R	LOC-ILS	IDPX	111.10 MHz	18 nm	135.77	-	470 ft
				33 km	133.15		470 m
31L	LOC-ILS	ILVF	111.10 MHz	18 nm	315.75	-	448 ft
				33 km	313.13		448 m
31R	LOC-ILS	IOVW	111.50 MHz	18 nm	315.77	-	487 ft
				33 km	313.15		487 m
13L	GS	IDAL	111.50 MHz	10 nm	136.55	3.00	478 ft
				19 km	133.93		478 m
13R	GS	IDPX	111.10 MHz	10 nm	136.53	3.00	476 ft
				19 km	133.91		476 m
31L	GS	ILVF	111.10 MHz	10 nm	316.51	3.08	476 ft
				19 km	313.89		476 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31R	GS	IOVW	111.50 MHz	10 nm	316.54	3.00	480 ft
				19 km	313.92		480 m

## KATL

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 5

Elevation: 1,026 ft / 313 m  
Location: 33.636600 -84.428000  
Magnetic Var: 5.629 W

## METAR

KATL 030252Z 12004KT 10SM FEW075 FEW120 BKN200 BKN250 25/14 A2998 RMK A02 SLP141 T02500139 51008 \$

## TAF

TAF AMD KATL 030200Z 0302/0406 14005KT P6SM FEW100 SCT200 FM031400 20005KT P6SM SCT050 BKN080 FM031700 20010KT P6SM

## Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.62		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.64		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.60		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.62		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.64		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.61		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.62		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.60		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.59		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.59		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.65		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.59		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.57		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.59		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.59		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.59		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.65		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.57		990 m