

MYNN

Nassau Intl


TNCM

St Maarten - Princess Juliana Intl

2024/06/15 0517Z

MYNN GEROT A555 IDAHO RTE6 STT B520 PASIC TNCM

921.30 nm / 1706.24 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MYNN APT	-	25.03860 -77.46662	0 ft 0 m	-	Nassau Intl
GEROT FIX	-	24.04418 -75.95364	35,000 ft 10,668 m	101	-
ZLS NDB	A555 AWY-LO	23.58056 -75.26389	35,000 ft 10,668 m	47	STELLA MARIS NDB
INDEE FIX	A555 AWY-LO	23.13979 -74.38954	35,000 ft 10,668 m	54	-
MICAS FIX	A555 AWY-LO	22.13150 -72.44524	35,000 ft 10,668 m	123	-
EGANN FIX	A555 AWY-LO	22.02131 -72.23394	35,000 ft 10,668 m	13	-
MAYAG FIX	A555 AWY-LO	21.70491 -71.63198	35,000 ft 10,668 m	38	-
GTK DME	A555 AWY-LO	21.44066 -71.13437	35,000 ft 10,668 m	32	GRAND TURK VORTAC
COCBU FIX	A555 AWY-LO	21.14989 -70.65436	35,000 ft 10,668 m	32	-
GRADI FIX	A555 AWY-LO	20.52120 -69.63202	35,000 ft 10,668 m	68	-
HARDY FIX	A555 AWY-LO	20.00640 -68.81703	35,000 ft 10,668 m	55	-
IDAHO FIX	A555 AWY-LO	19.26052 -67.63955	35,000 ft 10,668 m	80	-
ROBLE FIX	RTE6 AWY-LO	18.95453 -67.01406	35,000 ft 10,668 m	39	-
BEANO FIX	RTE6 AWY-LO	18.75985 -66.61956	35,000 ft 10,668 m	25	-
CORAF FIX	RTE6 AWY-LO	18.64664 -66.38998	35,000 ft 10,668 m	14	-
SJU DME	RTE6 AWY-LO	18.44628 -65.98951	35,000 ft 10,668 m	25	SAN JUAN VORTAC
CHAKA FIX	RTE6 AWY-LO	18.37288 -65.62953	31,300 ft 9,540 m	20	-
PALCO FIX	RTE6 AWY-LO	18.29171 -65.23562	26,400 ft 8,047 m	22	-
STT DME	RTE6 AWY-LO	18.35582 -65.02456	23,700 ft 7,224 m	12	ST THOMAS VOR-DME
PASIC FIX	B520 AWY-LO	18.29481 -64.65002	19,100 ft 5,822 m	21	-
TNCM APT	-	18.04089 -63.10897	0 ft 0 m	89	St Maarten - Princess Juliana Intl

MYNN

Region: BAHAMAS
Timezone: AMERICA/NASSAU
Runways: 2

Elevation: 16 ft / 5 m
Location: 25.038700 -77.466800
Magnetic Var: 8.789 W

METAR

MYNN 150500Z 22003KT 9999 FEW018 BKN150 BKN200 25/23 A2997

TAF

TAF MYNN 142215Z 1500/1524 22006KT 9999 A RA SCT012 OVC080

Frequencies

REC - 118.70 MHz - ATIS	CLD - 118.30 MHz - NASSAU CLEARANCE
GND - 121.70 MHz - NASSAU GROUND	TWR - 119.50 MHz - NASSAU TOWER
APP - 121.00 MHz - NASSAU APPROACH	APP - 125.30 MHz - NASSAU APPROACH
DEP - 121.00 MHz - NASSAU DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	11,136 ft	134.80	CONCRETE	210 ft	0 ft
	46 m	3,394 m	143.59		64 m	0 m
32	151 ft	11,136 ft	314.81	CONCRETE	0 ft	0 ft
	46 m	3,394 m	323.60		0 m	0 m
10	151 ft	8,282 ft	89.67	CONCRETE	0 ft	0 ft
	46 m	2,524 m	98.46		0 m	0 m
28	151 ft	8,282 ft	269.68	CONCRETE	0 ft	0 ft
	46 m	2,524 m	278.47		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IZQA	110.10 MHz	18 nm	134.83	-	7 ft
				33 km	143.62		7 m
14	GS	IZQA	110.10 MHz	10 nm	135.66	3.00	8 ft
				19 km	144.45		8 m