


2024/05/07 0539Z

HECA PSD **J863** LAKTO **UW11** VELOX OLBA

356.57 nm / 660.37 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HECA	-	30.12181	0 ft	-	Cairo Intl
APT	-	31.40610	0 m		
PSD	-	31.27881	29,100 ft	81	PORT SAID VOR-DME
VOR	-	32.23781	8,870 m		
SISIM	J863	32.13444	34,000 ft	51	-
FIX	AWY-HI	32.14083	10,363 m		
LAKTO	J863	32.63333	34,000 ft	30	-
FIX	AWY-HI	32.08333	10,363 m		
KAROL	UW11	32.86667	35,000 ft	24	-
FIX	AWY-HI	32.48333	10,668 m		
ERIMO	UW11	33.12396	29,300 ft	26	-
FIX	AWY-HI	32.92101	8,931 m		
LEDRA	UW11	33.20000	27,600 ft	7	-
FIX	AWY-HI	33.05000	8,412 m		
VELOX	UW11	33.81667	23,500 ft	63	-
FIX	AWY-HI	34.08333	7,163 m		
OLBA	-	33.82053	0 ft	70	Beyrouth Rafic Hariri Intl
APT	-	35.48779	0 m		

HECA

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 3

Elevation: 466 ft / 142 m
Location: 30.111400 31.413900
Magnetic Var: 4.950 E

METAR

HECA 070500Z 34005KT 9999 FEW025 18/11 Q1016 NOSIG

TAF

TAF HECA 062300Z 0700/0806 31009KT 9999 SCT025 PROB30 TEMPO 0701/0707 4000 HZ NSC

Frequencies

REC - 122.60 MHz - ATIS
GND - 121.90 MHz - CAIRO GROUND NORTH
APP - 119.05 MHz - CAIRO APPROACH
GND - 120.40 MHz - CAIRO GROUND SOUTH
TWR - 118.10 MHz - CAIRO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	197 ft	13,135 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,004 m	44.09		0 m	66 m
23L	197 ft	13,135 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,004 m	224.10		0 m	69 m
05C	197 ft	13,132 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,003 m	44.09		0 m	66 m
23C	197 ft	13,132 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,003 m	224.10		0 m	69 m
05L	197 ft	10,840 ft	49.29	ASPHALT	0 ft	184 ft
	60 m	3,304 m	44.34		0 m	56 m
23R	197 ft	10,840 ft	229.30	ASPHALT	0 ft	184 ft
	60 m	3,304 m	224.35		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	CRL	110.90 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05R	DME	IROT	109.90 MHz	18 nm	-	-	430 ft
				33 km	-		430 m
23L	DME	ILOT	109.50 MHz	18 nm	-	-	420 ft
				33 km	-		420 m
23R	DME	CRR	110.30 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05L	LOC-ILS	IZFL	110.90 MHz	18 nm	49.30	-	466 ft
				33 km	44.35		466 m
05C	LOC-ILS	IZFC	109.90 MHz	18 nm	49.04	-	466 ft
				33 km	44.09		466 m
05R	LOC-ILS	IZFR	108.90 MHz	18 nm	49.05	-	466 ft
				33 km	44.10		466 m
23L	LOC-ILS	ITTL	108.70 MHz	18 nm	229.05	-	466 ft
				33 km	224.10		466 m
23C	LOC-ILS	ITTC	109.50 MHz	18 nm	229.04	-	466 ft
				33 km	224.09		466 m
23R	LOC-ILS	ITTR	110.30 MHz	18 nm	229.30	-	466 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	224.35		466 m
05L	GS	IZFL	110.90 MHz	10 nm	49.30	3.00	466 ft
				19 km	44.35		466 m
05C	GS	IZFC	109.90 MHz	10 nm	49.04	3.00	466 ft
				19 km	44.09		466 m
05R	GS	IZFR	108.90 MHz	10 nm	49.05	3.00	466 ft
				19 km	44.10		466 m
23L	GS	ITTL	108.70 MHz	10 nm	229.05	3.00	466 ft
				19 km	224.10		466 m
23C	GS	ITTC	109.50 MHz	10 nm	229.04	3.00	466 ft
				19 km	224.09		466 m
23R	GS	ITTR	110.30 MHz	10 nm	229.30	3.00	466 ft
				19 km	224.35		466 m

OLBA

Region: LEBANON
Timezone: UNKNOWN
Runways: 3

Elevation: 84 ft / 26 m
Location: 33.820500 35.487600
Magnetic Var: 5.442 E

METAR

OLBA 070500Z 29005KT 260V340 9999 BKN024 22/13 Q1015 NOSIG

TAF

UNKNOWN

Frequencies

REC - 120.60 MHz - ATIS
GND - 121.90 MHz - BEIRUT HARIRI GROUND
APP - 120.30 MHz - BEIRUT APPROACH
TWR - 118.90 MHz - BEIRUT HARIRI TOWER
APP - 119.30 MHz - BEIRUT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,484 ft	32.77	CONCRETE	1,821 ft	390 ft
	45 m	3,805 m	27.33		555 m	119 m
21	148 ft	12,484 ft	212.78	CONCRETE	3,268 ft	390 ft
	45 m	3,805 m	207.34		996 m	119 m
16	148 ft	11,168 ft	166.99	CONCRETE	591 ft	394 ft
	45 m	3,404 m	161.55		180 m	120 m
34	148 ft	11,168 ft	346.99	CONCRETE	0 ft	341 ft
	45 m	3,404 m	341.55		0 m	104 m
17	148 ft	10,623 ft	176.90	ASPHALT	0 ft	154 ft
	45 m	3,238 m	171.46		0 m	47 m
35	148 ft	10,623 ft	356.90	ASPHALT	2,697 ft	0 ft
	45 m	3,238 m	351.46		822 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IKK	110.70 MHz	18 nm	-	-	43 ft
				33 km	-		43 m
16	DME	IBB	110.10 MHz	18 nm	-	-	10 ft
				33 km	-		10 m
03	LOC-ILS	IKK	110.70 MHz	18 nm	32.78	-	84 ft
				33 km	27.34		84 m
16	LOC-ILS	IBB	110.10 MHz	18 nm	166.99	-	84 ft
				33 km	161.55		84 m
17	LOC-ILS	BIL	109.50 MHz	18 nm	176.90	-	84 ft
				33 km	171.46		84 m
03	GS	IKK	110.70 MHz	10 nm	32.78	3.00	84 ft
				19 km	27.34		84 m
16	GS	IBB	110.10 MHz	10 nm	166.99	3.00	84 ft
				19 km	161.55		84 m
17	GS	BIL	109.50 MHz	10 nm	176.90	3.00	84 ft
				19 km	171.46		84 m