


2024/05/17 0359Z

GCLP GDV **UN871** KORAL **UG5** SONSO **UN871** OSDAM LXGB

730.85 nm / 1353.53 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GCLP	-	27.93160	0 ft	-	Gran Canaria
APT	-	-15.38560	0 m		
GDV	-	28.07710	3,200 ft	9	GRAN CANARIA
VOR	-	-15.42900	975 m		
LZR	UN871	29.16600	36,000 ft	120	LANZAROTE
VOR	AWY-HI	-13.51070	10,973 m		
KORAL	UN871	29.73140	36,000 ft	59	-
FIX	AWY-HI	-12.57830	10,973 m		
SONSO	UG5	30.01220	36,000 ft	29	-
FIX	AWY-HI	-12.10190	10,973 m		
ESS	UN871	31.40130	36,000 ft	150	ESSAOUIRA
VOR	AWY-HI	-9.68692	10,973 m		
NIRAL	UN871	33.19470	36,000 ft	126	-
FIX	AWY-HI	-8.36667	10,973 m		
OSDAM	UN871	35.34580	17,500 ft	153	-
FIX	AWY-HI	-6.70111	5,334 m		
LXGB	-	36.15120	0 ft	81	Gibraltar
APT	-	-5.34985	0 m		

## GCLP

Region: CANARY ISLANDS  
Timezone: ATLANTIC/CANARY  
Runways: 2

Elevation: 78 ft / 24 m  
Location: 27.931600 -15.385600  
Magnetic Var: 3.948 W

## METAR

GCLP 170330Z 34013KT 9999 FEW020 BKN030 18/15 Q1016 NOSIG

## TAF

TAF GCLP 170200Z 1703/1803 36015KT 9999 SCT030 TX23/1714Z TN18/1706Z PROB30 TEMPO 1706/1712 4500 RA

## Frequencies

REC - 118.60 MHz - ATIS	GND - 121.70 MHz - GRAN CANARIA GROUND
TWR - 118.30 MHz - GRAN CANARIA TOWER	APP - 121.30 MHz - GRAN CANARIA APPROACH
APP - 124.30 MHz - GRAN CANARIA APPROACH	APP - 124.70 MHz - GRAN CANARIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.27		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.27		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.30		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.30		0 m	225 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.28		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.27		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.61		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.61		77 m