

# EGLL

London Heathrow


# LIML

Milano-Linate "Enrico Forlanini"

2024/05/09 0307Z

EGLL ING **UL15** RIPUS **UN850** GERSA LIML

551.07 nm / 1020.59 km



## Notes

Basic altitude profile:

- Ascent Rate: 3200ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 35000ft
- Cruise Speed: 475kts
- Descent Rate: 2500ft/min
- Descent Speed: 270kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL APT	-	51.47120 -0.46088	0 ft 0 m	-	London Heathrow
ING NDB	-	50.88320 1.74181	35,000 ft 10,668 m	90	SAINT INGLEVERT
LESDO FIX	UL15 AWY-HI	49.80830 3.31806	35,000 ft 10,668 m	88	-
RANUX FIX	UL15 AWY-HI	49.13890 4.36167	35,000 ft 10,668 m	57	-
NEBAX FIX	UL15 AWY-HI	48.45690 6.19444	35,000 ft 10,668 m	83	-
OBAKI FIX	UL15 AWY-HI	48.36580 6.43056	35,000 ft 10,668 m	10	-
BEGAR FIX	UL15 AWY-HI	47.90830 7.58333	35,000 ft 10,668 m	53	-
RIPUS FIX	UL15 AWY-HI	47.26030 8.50000	35,000 ft 10,668 m	53	-
GERSA FIX	UN850 AWY-HI	47.03940 8.53211	31,600 ft 9,632 m	13	-
LIML APT	-	45.45030 9.27281	0 ft 0 m	100	Milano-Linate "Enrico Forlanini"

## EGLL

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 83 ft / 25 m  
Location: 51.471200 -0.460881  
Magnetic Var: 0.377 E

## METAR

EGLL 090220Z AUTO 24005KT 9999 NCD 11/09 Q1028

## TAF

TAF EGLL 082257Z 0900/1006 20006KT 9999 FEW045 PROB30 0903/0907 9000 PROB30 1003/1006 6000

## Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.35		0 m	29 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m

## LIML

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 354 ft / 108 m  
Location: 45.450300 9.272810  
Magnetic Var: 3.239 E

## METAR

LIML 090220Z 36003KT 9999 SCT080 15/14 Q1019 NOSIG

## TAF

TAF LIML 082300Z 0900/0924 VRB05KT 9999 SCT040 TEMPO 0900/0905 4000 RA

## Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.42		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.42		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.44		352 m