


2024/05/07 0200Z

ESSA TONSA **N850** NEMBA ESMS

290.28 nm / 537.60 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 320kts
- Cruise Altitude: 20000ft
- Cruise Speed: 355kts
- Descent Rate: 1200ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ESSA	-	59.65190	0 ft	-	Stockholm Arlanda
APT	-	17.91860	0 m	-	
TONSA	-	58.60910	20,000 ft	76	-
FIX	-	16.52030	6,096 m	-	
ABAMA	N850	57.98660	20,000 ft	47	-
FIX	AWY-HI	15.56960	6,096 m	-	
MOKNI	N850	57.64630	20,000 ft	25	-
FIX	AWY-HI	15.06810	6,096 m	-	
NEMBA	N850	57.15870	20,000 ft	36	-
FIX	AWY-HI	14.37050	6,096 m	-	
ESMS	-	55.52890	0 ft	103	Malmo Sturup
APT	-	13.37110	0 m	-	

## ESSA

Region: SWEDEN  
Timezone: EUROPE/STOCKHOLM  
Runways: 3

Elevation: 138 ft / 42 m  
Location: 59.651900 17.918600  
Magnetic Var: 7.120 E

## METAR

ESSA 070120Z 35006KT CAVOK M02/M03 Q1018 NOSIG

## TAF

TAF ESSA 062330Z 0700/0724 35009KT CAVOK

## Frequencies

REC - 119.00 MHz - ATIS	REC - 121.62 MHz - ATIS
APP - 123.75 MHz - STOCKHOLM CONTROL APPROACH	APP - 120.15 MHz - STOCKHOLM CONTROL APPROACH
APP - 126.65 MHz - STOCKHOLM CONTROL APPROACH	DEP - 123.75 MHz - STOCKHOLM CONTROL DEPARTURE
DEP - 120.15 MHz - STOCKHOLM CONTROL DEPARTURE	DEP - 126.65 MHz - STOCKHOLM CONTROL DEPARTURE
TWR - 118.50 MHz - ARLANDA TOWER	TWR - 125.12 MHz - ARLANDA TOWER
TWR - 128.72 MHz - ARLANDA TOWER	TWR - 123.10 MHz - ARLANDA TOWER
GND - 121.70 MHz - ARLANDA GROUND	GND - 121.97 MHz - ARLANDA GROUND
GND - 121.92 MHz - ARLANDA GROUND	CLD - 121.82 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	148 ft	10,817 ft	10.38	ASPHALT	0 ft	154 ft
	45 m	3,297 m	3.26		0 m	47 m
19R	148 ft	10,817 ft	190.38	ASPHALT	0 ft	164 ft
	45 m	3,297 m	183.26		0 m	50 m
01R	148 ft	8,151 ft	10.38	ASPHALT	0 ft	223 ft
	45 m	2,484 m	3.26		0 m	68 m
19L	148 ft	8,151 ft	190.38	ASPHALT	0 ft	0 ft
	45 m	2,484 m	183.26		0 m	0 m
08	148 ft	8,180 ft	75.84	ASPHALT	0 ft	161 ft
	45 m	2,493 m	68.72		0 m	49 m
26	148 ft	8,180 ft	255.88	ASPHALT	0 ft	161 ft
	45 m	2,493 m	248.76		0 m	49 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	LOC-ILS	SSA	109.90 MHz	18 nm	10.38	-	138 ft
				33 km	3.26		138 m
01R	LOC-ILS	TSA	109.35 MHz	18 nm	10.38	-	138 ft
				33 km	3.26		138 m
19L	LOC-ILS	USA	111.35 MHz	18 nm	190.38	-	138 ft
				33 km	183.26		138 m
19R	LOC-ILS	NSA	110.70 MHz	18 nm	190.38	-	138 ft
				33 km	183.26		138 m
26	LOC-ILS	ESA	110.10 MHz	18 nm	255.86	-	138 ft
				33 km	248.74		138 m
08	LOC-LOC	WSA	109.55 MHz	18 nm	75.86	-	138 ft
				33 km	68.74		138 m
01L	GS	SSA	109.90 MHz	10 nm	10.38	3.00	138 ft
				19 km	3.26		138 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	GS	TSA	109.35 MHz	10 nm	10.38	3.00	138 ft
				19 km	3.26		138 m
19L	GS	USA	111.35 MHz	10 nm	190.38	3.00	138 ft
				19 km	183.26		138 m
19R	GS	NSA	110.70 MHz	10 nm	190.38	3.00	138 ft
				19 km	183.26		138 m
26	GS	ESA	110.10 MHz	10 nm	255.86	3.00	138 ft
				19 km	248.74		138 m

## ESMS

Region: SWEDEN  
Timezone: EUROPE/STOCKHOLM  
Runways: 2

Elevation: 237 ft / 72 m  
Location: 55.528900 13.371100  
Magnetic Var: 4.897 E

## METAR

ESMS 070120Z 06008KT CAVOK 07/04 Q1016

## TAF

TAF ESMS 062303Z 0700/0724 06008KT 9999 BKN020 PROB40 0700/0706 BKN012 PROB40 0722/0724 2000 MIFG

## Frequencies

REC - 129.27 MHz - MALMO ATIS  
TWR - 121.70 MHz - MALMO TOWER  
APP - 135.90 MHz - MALMO APPROACH

TWR - 118.80 MHz - MALMO TOWER  
APP - 135.12 MHz - MALMO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	59 ft	2,575 ft	105.36	ASPHALT	0 ft	0 ft
	18 m	785 m	100.46		0 m	0 m
29	59 ft	2,575 ft	285.37	ASPHALT	0 ft	0 ft
	18 m	785 m	280.47		0 m	0 m
17	148 ft	9,181 ft	173.36	ASPHALT	0 ft	0 ft
	45 m	2,798 m	168.47		0 m	0 m
35	148 ft	9,181 ft	353.37	ASPHALT	0 ft	0 ft
	45 m	2,798 m	348.47		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	NMS	111.90 MHz	18 nm	173.37	-	237 ft
				33 km	168.47		237 m
35	LOC-ILS	SMS	108.10 MHz	18 nm	353.37	-	237 ft
				33 km	348.47		237 m
17	GS	NMS	111.90 MHz	10 nm	173.37	3.00	237 ft
				19 km	168.47		237 m
35	GS	SMS	108.10 MHz	10 nm	353.37	3.00	237 ft
				19 km	348.47		237 m