

LFPO

Paris Orly


LIRF

Roma-Fiumicino "Leonardo da Vinci"

2024/06/05 1353Z

LFPO LUREN **A1** DJL **B37** PAS **G32** ROCCA **M135** ABULO **T345** LURAG **M135** TOP **L50** ELB LIRF

595.92 nm / 1103.64 km



Notes

Basic altitude profile:

- Ascent Rate: 2800ft/min
- Ascent Speed: 240kts
- Cruise Altitude: 25000ft
- Cruise Speed: 400kts
- Descent Rate: 2000ft/min
- Descent Speed: 220kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Orly
APT	-	2.36698	0 m	-	
LUREN	-	48.02580	25,000 ft	74	-
FIX	-	3.91389	7,620 m	-	-
DJL	A1	47.27080	25,000 ft	65	DIJON LONGVIC
VOR	AWY-LO	5.09733	7,620 m	-	
IBABA	B37	46.87720	25,000 ft	27	-
FIX	AWY-LO	5.42083	7,620 m	-	-
LUKID	B37	46.74190	25,000 ft	9	-
FIX	AWY-LO	5.53444	7,620 m	-	-
DIPIR	B37	46.66920	25,000 ft	4	-
FIX	AWY-LO	5.59306	7,620 m	-	-
KELUK	B37	46.55560	25,000 ft	7	-
FIX	AWY-LO	5.68556	7,620 m	-	-
KOVAR	B37	46.39190	25,000 ft	11	-
FIX	AWY-LO	5.81694	7,620 m	-	-
PAS	B37	46.16370	25,000 ft	15	PASSEIRY
VOR	AWY-LO	5.99992	7,620 m	-	
PAS14	G32	46.00500	25,000 ft	14	-
FIX	AWY-LO	6.24694	7,620 m	-	-
ODIKI	G32	45.94220	25,000 ft	5	-
FIX	AWY-LO	6.34361	7,620 m	-	-
30PAS	G32	45.82330	25,000 ft	10	-
FIX	AWY-LO	6.52639	7,620 m	-	-
ROCCA	G32	45.74530	25,000 ft	6	-
FIX	AWY-LO	6.64556	7,620 m	-	-
ABULO	M135	45.57420	25,000 ft	17	-
FIX	AWY-LO	6.99500	7,620 m	-	-
LURAG	T345	45.52780	25,000 ft	4	-
FIX	AWY-HI	7.08889	7,620 m	-	-
VEROB	M135	45.29560	25,000 ft	18	-
FIX	AWY-HI	7.38944	7,620 m	-	-
TOP	M135	44.92540	25,000 ft	29	TORINO
VOR	AWY-HI	7.86167	7,620 m	-	
NEDED	L50	44.69390	25,000 ft	18	-
FIX	AWY-HI	8.14056	7,620 m	-	-
LAGEN	L50	44.39420	25,000 ft	23	-
FIX	AWY-HI	8.49806	7,620 m	-	-
ANAKI	L50	44.20110	25,000 ft	15	-
FIX	AWY-HI	8.72556	7,620 m	-	-
IXITO	L50	44.13470	25,000 ft	5	-
FIX	AWY-HI	8.80361	7,620 m	-	-
UNITA	L50	43.94440	25,000 ft	14	-
FIX	AWY-HI	9.02500	7,620 m	-	-
TIDKA	L50	43.80000	25,000 ft	11	-
FIX	AWY-HI	9.19194	7,620 m	-	-
KONER	L50	43.50470	25,000 ft	23	-
FIX	AWY-HI	9.53000	7,620 m	-	-
BAKRO	L50	43.18810	25,000 ft	24	-
FIX	AWY-HI	9.88750	7,620 m	-	-
ELB	L50	42.73070	25,000 ft	35	ELBA
VOR	AWY-HI	10.39570	7,620 m	-	
LIRF	-	41.81080	0 ft	99	Roma-Fiumicino "Leonardo da Vinci"
APT	-	12.25090	0 m	-	

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.459 E

METAR

LFPO 051330Z 29009KT 260V320 9999 FEW038 SCT046 BKN070 20/12 Q1015 NOSIG

TAF

TAF LFPO 051100Z 0512/0618 27010KT 9999 BKN045

Frequencies

REC - 126.50 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT
GND - 121.82 MHz - ORLY GROUND
TWR - 120.50 MHz - ORLY TOWER
APP - 123.87 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE

REC - 131.35 MHz - ORLY ATIS
GND - 121.70 MHz - ORLY GROUND
TWR - 118.70 MHz - ORLY TOWER
APP - 118.85 MHz - PARIS APPROACH
APP - 124.45 MHz - PARIS APPROACH
DEP - 127.75 MHz - PARIS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.36		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.88		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.84		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.85		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.85		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.34		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.90		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.34		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.90		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.91	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.85	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.34	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.90	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.34	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.90	3.00	291 ft 291 m

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.673 E

METAR

LIRF 051320Z 28011KT CAVOK 24/17 Q1016 NOSIG

TAF

TAF LIRF 051100Z 0512/0618 30014KT CAVOK BECMG 0520/0522 01006KT BECMG 0608/0610 30017KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.01		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.03		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	158.99		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.00		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m