


2024/05/07 1236Z

CYBW BIRKO T622 OVATA XE B2 PA CCL2

399.82 nm / 740.47 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 80kts
- Cruise Altitude: 14000ft
- Cruise Speed: 145kts
- Descent Rate: 1500ft/min
- Descent Speed: 80kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

| Ident Type | Via | Lat Lon | Alt | Dist (nm) | Name |
|---------------|----------------|------------------------|----------------------|--------------|---------------------|
| CYBW APT | - | 51.10510 -114.37500 | 0 ft 0 m | - | Calgary Springbank |
| BIRKO FIX | - | 51.47580 -113.26400 | 14,000 ft 4,267 m | 47 | - |
| BORIX FIX | T622 AWY-LO | 51.89310 -110.00000 | 14,000 ft 4,267 m | 124 | - |
| OVATA FIX | T622 AWY-LO | 52.10000 -108.00000 | 14,000 ft 4,267 m | 74 | - |
| XE NDB | - | 52.18980 -106.81400 | 14,000 ft 4,267 m | 44 | SASKATOON |
| PA NDB | B2 AWY-LO | 53.21810 -105.79500 | 14,000 ft 4,267 m | 72 | PRINCE ALBERT |
| CCL2 APT | - | 53.76930 -105.30900 | 0 ft 0 m | 37 | Candle Lake Airpark |

CYBW

Region: CANADA
Timezone: AMERICA/EDMONTON
Runways: 2

Elevation: 3,937 ft / 1,200 m
Location: 51.105100 -114.375000
Magnetic Var: 13.278 E

METAR

CYBW 071200Z AUTO 31019G25KT 9SM -RA BKN024 OVC030 04/02 A2957 RMK PCPN 0.5MM PAST HR SLP040

TAF

TAF CYBW 071140Z 0712/0724 30018G28KT P6SM -RA SCT020 OVC040 TEMPO 0712/0718 5SM -SHRA BR BKN020 OVC040 FM071800 3

Frequencies

REC - 127.90 MHz - ATIS
TWR - 120.70 MHz -
GND - 121.80 MHz -

Runways

| Ident | Width | Length | Bearing (true) (mag) | Surface | Threshold Offset | Overrun Length |
|-------|--------|----------|-------------------------|---------|---------------------|-------------------|
| 08 | 100 ft | 3,317 ft | 89.99 | ASPHALT | 0 ft | 0 ft |
| | 30 m | 1,011 m | 76.72 | | 0 m | 0 m |
| 26 | 100 ft | 3,317 ft | 270.01 | ASPHALT | 0 ft | 0 ft |
| | 30 m | 1,011 m | 256.73 | | 0 m | 0 m |
| 17 | 98 ft | 5,000 ft | 180.00 | ASPHALT | 0 ft | 0 ft |
| | 30 m | 1,524 m | 166.72 | | 0 m | 0 m |
| 35 | 98 ft | 5,000 ft | 0.00 | ASPHALT | 0 ft | 0 ft |
| | 30 m | 1,524 m | 346.72 | | 0 m | 0 m |

Approach Nav aids

| Runway | Type | Ident | Frequency | Range | Bearing (true) (mag) | Slope | Elevation |
|--------|---------|-------|------------|-------|-------------------------|-------|-----------|
| 35 | LOC-ILS | IBW | 111.70 MHz | 18 nm | 360.00 | - | 3,937 ft |
| | | | | 33 km | 346.72 | | 3,937 m |
| 35 | GS | IBW | 111.70 MHz | 10 nm | 0.00 | 3.00 | 3,937 ft |
| | | | | 19 km | 346.72 | | 3,937 m |