


2024/05/21 2152Z

OPPS SAJAN G325 ZB J134 QT J115 KALAT G452 ZDN A453 DAVEP Q10 MOBET OMDB

1111.38 nm / 2058.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 266kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OPPS	-	33.99370	0 ft	-	Peshawar Bacha Khan Intl
APT	-	71.51460	0 m		
SAJAN	-	32.63830	36,000 ft	99	-
FIX	-	70.36970	10,973 m		
REGET	G325	32.37000	36,000 ft	18	-
FIX	AWY-HI	70.18310	10,973 m		
ZB	G325	31.35590	36,000 ft	71	ZHOB
VOR	AWY-HI	69.45990	10,973 m		
KOTRA	J134	30.78470	36,000 ft	76	-
FIX	AWY-HI	68.12580	10,973 m		
MAJOR	J134	30.44890	36,000 ft	44	-
FIX	AWY-HI	67.36330	10,973 m		
QT	J134	30.25780	36,000 ft	24	QUETTA
VOR	AWY-HI	66.93600	10,973 m		
ISHAQ	J115	29.84810	36,000 ft	25	-
FIX	AWY-HI	66.81720	10,973 m		
KALAT	J115	29.03360	36,000 ft	50	-
FIX	AWY-HI	66.58360	10,973 m		
SOKIR	G452	29.13360	36,000 ft	113	-
FIX	AWY-HI	64.41720	10,973 m		
DERBO	G452	29.42830	36,000 ft	165	-
FIX	AWY-HI	61.28360	10,973 m		
ZDN	G452	29.48670	36,000 ft	20	ZAHEDAN
VOR	AWY-HI	60.90160	10,973 m		
ULOVI	A453	29.33000	36,000 ft	19	-
FIX	AWY-HI	60.57470	10,973 m		
DANOV	A453	29.24560	36,000 ft	10	-
FIX	AWY-HI	60.39920	10,973 m		
PEKES	A453	28.99140	36,000 ft	31	-
FIX	AWY-HI	59.87250	10,973 m		
NABOX	A453	28.27500	36,000 ft	87	-
FIX	AWY-HI	58.43360	10,973 m		
DAVEP	A453	27.70720	36,000 ft	67	-
FIX	AWY-HI	57.33580	10,973 m		
MOBET	Q10	26.73500	36,000 ft	86	-
FIX	AWY-HI	56.15220	10,973 m		
OMDB	-	25.25110	0 ft	98	Dubai Intl
APT	-	55.37110	0 m		

OPPS

Region: PAKISTAN
Timezone: ASIA/KARACHI
Runways: 1

Elevation: 1,210 ft / 369 m
Location: 33.993700 71.514600
Magnetic Var: 3.206 E

METAR

OPPS 212100Z 18004KT 7000 HZ NSC 28/10 Q1003

TAF

TAF OPPS 211700Z 2118/2224 31008KT 6000 NSC BECMG 2203/2205 05010KT 7000 NSC

Frequencies

REC - 126.70 MHz - PESHAWAR ATIS	GND - 118.30 MHz - PESHAWAR GROUND
TWR - 122.90 MHz - PESHAWAR TOWER	TWR - 118.40 MHz - PESHAWAR TOWER
APP - 125.60 MHz - PESHAWAR APPROACH	APP - 127.35 MHz - PESHAWAR APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	151 ft	9,028 ft	175.93	ASPHALT	0 ft	0 ft
	46 m	2,752 m	172.72		0 m	0 m
35	151 ft	9,028 ft	355.93	ASPHALT	0 ft	0 ft
	46 m	2,752 m	352.73		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	LOC-ILS	IBKB	108.30 MHz	18 nm	335.93	-	1,210 ft
				33 km	332.72		1,210 m
35	GS	IBKB	108.30 MHz	10 nm	355.93	3.00	1,210 ft
				19 km	352.72		1,210 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.354 E

METAR

OMDB 212100Z 15006KT CAVOK 30/21 Q1004 NOSIG

TAF

TAF OMDB 211700Z 2118/2300 17005KT CAVOK PROB30 2201/2204 4000 HZ BECMG 2207/2209 32012KT BECMG 2216/2218 12005KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m