


2024/05/03 0245Z

LSGC D116M LASAV LIME

176.24 nm / 326.39 km



Notes

Requested: LSGC IVUD D116M LASAV LIME

Unmatched points: IVUD

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LSGC	-	47.08420	0 ft	-	Les Eplatures	
APT	-	6.79361	0 m			
D116M	-	45.57080	0 ft	160	-	
FIX	-	9.98401	0 m			
LASAV	-	45.61170	0 ft	2	-	
FIX	-	10.00670	0 m			
LIME	-	45.67200	0 ft	13	Bergamo-Orio Al Serio "Il Caravaggio"	
APT	-	9.70681	0 m			

LSGC

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 3,368 ft / 1,027 m
Location: 47.084200 6.793610
Magnetic Var: 2.682 E

METAR

LSGC 030220Z AUTO 23004KT 9999 BKN006 BKN008 BKN010 04/04 Q1013

TAF

UNKNOWN

Frequencies

TWR - 118.12 MHz -
TWR - 118.12 MHz -

GND - 118.12 MHz - TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	88 ft	3,807 ft	54.28	CONCRETE	243 ft	0 ft
	27 m	1,160 m	51.59		74 m	0 m
24	88 ft	3,807 ft	234.29	CONCRETE	423 ft	0 ft
	27 m	1,160 m	231.60		129 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	ICF	108.15 MHz	18 nm	233.97	-	3,376 ft
				33 km	231.28		3,376 m
24	GS	ICF	108.15 MHz	10 nm	234.93	3.50	3,371 ft
				19 km	232.25		3,371 m

LIME

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 776 ft / 237 m
Location: 45.672000 9.706810
Magnetic Var: 3.341 E

METAR

LIME 030220Z 01003KT CAVOK 10/09 Q1009 NOSIG

TAF

TAF LIME 022300Z 0300/0324 VRB05KT 9999 SCT060 TEMPO 0319/0322 SHRA

Frequencies

GND - 120.50 MHz - ORIO GROUND
REC - 114.95 MHz - ATIS
APP - 126.75 MHz - MILANO RADAR

TWR - 125.87 MHz - ORIO TOWER
APP - 126.30 MHz - MILANO RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	59 ft	2,670 ft	121.46	ASPHALT	200 ft	0 ft
	18 m	814 m	118.12		61 m	0 m
30	59 ft	2,670 ft	301.47	ASPHALT	312 ft	0 ft
	18 m	814 m	298.13		95 m	0 m
10	148 ft	9,439 ft	104.87	ASPHALT	718 ft	0 ft
	45 m	2,877 m	101.53		219 m	0 m
28	148 ft	9,439 ft	284.90	ASPHALT	443 ft	0 ft
	45 m	2,877 m	281.56		135 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	BRM	108.70 MHz	18 nm	-	-	779 ft
				33 km	-		779 m
28	LOC-ILS	BRM	108.70 MHz	18 nm	285.08	-	779 ft
				33 km	281.74		779 m
28	GS	BRM	108.70 MHz	10 nm	285.80	3.00	779 ft
				19 km	282.46		779 m