

NZOH

Ohakea


YAMB

RAAF Base Amberley

2024/06/06 2139Z

NZOH PM **Q651** GULUT **M639** LHI **J208** SCOTT YAMB

1395.62 nm / 2584.68 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 350kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZOH	-	-40.20520	0 ft	-	Ohakea
APT	-	175.38400	0 m		
PM	-	-40.32020	4,600 ft	13	PALMERSTON NORTH
VOR	-	175.63800	1,402 m		
GULUT	Q651	-39.47650	35,000 ft	210	-
FIX	AWY-HI	171.19500	10,668 m		
VEPAS	M639	-34.41300	35,000 ft	496	-
FIX	AWY-HI	163.00000	10,668 m		
LHI	M639	-31.52890	35,000 ft	262	LORD HOWE
NDB	AWY-HI	159.07300	10,668 m		
CHEWY	J208	-28.96810	35,000 ft	248	-
FIX	AWY-HI	155.31500	10,668 m		
SCOTT	J208	-27.86830	15,200 ft	103	-
FIX	AWY-HI	153.80000	4,633 m		
YAMB	-	-27.64060	0 ft	59	RAAF Base Amberley
APT	-	152.71200	0 m		

NZOH

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 3

Elevation: 164 ft / 50 m
Location: -40.205200 175.384000
Magnetic Var: 22.286 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 135.00 MHz - ATIS
GND - 122.10 MHz -
APP - 125.10 MHz -

COM - 134.50 MHz - UNICOM
TWR - 134.50 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,998 ft	109.05	ASPHALT	486 ft	0 ft
	45 m	2,438 m	86.76		148 m	0 m
27	148 ft	7,998 ft	289.03	ASPHALT	0 ft	0 ft
	45 m	2,438 m	266.74		0 m	0 m
15	148 ft	7,018 ft	169.00	ASPHALT	492 ft	0 ft
	45 m	2,139 m	146.72		150 m	0 m
33	148 ft	7,018 ft	349.00	ASPHALT	0 ft	0 ft
	45 m	2,139 m	326.72		0 m	0 m
09L	89 ft	1,802 ft	108.83	GRASS	0 ft	0 ft
	27 m	549 m	86.55		0 m	0 m
27R	89 ft	1,802 ft	288.83	GRASS	0 ft	0 ft
	27 m	549 m	266.54		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IRM	110.70 MHz	18 nm	-	-	164 ft
				33 km	-		164 m
27	DME	IOH	111.10 MHz	18 nm	-	-	164 ft
				33 km	-		164 m
09	LOC-ILS	IRM	110.70 MHz	18 nm	109.14	-	164 ft
				33 km	86.86		164 m
27	LOC-ILS	IOH	111.10 MHz	18 nm	288.90	-	164 ft
				33 km	266.62		164 m
09	GS	IRM	110.70 MHz	10 nm	109.00	3.00	164 ft
				19 km	86.71		164 m
27	GS	IOH	111.10 MHz	10 nm	289.00	3.00	164 ft
				19 km	266.71		164 m

YAMB

Region: AUSTRALIA
Timezone: AUSTRALIA/BRISBANE
Runways: 2

Elevation: 85 ft / 26 m
Location: -27.640600 152.712000
Magnetic Var: 10.973 E

METAR

YAMB 062100Z 20005KT CAVOK 03/03 Q1017

TAF

TAF YAMB 061935Z 0620/0718 32007KT CAVOK FM070100 28012KT 9999 FEW040 FM070800 27005KT CAVOK

Frequencies

CLD - 134.60 MHz - DELIVERY	TWR - 126.20 MHz - APPROACH
TWR - 243.00 MHz - APPROACH	TWR - 335.80 MHz - APPROACH
TWR - 359.00 MHz - APPROACH	REC - 123.30 MHz - ATIS
REC - 316.20 MHz - AWIS	GND - 129.35 MHz - GROUND
GND - 121.92 MHz - GROUND	TWR - 118.30 MHz - TOWER
TWR - 264.60 MHz - TOWER	COM - 118.30 MHz - CTAF

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	10,484 ft	158.85	ASPHALT	207 ft	0 ft
	45 m	3,196 m	147.87		63 m	0 m
33	148 ft	10,484 ft	338.84	ASPHALT	253 ft	0 ft
	45 m	3,196 m	327.87		77 m	0 m
04	151 ft	4,999 ft	54.22	ASPHALT	0 ft	0 ft
	46 m	1,524 m	43.25		0 m	0 m
22	151 ft	4,999 ft	234.22	ASPHALT	0 ft	0 ft
	46 m	1,524 m	223.24		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	IAM	110.70 MHz	18 nm	158.84	-	85 ft
				33 km	147.87		85 m
15	GS	IAM	110.70 MHz	10 nm	158.84	3.00	85 ft
				19 km	147.87		85 m