


2024/05/03 0809Z

VYCI LALAT **M770** PADET VTSB

455.33 nm / 843.27 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VYCI	-	14.13730	0 ft	-	COCO ISLAND
APT	-	93.36780	0 m		
LALAT	-	12.84690	35,000 ft	142	-
FIX	-	95.41890	10,668 m		
OBMOG	M770	11.90190	35,000 ft	80	-
FIX	AWY-HI	96.39190	10,668 m		
PADET	M770	10.00190	15,500 ft	159	-
FIX	AWY-HI	98.28870	4,724 m		
VTSB	-	9.13260	0 ft	72	Surat Thani Intl
APT	-	99.13560	0 m		

VTSB

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 1

Elevation: 20 ft / 6 m
Location: 9.132600 99.135600
Magnetic Var: 0.300 W

METAR

VTSB 030700Z 01005KT 330V070 9999 FEW020 38/21 Q1005 NOSIG

TAF

TAF VTSB 030500Z 0306/0406 06008KT 9999 SCT020 PROB40 TEMPO 0308/0312 VRB15G25KT 4000 TSRA FEW016CB SCT018 BKN100

Frequencies

REC - 125.95 MHz - ATIS
TWR - 122.70 MHz - SURAT THANI TOWER
APP - 123.35 MHz - SURAT THANI APPROACH
GND - 121.90 MHz - SURAT THANI GROUND
APP - 129.60 MHz - SURAT THANI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,912 ft	43.98	ASPHALT	0 ft	246 ft
	45 m	3,021 m	44.28		0 m	75 m
22	148 ft	9,912 ft	223.99	ASPHALT	0 ft	197 ft
	45 m	3,021 m	224.29		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	ISTN	109.50 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
22	LOC-ILS	ISTN	109.50 MHz	18 nm	223.99	-	20 ft
				33 km	224.29		20 m
22	GS	ISTN	109.50 MHz	10 nm	223.99	3.00	20 ft
				19 km	224.29		20 m